

The Toro® Dingo® TX 413. A **great package** for the jobs you do most often.

We combined our five most popular attachments with one great machine, and loaded it all on a convenient trailer to give you what you use most. The Toro Dingo TX 413 works hard with the power of a 13 hp engine. Lightweight. Easy to transport. Easy to maneuver. Gentle on turf. What you're used to doing by hand can now be done in a snap...by the TX 413.

The perfect size for easy access to confined areas.

- Only 33.7" wide
- Made to fit through standard 36" gates and small work sites

High-performance track system combined with the power you need to work all day.

- Exceptional traction and flotation with the proprietary track design
- 7 gpm @ 2,540 psi hydraulic pressure

A custom designed trailer makes this equipment package your toolbox for landscaping.

Fully loaded trailer is easily pulled by many vehicles. Conveniently carries your machine and various combinations of these attachments:

- Auger power head with auger bit
- Trencher
- Adjustable forks
- Leveler
- Bucket

Toro Dingo TX 413 and Trailer

TX 413

- 13 hp Honda® gasoline engine
- Track width – 5.88"
- Width – 33.7"
- Weight w/out bucket – 1340 lbs.
- 3.6 psi ground pressure

TX 413 Trailer

- 5' 4" x 9' bed
- 3500 lbs. GVW axle
- 2 inch diameter ball
- Surge brakes
- Flat 4 wire harness plug
- ST225/75R15 tires

The five attachments you use most to get the most done.



Trencher (2')



Auger Power Head
(up to 24")



Bucket



Leveler



Adjustable Forks



"People get nervous about operating a new piece of equipment, but the Toro® Dingo® is something you can teach in five minutes, and within half-an-hour, a new employee is pretty proficient."

— Paul McCaslin, Owner
Redbird Landscaping
Fenton, MO

The Toro® Dingo® TX tracked models. Now you're **working smarter**, not harder.

Toro Dingo TX compact utility loaders possess the versatility to handle countless jobs on every site. Dig, haul, plant, and build. Designed by Toro engineers specifically for professionals, this compact utility loader is an innovative, rugged, and dependable piece of equipment professionals can use every day, for virtually every job.

Power you can count on.


- Pumping 11.4 gpm @ 3000 psi, the incredible hydraulic power easily runs attachments.
- The high-flow 4-pump hydraulic system directs power where it is needed.
- Quick-change dripless flush-face couplers keep the hydraulic system clean.

A lot more work, in a lot less time.

- Uses for the Toro Dingo TX 420 and 425, plus more than 35 available attachments, are limited only by your imagination.
- Toro's exclusive TX control system is easy to learn; new operators are instantly productive with true command for accurate performance.
- Walk-behind operator position provides 360° visibility and comfortable operation.
- Optional platform allows ride-on capability when traveling long distances.

Make tracks with the Toro Dingo TX loader.

- Durable Kevlar® reinforced tracks offer extended life.
- Tracks disperse weight, giving high flotation and a light footprint on delicate turf, yet delivering the necessary traction in loose sand or mud.
- Open design of traction system prevents the collection of sand, rocks, mud, and debris that could jam tracks.



Patented, easy-to-use controls make for more productive workers.

Toro Dingo Tracked Models

TX 420

- 20 hp Kohler® gasoline engine
- Track width – 5.9"
- Width - 33.7"
- Weight w/out bucket – 1880 lbs
- 5 psi ground pressure



TX 425 Wide Track

- 25 hp Kohler gasoline engine
- Track width – 9.5"
- Width - 41.5"
- Weight w/out bucket – 2060 lbs
- 3.5 psi ground pressure

