
TURF TRACER®
X-SERIES

Model No. TTX691GKA52400—Serial No. 316000000 and Up

Picture below may not reflect actual product.



Parts Manual

Part No. 4502-593 Rev. B

Ordering Replacement Parts

To order replacement parts, please supply the part number, the quantity, and the description of each part desired.

Understanding Reference Numbers

Each identified part in an illustration has a reference number. The reference number for a part also appears in the parts list, along with other information about the part.

This catalog uses two special reference number formats, one to indicate parts in a service assembly and another to indicate the quantity of a given part in an illustration.

Service Assembly Reference Numbers

Parts in service assemblies have reference numbers in the form a:b. The a represents the reference number of the entire service assembly and the b represents a sequential number unique to each part within the service assembly.

For example, a wheel assembly might be identified by reference number 6, the tire by 6:1, the valve by 6:2, and the wheel by 6:3. When you order the assembly identified by reference number 6, you receive all parts identified by reference numbers 6:1,6:2, and 6:3. However, you may also order any part individually. Reference numbers of this type appear in illustration and in parts lists.

Reference Numbers Indicating Quantity

In an illustration, if a reference number indicates more than one part, the reference number has the form nX y. The n represents the quantity of the part, the X is the multiplication symbol, and the y represents the reference number.

For example, in an illustration, the reference number 2X 37 means that two of the parts identified by reference number 37 are indicated.

Touch Up Paint

Exmark black touch up spray paint – gloss black.

Exmark red touch up paint (spray paint – P/N 1-850337 - .6 oz liquid bottle – P/N 103-9140).

© 2016—Exmark Mfg. Co., Inc.
Industrial Park Box 808
Beatrice, NE 68310

Contact us at www.Exmark.com.
Printed in the USA.
All Rights Reserved




If your Exmark dealer does not have the Exmark part in stock, Exmark will get the parts to the dealer the next business day or the part will be FREE Guaranteed!! (Some restrictions apply. See your participating Exmark Dealer for details.)

Contents

Complete Deck Assembly 4
Deck Assembly 6
Deck W/Decals No. 116-2472 8
Deck Idler Assembly No. 126-2314 10
Frame Assembly 12
Front Frame Assembly No. 126-2540 14
ECS Upper Handle Controls Assembly 16
Controls Assembly 18
Engine Deck Assembly 20
Engine Assembly 22
Fuel Assembly 24
Hydro Assembly 26
Electrical Assembly 28


Complete Deck Assembly



Complete Deck Assembly (continued)

Ref.	*Part Number*	*Qty.*	*Description*
4	126-2536	1	ASM, Complete Deck, 52

Deck Assembly




Deck Assembly (continued)

Ref.	Part Number	Qty.	Description
1	126-2472	1	ASM, Deck W/ Decals, 52"
2	116-3344	3	ASM-Cutter Hsg With Bearings
2:2	116-0720	2	Bearing-Ball
2:3	116-3312	1	Spacer-Bearing
3	116-3341	3	ASM-Spindle And Seal ■
4	116-5175	3	Blade-Extreme 2, 18.00"
4	103-6402	3	Blade-Notched
4	103-6392	3	Blade, Mulching ●
4	103-6387	3	Blade, Low Lift
4	103-6382	3	Blade, Solid
5	103-3037	3	Bushing, Splined
7	109-9220	3	Screw-Sems 1/2-20 X 2.19
8	116-1286	3	Guard,Bearing Top .989
9	116-0675	3	Sheave,Blade Drive 6.50
10	103-2802	3	Washer-Spring Disc 3/4
11	116-7306	3	Nut-Hex
12	3256-4	1	Washer-3/8 Std
13	126-2314	1	ASM, Deck Idler
14	3231-24	1	Bolt-Carriage 3/8-16 X 3 3/4
15	116-4668	1	Idler-Pulley, Flanged
16	116-4669	2	Idler-Pulley, Flat
17	1-603001	2	Rod, Deck Support
18	1-413425	2	Spacer-Deck Support
19	1-603050	2	Spacer
20	1-414521	2	Link Assy
20:1	1-413525	1	Link, Rear Deck Support
20:2	1-613204	1	Balljoint
20:3	3220-3	1	Nut-Jam 3/8-24
21	109-2872	2	Spacer-Pulley
22	1-323539	2	Spacer-Blade Drive
23	103-2916	1	Guard-Top
24	116-6317	1	Spring-Extension
25	126-1680	1	Screw-Hfh
26	109-6658	21	Nut-Nyloc 3/8-16 Flg
27	322-2	1	Screw-HH 5/16-18 X 5/8
28	104-8300	1	Nut-Nyloc 5/16-18 Flg
29	1-806332	2	Rollpin 1/4 X 1 1/2
30	323-9	2	Screw-HH 3/8-16 X 1 3/4
31	104-8301	6	Nut-Nyloc 3/8-16 Flg
32	1-806009	4	Hairpin-Cotter #206
33	116-9981	6	Kit, Anti-Scalp Roller
34	109-6935	1	Cover-Belt, RH
35	109-6936	1	Cover-Belt, LH
36	109-7188	1	ASM,Discharge Chute
36:1	109-2738	1	Chute, Discharge
36:2	109-8675-01	1	Bracket,Discharge Chute
36:3	3231-22	3	Bolt-Carriage 3/8-16 X 1
36:4	109-6658	3	Nut-Nyloc 3/8-16 Flg
37	3231-22	4	Bolt-Carriage 3/8-16 X 1
38	3231-40	2	Bolt-Carriage 3/8-16 X 2 1/4
39	126-2538	1	Belt, Deck Drive
40	116-5814-01	1	Baffle-Dogleg, Lz-Vt52
41	116-9362	6	Screw-HH 3/8-16 X 3 3/4 GR 8
42	116-8131	6	Axle, Roller
43	103-8415	6	Roller-Anti-Scalp
44	109-6658	6	Nut-Nyloc 3/8-16 Flg
45	98-5975	6	Washer-Spring Disc 3/8
46	1-411532	2	Kit, Support Link W/Pin

● Requires installation of mulch kit for proper mulching. See your Exmark dealer for details.

■ Apply Mobil HTS grease (P/N 103-5217 1.5 oz packet) (or a food-grade anti-seize). See operator s manual for locations.


Deck W/Decals No. 116-2472



Deck W/Decals No. 116-2472 (continued)

Ref.	Part Number	Qty.	Description
2	114-3489	1	Decal-Warning, Bagger
3	112-8760	2	Decal-Danger
4	116-8727	1	Decal-Belt Routing
5	116-8278	1	Decal-Anti-Scalp
6	126-0898	1	Decal-Roller Mounting
7	112-9028	3	Decal-Missing, Cover
8	126-6588	1	Decal, 524
9	116-8283	1	Decal-Bolt Torque

Deck Idler Assembly No. 126-2314




Deck Idler Assembly No. 126-2314 (continued)

Ref.	Part Number	Qty.	Description
1		1	Weld, Idler Arm ●
2	106-7159	2	O-Ring
3	32120-10	2	Ring-Snap
4	103-3504	2	Bearing-Spherical
5	103-5677	1	Spacer
6	103-3505	1	Seal-Double Lip
7	103-3506	1	Seal-Lip, Single
8	302-40	1	Fitting-Grease, 90 DEG

● Not serviced separately

Frame Assembly




Frame Assembly (continued)

Ref.	Part Number	Qty.	Description
1	126-2540	1	ASM, Front Frame W/ Bearings, 52
2	126-1503	5	Spring
3	126-1504	5	Pin, Spring
4	92-1298	5	Pin-Lynch
5	1-543509	4	Cone-Bearing Tapered Roller
6	103-1891-01	2	Wld, Caster Fork
7	1-633508	6	Washer-Spring Disc
8	3296-51	2	Nut-Nyloc 3/4-10
9	104-8300	5	Nut-Nyloc 5/16-18 Flg
10	109-3524	2	Asm, Wheel And Bearings
10:1	103-2768	2	Guard-Seal
10:2		1	ASM,Wheel And Bearing ●
10:2:1	1-633585	2	Bearing-Cone Tapered Roller
10:2:2	103-0063	2	Seal-Double Lip
10:2:3	103-3051	2	Spacer-Nut
10:2:4	103-3157	1	Axle-Caster
10:3	325-20	1	Screw-HH 1/2-13 X 6
10:4	3296-45	1	Nut-Nyloc 1/2-13 Thin
11	98-5975	8	Washer-Spring Disc 3/8
12	104-8301	8	Nut-Nyloc 3/8-16 Flg
13	323-7	8	Screw-HH 3/8-16 X 1 1/4
14	126-2544	1	ASM, Center Shield W/ Decals, 52
14:2	126-6892	1	Decal-Turf Tracer
14:3	106-5517	2	Decal-Warning
14:4	126-1692	5	Decal-Scratch Cover

● Not serviced separately


Front Frame Assembly No. 126-2540



Front Frame Assembly No. 126-2540 (continued)

Ref.	Part Number	Qty.	Description
2	1-513336	2	Bushing-Deck
3	32120-33	2	Ring-Retaining
4	103-4882	2	Cap-Grease
5	1-811010	2	Plug
6	1-543511	2	Seal-Grease
7	302-19	1	Zerk-1/4-28 Str

ECS Upper Handle Controls Assembly




ECS Upper Handle Controls Assembly (continued)

Ref.	Part Number	Qty.	Description
1	126-2642-03	1	Weld, Handle
2	103-0815	2	Grip-BAR, Handle
3	126-3541	1	ASM, Console W/ Decals
3:2	126-3316	1	Decal-Console Ttx Kaw
3:3	103-2242	1	Decal, Ecs Instruction LH
3:4	103-2243	1	Decal, Ecs Instruction RH
3:5	126-6877	1	Decal, Exmark Logo
4	32144-10	2	Screw-HWH 1/4-20 X .62
5	103-0027	2	Bushing-Lever, Drive
6	103-2513	1	Asm, Drive Lever RH
6:1	116-4082	1	Wld,RH Drive Lever
6:2	1-413152	2	Bushing-Sleeve
7	1-633349	2	Spring-Compression
8	126-2921	2	Latch, Ecs
9	103-1371	1	Thumb Latch Asm RH
10	103-2514	1	Asm, Drive Lever LH
10:1	116-4081	1	Wld,LH Drive Lever
10:2	1-413152	2	Bushing-Sleeve
11	103-1372	1	Thumb Latch Asm LH
12	126-2931	2	Screw-Shoulder
13	1-303365	2	Bushing-Nylon
14	103-0769-03	1	Rod Weldment, OPC
15	116-4079	1	Wld,LH OPC Lever ■
15:1:2	1-803322	1	Setscrew-5/16-24 X 5/16 ●
16	116-4080	1	Wld,RH OPC Lever ■
16:1:2	1-803322	1	Setscrew-5/16-24 X 5/16 ●
17	3256-23	1	Washer-5/16 SAE
18	1-323244	2	Washer-Friction
19	126-0148	1	Lever, Shift W/Grip
19:2	103-5994	1	Grip-Handle, Steering
20	1-603716	1	Washer-Friction Disc
21	322-11	2	Screw-HH 5/16-18 X 2 1/4
22	1-323245	2	Spring-Compression
23	104-8301	6	Nut-Nyloc 3/8-16 Flg
24	109-3958	1	Control-Throttle
25	1-807513	2	Bolt-Carriage #10-24 X 1/2
26	3296-2	2	Nut-Nyloc #10-24
27	104-7201	2	Nut-Nyloc 1/4-20 Flg
28	98-5975	4	Washer-Spring Disc 3/8
29	323-7	4	Screw-HH 3/8-16 X 1 1/4
30	3256-22	2	Washer-1/4 SAE
31	321-14	2	Screw-HH 1/4-20 X 2 3/4
32	1-303363	1	Spring-Extension
33	1-413225	1	Rod, Speed Control
34	1-303105	1	Yoke-Adjustable
35	1-808280	1	Pin-Clevis 5/16 X 1 49/64
36	3272-5	1	Pin-Cotter 3/32 X 1/2
37	1-806003	1	Hairpin-Cotter
38	322-9	2	Screw-HH 5/16-18 X 1 3/4
39	3296-29	2	Nut-Nyloc 5/16-18
40	126-2107	1	Cable, Choke
41	103-1166	2	Spacer-Tube, Pump Link
42	323-9	2	Screw-HH 3/8-16 X 1 3/4
43	103-2463	4	Balljoint
44	103-1167	2	Joint-Ball End
45	103-1148	2	Rod,Drive Lever
46	3220-3	4	Nut-Jam 3/8-24
47	3219-3	2	Nut-Hex 3/8-24
48	3220-16	2	Nut-Jam 3/8-24 LH
49	116-3414	2	Drive Link ASM
50	104-8300	2	Nut-Nyloc 5/16-18 Flg

● Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.
■ Use Pro-Lock retaining type, Part no. 1-840023 (.5cc tube) on inside of bore of OPC hub.


Controls Assembly



Controls Assembly (continued)

Ref.	Part Number	Qty.	Description
1	116-9975	1	Weld, Motion Control, Rt
2	116-9974	1	Weld, Motion Control, Lt
3	1-803022	2	Setscrew-5/16-18 X 5/8
4	126-2982-01	1	Weld, Speed Control
5	1-603735	2	Bushing-Flanged
6	103-0265	2	Spring, Neutral Return
7	1-603737	2	Bolt-Neutral Return
8	3256-23	9	Washer-5/16 SAE
9	3219-2	7	Nut-Hex 5/16-24
10	3220-2	2	Nut-Jam 5/16-24
11	104-8300	6	Nut-Nyloc 5/16-18 Flg
12	32128-20	2	Nut-Whizlock 5/16-18
13	322-5	2	Screw-HH 5/16-18 X 1
14	1-303105	2	Yoke-Adjustable
15	1-808280	2	Pin-Clevis 5/16 X 1 49/64
16	1-806003	2	Hairpin-Cotter
17	1-613089	2	Tab-Spring, Extension
18	1-603693	2	Spring
19	126-0610	2	Pin, Motion Control
20	1-603676	2	Swivel-Adjustable, Short
21	1-413350	2	Link-Control, Speed
22	3272-5	2	Pin-Cotter 3/32 X 1/2
23	1-323245	1	Spring-Compression
24	1-603903	1	Spacer
25	103-3060	1	Knob-Tracking
26	1-809056	2	Screw-Sh 5/16-18 X 1 3/8
27	116-7918	1	Decal-Tracking Adjustment
28	302-19	2	Zerk-1/4-28 Str


Engine Deck Assembly



Engine Deck Assembly (continued)

Ref.	Part Number	Qty.	Description
1	126-2521	1	ASM, Engine Deck W/ Decals
1:2	98-1977	1	Decal-Warning
1:3	126-1400	1	Decal-Warning, Sulky
1:4	116-8253	1	Decal-Drive Release
2	126-2181	1	ASM, Tank Support W/ Decal
2:2	116-5988	1	Decal-Park Brake, CE
3	1-413344	1	Bushing-Pivot
4	3256-4	1	Washer-3/8 Std
5	323-10	1	Screw-HH 3/8-16 X 2
6	126-2180	1	ASM, Brake Lever W/ Grip
6:2	1-303020	1	Grip-Lever
7	116-9960	1	Linkage-Brake
8	1-633131	1	Yoke-Linkage, Brake
9	116-9159	1	Wld,Brake Ttx
10	3296-59	3	Nut-Nyloc 3/8-16 Thin
11	3290-357	1	Nut-Whizlock 3/8-16
12	323-9	1	Screw-HH 3/8-16 X 1 3/4
13	3234-42	7	Screw HHF 3/8-16 X 1
14	104-8301	8	Nut-Nyloc 3/8-16 Flg
15	103-2399	1	Pin-Clevis Spring 3/8
16	3234-12	2	Screw-HH Flg 3/8-16 X 3/4
17	104-8300	8	Nut-Nyloc 5/16-18 Flg
18	32128-20	1	Nut-Whizlock 5/16-18
19	322-6	1	Screw-HH 5/16-18 X 1 1/4
20	1-323161	1	Spring
21	3234-47	4	Screw-HH Flg 5/16-18 X 3/4
22	1-643312	1	Clip-Loom
23	3229-11	1	Bolt-Carriage 1/4-20 X 5/8
24	104-7201	1	Nut-Nyloc 1/4-20 Flg
25	126-6573	2	Decal-X-Series
27	1-413510	3	Clip-Loom
28	103-2224	1	Shield, Drag
29	322-3	3	Screw-HH 5/16-18 X 3/4
30	115-1958	1	Bolt-Shoulder
31	1-633102	2	Bearing-Flanged
33	117-2718	1	Decal-Arrester, Spark
34	126-4345	1	Decal-Patent
35	1-413347	2	Sleeve-Bushing

Engine Assembly



Engine Assembly (continued)

Ref.	Part Number	Qty.	Description
1		1	Engine, Kaw Fx691 ●■
2	126-2605	1	Sheave W/ Hub
3	126-2601	1	Clutch, 200 Ft/Lbs, 1.13
4	126-2602	1	Strap, Clutch
5	3256-23	1	Washer-5/16 SAE
6	126-0620	1	ASM, Clutch Anchor
7	1-807259	1	Key-Machine 1/4 X 1/4 X 1 ❑
8	237-136	1	Grommet
9	3296-4	1	Nut-Lock 5/16-24
10	109-6919	1	Washer-Clutch
11	1-603610	2	Washer-Spring Disc 7/16
12	87-2080	1	Bolt-Hex, TAP ◆
13	116-3736	1	Muffler,Horizontal
16	116-6278-03	1	Guard-Muffler
17	323-6	4	Screw-HH 3/8-16 X 1
18	104-8301	4	Nut-Nyloc 3/8-16 Flg
19	116-5052	1	Asm-Oil Drain Hose W/Plug ▲
19:1	353-508	1	Plug-W/O-Ring
19:1:1	237-42	1	O-Ring
20	98-5975	4	Washer-Spring Disc 3/8
21	323-7	4	Screw-HH 3/8-16 X 1 1/4
23	1-653313	2	Gasket-Exhaust
24	114-3550	4	Washer-Lock
25	114-3549	4	Nut-M8
26	3296-47	2	Nut-Nyloc 5/16-18 Thin
27	3230-18	2	Bolt-Carriage 5/16-18 X 5/8

● Not serviced separately


■ Obtain parts from www.kawpowerepc.com

▲ Use a Teflon Pipe Sealant or equivalent on threads.

◆ Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.

❑ Apply anti-seize compound to engine crankshaft, pulley hub I.D., clutch bore I.D. and square key.

Fuel Assembly




Fuel Assembly (continued)

Ref.	Part Number	Qty.	Description
1	126-1525	1	ASM, Fuel Tank
1:2	120-5461	1	Cap-Fuel, Ratcheting
1:3	114-0284	1	Grommet
1:4	119-3547	1	Valve-Vent, Fuel
1:5	103-2605	1	Fitting-Fuel Bulkhead W/Strainer ●
2	107-4543	2	Clamp
3	104-8300	2	Nut-Nyloc 5/16-18 Flg
4	322-10	2	Screw-HH 5/16-18 X 2
11	126-1679	1	Hose, Emissions
12	98-2952	1	Fitting-Straight
14	116-4344	1	Hose-Fuel
19	109-0650	1	Hose-Fuel
20	2412-98	4	Clamp-Hose
21	1-603770	1	Valve-Fuel
34	1-303335	1	Tie-Cable 7 15/16 (Large)
35	99-9415	1	Hose-Fuel

● Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.

Hydro Assembly




Hydro Assembly (continued)

Ref.	Part Number	Qty.	Description
1	116-2495	1	Pump-HYD Pe RH TTH
1:10	103-2664	1	Input Shaft Kit
1:20	94-6922	1	Bearing-Thrust
1:30	103-2666	1	Cylinder Block Kit
1:50	105-6184	1	Seal Overhaul Kit
1:60	126-2479	1	Kit, 10Cc Pump Kit
2	116-2494	1	Pump-HYD Pe LH TTH
2:10	103-2664	1	Input Shaft Kit
2:20	94-6922	1	Bearing-Thrust
2:30	103-2666	1	Cylinder Block Kit
2:50	105-6184	1	Seal Overhaul Kit
2:60	126-2479	1	Kit, 10Cc Pump Kit
3	103-1802	2	Ftg-Elbow 90D
3:1	1-603921	1	O-Ring
4	1-603990	4	Fitting-Straight
4:1	1-603920	1	O-Ring
4:2	1-603992	1	O-Ring
6	100-4887	3	Fitting-Barbed, 90 DEG
6:1	237-42	1	O-Ring
7	1-413010	2	Sheave ASM
8	1-807272	2	Key
9	120-6474	4	Screw-Set, SQH
10	103-4761	1	Belt
11	126-2531	1	ASM, Pump Idler
11:1	109-4077	1	Pulley-Idler, Flat
11:3	109-8054	2	Bushing-Flange
11:4	126-1680	1	Screw-Hfh
12	116-6316	1	Spring-Extension
13	126-0621	1	ASM, Filter Head
13:2	103-1912	1	Adapter-Straight
13:2:1	237-42	1	O-Ring
13:3	103-1807	1	Fitting-Barbed, 45 DEG
13:3:1	237-42	1	O-Ring
14	1-805004	2	Washer-Lock
15	321-3	2	Screw-HH
16	1-603718	2	HYD Motor ASM
16:1	1-000119	1	Seal Kit
16:2	1-000138	1	Bearing And Seal Kit
17	1-603991	4	Fitting-Straight
17:1	237-80	1	O-Ring
17:2	1-603992	1	O-Ring
18	98-5975	9	Washer-Belleville
19	323-6	8	Screw-HH
20	112-9049	2	Wheel Hub ASM
20:2	1-633926	4	Stud-Wheel
21	116-2839	2	Nut-Lock
22	103-1715	2	Tire And Wheel Assy
23	242-50	8	Nut-Lug
24	114-8417	4	Nut-HF, NI
25	3232-3	4	Bolt-CARR
26	109-4180	1	Element, Oil Filter
27	126-1248	1	ASM, HYD Reservoir ■
27:1		1	Reservoir-HYD ●
27:1:1	103-1948	1	Cap-Reservoir, HYD
27:1:2	103-1949	1	Gasket-Cap
27:2	115-4212	1	Decal-Warning
28	103-1912	1	Adapter-Straight
28:1	237-42	1	O-Ring
29	103-2959	1	Hose-Charge
30	103-1988	6	Clamp-Hose
31	126-2550	1	Hose, Case
32	126-2555	1	Hose, Charge
33	32105-15	2	Screw-HWH
34	32128-33	2	Nut-HF
35	126-2056	2	Decal-Torque Wheel Lug-Hub
37	126-2954	1	Pivot, Idler
38	1-373034	1	Washer
39	126-2956	1	Screw-HHF W/ Patch
41	116-8646	4	Hose,Hydraulic W/Cover

● Not serviced separately

■ Use Exmark Premium Hydro Oil P/N 109-9828 (32oz)

Electrical Assembly



Electrical Assembly (continued)

Ref.	Part Number	Qty.	Description
1	103-5221	1	Switch-PTO
2	103-0206	1	Switch-Ignition W/Keys
2:1	3254-5	1	Washer-Tooth, Internal
2:2	218-461	1	Nut-HH
3	103-0498	1	Nut-Ignition
5	110-6765	3	Switch
6	1-543286	1	Grommet
7	103-2106	1	Key-Exmark Logo
8	1-303335	7	Tie-Cable 7 15/16 (Large)
9	126-3176	1	Harness-Main Ttx Kawasaki ■
9:1	1-816001	2	Fuse-Blade Type, 20 Amp
10	1-643275	2	Relay-12Vdc 40 Amp
12	126-0008	1	Bracket, Battery Hold Down
13	1-633651	2	Bolt-Holddown
14	1-543792	2	Wingnut-Nyloc 1/4-20
15	3230-1	2	Bolt-Carriage 5/16-18 X 3/4
16	104-8300	2	Nut-Nyloc 5/16-18 Flg
17	116-8893	1	Module-Hour Meter
18	126-0624	1	Harness-Clutch Pigtail
19	33094-00	1	Washer
20	33114-016	1	Screw-HH M8-1.25 X 16Mm
21	109-7621	1	Positive Battery Cable ASM
21:1	1-543393	1	Insulator-Solenoid
21:2	109-2407	1	Insulator-Battery
22	1-413540	1	Cable-Battery, Negative ●
23	1-803071	2	Screw-Machine #10-24 X 1/2
24	3296-2	2	Nut-Nyloc #10-24
25	1-643115	1	Tie-Cable 11.4

● Not illustrated
■ Use dielectric grease on all unsealed connectors and terminals only. Do not apply in sealed connectors.

Notes:

MAXIMIZE THE PERFORMANCE OF YOUR EXMARK MACHINE.



EXMARK® PREMIUM ENGINE OIL

Exmark now offers a family of engine oil viscosities to perform well in any environment. Each viscosity has the same synthetic formulation to give you what you need in punishing conditions. We designed each grade to the highest quality, making it ideal even for diesel applications. Coupled with Exmark Premium Fuel Treatment, we have the performance products to make your machine hum.

EXMARK PREMIUM ENGINE OIL SAE 30/10W-30

- Meets zero shear requirements of a straight grade SAE 30 as well as the cold temp properties of a 10W-30.
- Most versatile oil in the industry.
- Superior corrosion protection over conventional oil - even in corrosive, humid environments.

EXMARK PREMIUM ENGINE OIL SAE 10W-50

- Full synthetic formulation gives you peak performance. Don't settle for less.
- Wide span multi-grade combines easy starting in cold weather with maximum protection in high temperature operation.
- Reduce friction & wear over standard mineral formulations.

EXMARK PREMIUM ENGINE OIL UTV FORMULATION

- 4-cycle high-temp formulation.
- Heavier viscosity, full synthetic, perfect for your UTV.

EXMARK PREMIUM ENGINE OIL SAE 20W-50

- Perfect for your big block engine, or any application in severe service.
- Same full synthetic formulation as all other Exmark Premium viscosities.
- Also effective for use in severe service small block engines.

EXMARK PREMIUM ENGINE OIL SAE 0W-40

- The perfect choice for when the weather turns cold or unpredictable, and your Exmark UTV has to perform.
- Commercial quality for severe service.
- Advanced additive package helps prevent corrosion from long-term storage.

EXMARK PREMIUM UTV EXTREME CONDITIONS GEAR OIL

- SAE 80W-90, designed to keep your UTV performing at its peak.
- Shear stable, hypoid gear lube.
- Includes a premium additive system to combat wear, oxidation, rust & corrosion.

Available from your local Exmark dealer. Find your closest dealer at exmark.com

EXMARK ACCESSORIES AND OPTIONS*

MID-MOUNT RIDING ACCESSORIES AND OPTIONS

CUSTOM RIDE SEAT SUSPENSION SYSTEM
FULL SUSPENSION SEAT
DECK LIFT ASSIST KIT
HITCH KIT
LIGHT KIT
12V POWER PORT
MICRO-MULCH SYSTEM
OPERATOR CONTROLLED DISCHARGE
SUN SHADE
TRASH CONTAINER
TURF STRIPER
ULTRA VAC COLLECTION SYSTEM
ULTRA VAC QUICK DISPOSAL SYSTEM

OUT-FRONT RIDING ACCESSORIES AND OPTIONS

CUSTOM RIDE SEAT SUSPENSION SYSTEM
DUAL-TAIL WHEEL
FLOOR PAN EXTENDER
HITCH KIT
LIGHT KIT
MICRO-MULCH SYSTEM
ROLL OVER PROTECTION SYSTEM (ROPS)
SNOW BLADE
SNOWBLOWER
SUN SHADE
TRASH CONTAINER
ULTRA VAC COLLECTION SYSTEM
ULTRA VAC QUICK DISPOSAL SYSTEM
WEATHER CAB

WALK-BEHIND ACCESSORIES AND OPTIONS

GRASS CATCHER
MICRO-MULCH SYSTEM
TURF STRIPER
STANDON

*Some accessories and options not available for some models.

Place Model No. and Serial No. Label Here (Included in the Literature Pack) or Fill in Below

Model No. _____

Serial No. _____

Date Purchased _____

Engine Model No. and Spec. No. _____

Engine Serial No. (E/No) _____

© 2016 Exmark Mfg. Co., Inc.
All Rights Reserved

Industrial Park Box 808
Beatrice, NE 68310
(402) 223-6300
Fax (402) 223-5489

Part No. 4502-593 Rev. B
Printed in the USA.

www.exmark.com