

# EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
30495 with 30240	400000000 and Up	Groundsmaster 7200 Series Traction Unit with CE Kit 30240 installed	GM7200 NO DECK
30487TC with 30240	400000000 and Up	Groundsmaster 7210 Series Traction Unit with CE Kit 30240	GM7210 W/O DECK, CRATED
30495TC with 30240	400000000 and Up	Groundsmaster 7200 Series Traction Unit with CE Kit 30240 installed	GM7200 W/O DECK, CRATED

Conform(s) to the following directives:

2000/14/EC (Noise), 2006/42/EC (Machinery Safety), 2014/30/EU (EMC)

Further, the following accessories/attachments conform to the directives indicated below when installed according to instructions on the models listed above:

Model	Description	Directive
30304	72in Guardian Completion Kit	2006/42/EC
30306	62in Guardian Completion Kit	2006/42/EC
30346	72in Fine Recycler Completion Kit	2006/42/EC
30353 and 30685	72in Base Deck with CE Kit	2006/42/EC
30481 and 30679	72in Side Discharge Deck with CE Kit	2006/42/EC
30359	Universal Sunshade	2006/42/EC
30374	Road Light Kit	2014/30/EU
30483	Jack Stand Kit	2006/42/EC
30377	Rear Quick Attach System	2006/42/EC
30378	V-plow Mounting Kit	2006/42/EC
30380	Aux. Hydraulic Power Kit	2006/42/EC
30382	Power Port/Elec Acc	2014/30/EU
30393	Debris Blower	2006/42/EC
30456 and 30658	60in Side Discharge Deck with CE Kit	2006/42/EC

Model	Description	Directive
30457 and 30683	62in Base Deck with CE Kit	2006/42/EC
31211 with 31213	Triple bag grass collection kit with blower (for deck 30456)	2006/42/EC
31211 with 31212	Triple bag grass collection kit with blower (for deck 30481)	2006/42/EC
30463	62in Rear Discharge Completion Kit	2006/42/EC
30466	72in Rear Discharge Completion Kit	2006/42/EC
30750	V-Plow	2006/42/EC
105-7273	Striping Kit	2006/42/EC
108-5273	Leaf Mulching Kit—72in SDD	2006/42/EC
114-4090	Weight Bracket Kit	2006/42/EC
114-4096	Weight (42 lb)	2006/42/EC
31101 with 30687	100in Deck with CE Kit	2006/42/EC

Data for Noise Directive (2000/14/EC):

Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)*	Guaranteed Sound Power (dBA)	Uncertainty	Engine Speed (rpm)
30487TC with 30240, 30481, and 30679	Lawn Mower	183	102	103	1	3150
30487TC with 30240, 30456, and 30658	Lawn Mower	153	104	105	1	3150
30487TC with 30240, 30456, 30658, 31211, and 31213	Lawn Mower	153	104	105	1	2920
30487TC with 30240, 30353, 30685, and 30304	Lawn Mower	183	101	102	1	3150
30487TC with 30240, 30353, 30685, and 30346	Lawn Mower	183	101	102	1	3150



Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)*	Guaranteed Sound Power (dBA)	Uncertainty	Engine Speed (rpm)
30487TC with 30240, 30353, 30685, and 30466	Lawn Mower	183	101	102	1	3150
30487TC with 30240, 30457, 30683, and 30306	Lawn Mower	158	101	102	1	3150
30487TC with 30240, 30457, 30683, and 30463	Lawn Mower	158	101	102	1	3150
30495 or 30495TC with 30240, 30481, and 30679	Lawn Mower	183	103	104	1	3150
30495 or 30495TC with 30240, 30456, and 30658	Lawn Mower	153	104	105	1	3150
30495 or 30495TC with 30240, 30456, 30658, 31211, and 31213	Lawn Mower	153	104	105	1	2920
30495 or 30495TC with 30240, 30353, 30685, and 30304	Lawn Mower	183	100	101	1	3150
30495 or 30495TC with 30240, 30353, 30685, and 30346	Lawn Mower	183	103	104	1	3150
30495 or 30495TC with 30240, 30353, 30685, and 30466	Lawn Mower	183	101	102	1	3150
30495 or 30495TC with 30240, 30457, 30683, and 30306	Lawn Mower	158	101	102	1	3150
30495 or 30495TC with 30240, 30457, 30683, and 30463	Lawn Mower	158	101	102	1	3150
30487TC with 30240 and 31101 and 30687	Lawn Mower	254	104	105	1	3100

Determined in accordance with ISO 11094

Conformity Assessment: Annex VIII

Notified Body: SNCH 11, Route De Luxembourg, L-5230 Sandweiler

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.

Certified:



David Klis  
Sr. Engineering Manager  
8111 Lyndale Ave. South  
Bloomington, MN 55420, USA  
November 16, 2016

EU Technical Contact:

Marcel Dutrieux  
Manager European Product Integrity  
Toro Europe NV  
Nijverheidsstraat 5  
2260 Oevel  
Belgium

Tel. +32 16 386 659

# EU Specifications

## Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass <sup>‡</sup> (kg)	Hand/Arm Vibration (m/s <sup>2</sup> )*			Whole Body Vibration (m/s <sup>2</sup> )*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
			Level	Level			
30487TC with 30240, 30481, and 30679	949	24.5	1.0	3.4	1.7	0.23	0.12
30487TC with 30240, 30456, and 30658	915	24.5	1.0	3.4	1.7	0.23	0.12
30487TC with 30240, 30353, 30685, and 30304	889	24.5	1.0	3.4	1.7	0.23	0.12
30487TC with 30240, 30353, 30685, and 30346	889	24.5	1.0	3.4	1.7	0.23	0.12
30487TC with 30240, 30353, 30685, and 30466	889	24.5	1.0	3.4	1.7	0.23	0.12
30487TC with 30240, 30457, 30683, and 30306	866	24.5	1.0	3.4	1.7	0.23	0.12
30487TC with 30240, 30457, 30683, and 30463	866	24.5	1.0	3.4	1.7	0.23	0.12
30487TC with 30240 and 31101 and 30687	1076	24.5	1.0	3.4	1.7	0.23	0.12
30495 or 30495TC with 30240, 30481, and 30679	949	18.5	1.0	3.4	1.7	0.23	0.12
30495 or 30495TC with 30240, 30456, and 30658	915	18.5	1.0	3.4	1.7	0.23	0.12
30495 or 30495TC with 30240, 30353, 30685, and 30304	889	18.5	1.0	3.4	1.7	0.23	0.12
30495 or 30495TC with 30240, 30353, 30685, and 30346	889	18.5	1.0	3.4	1.7	0.23	0.12
30495 or 30495TC with 30240, 30353, 30685, and 30466	889	18.5	1.0	3.4	1.7	0.23	0.12
30495 or 30495TC with 30240, 30457, 30683, and 30306	866	18.5	1.0	3.4	1.7	0.23	0.12
30495 or 30495TC with 30240, 30457, 30683, and 30463	866	18.5	1.0	3.4	1.7	0.23	0.12

<sup>‡</sup> With empty tanks in the normal operating configuration

\* Determined in accordance with EN ISO 5395:2013.

## Machine Sound Data

Model	Sound Pressure (dBA) <sup>1</sup>	
	Level	Uncertainty
30487TC with 30353	88	1
30487TC with 30481	90	1
30487TC with 30356	90	1
30487TC with 30457	87	1
30495 or 30495TC with 30353	87	1
30495 or 30495TC with 30481	90	1
30495 or 30495TC with 30356	90	1
30495 or 30495TC with 30457	89	1
30487TC with 30240 and 31101 and 30687	91	1

<sup>1</sup> A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395:2013.







**BG:** За да получите копие от този документ на вашия език, отидете на [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**CS:** Kopii tohoto dokumentu ve svém jazyce získáte na adrese [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**DA:** For at indhente en kopi af dette dokument på dit sprog skal du besøge [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**DE:** Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**EL:** Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**EN:** To obtain a copy of this document in your language, go to [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**ES:** Puede obtener una copia de este documento en su idioma en [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**ET:** Dokumendist enda keeles koopia saamiseks külastage veebilehte [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**FI:** Tästä asiakirjasta saa omakielisen version osoitteesta [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**FR:** Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**HU:** Ha szüksége van a dokumentum egy példányára a saját nyelvén, letöltheti azt a [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx) oldalról.

**IT:** La copia del presente documento nella vostra lingua è disponibile su [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**LT:** Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**LV:** Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**NL:** Voor een exemplaar van dit document in uw eigen taal, gaat u naar: [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**NO:** For å få en kopi av dette dokumentet på ditt språk, gå til [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**PL:** Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**PT:** Para obter uma cópia deste documento no seu idioma, vá a [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**RO:** Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**SK:** Ak chcete získať kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**SL:** Za izvod tega dokumenta v vašem jeziku obiščite spletno stran [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx).

**SV:** Gå in på [www.toro.com/en-us/pages/manuals/default.aspx](http://www.toro.com/en-us/pages/manuals/default.aspx) om du vill ha ett exemplar av det här dokumentet på ditt språk.