

Count on it.

Parts Catalog

Quick Coupler

Model No. QUICK COUPLER—Serial No. 0001 and Up



Ordering Replacement Parts

To order replacement parts, please supply the part number, the quantity, and the description of each part desired.

Understanding Reference Numbers

Each identified part in an illustration has a reference number. The reference number for a part also appears in the parts list, along with other information about the part.

This catalog uses two special reference number formats, one to indicate parts in a service assembly and another to indicate the quantity of a given part in an illustration.

Service Assembly Reference Numbers

Parts in service assemblies have reference numbers in the form a:b. The a represents the reference number of the entire service assembly and the b represents a sequential number unique to each part within the service assembly.

For example, a wheel assembly might be identified by reference number 6, the tire by 6:1, the valve by 6:2, and the wheel by 6:3. When you order the assembly identified by reference number 6, you receive all parts identified by reference numbers 6:1,6:2, and 6:3. However, you may also order any part individually. Reference numbers of this type appear in illustration and in parts lists.


Reference Numbers Indicating Quantity

In an illustration, if a reference number indicates more than one part, the reference number has the form nX y. The n represents the quantity of the part, the X is the multiplication symbol, and the y represents the reference number.

For example, in an illustration, the reference number 2X 37 means that two of the parts identified by reference number 37 are indicated.

Contents

Quick Coupler



Quick Coupler (continued)

<u></u>				•			
Ref.	Part Number	Qty.	Description	Ref.	Part Number	Qty.	Description
1	474LIDKITSS	1	Kit, Lid, 1 Inch, Stainless	3	475BODYKIT	1	Kit, Body, 1.25 Inch,
			Steel, Non-Locking ■				(Includes Valve Assy.
1	474LIDKITV	1	Kit, Lid, 1 Inch, Yellow,				And Item 2 Key Seal)■
			Non-Locking ■	3	476BODYKIT	1	Kit, Body, 1.5 Inch, (Includes
1	474LIDKITVL	1	Kit, Lid, 1 Inch, Yellow,				Valve Assy. And Item 2 Key
			Locking ■				Seal) ■
1	474LIDKITEL	1	Kit, Lid, 1 Inch, Lavender		463-01	1	Key, 473Qcvx, 0.5 Inch F X
			(Effluent), Locking ■				0.75 Inch M ● ■
1	475LIDKITSS	1	Kit, Lid, 1.25 Inch, Stainless		464-01	1	Key, 474Qcvx, 075 Inch F X
			Steel, Non-Locking ■				1 Inch M ● ■
1	475LIDKITV	1	Kit, Lid, 1.25 Inch, Yellow,		464-02	1	Key, 474Qcvx, 1 Inch F●■
			Non-Locking ■		464-03	1	Key, Acme Qcvx, 0.75 Inch
1	475LIDKITEL	1	Kit, Lid, 1.25 Inch, Lavender		40= 04		F X 1 Inch M ● ■
			(Effluent), Locking■		465-01	1	Key, 475Qcvx, 0.75 Inch F
1	476LIDKITSS	1	Kit, Lid, 1.5 Inch, Stainless		400.04		X 1 Inch M ●■
			Steel, Non-Locking ■		466-01	1	Key, 476Qcvx, 1.25 Inch F
1	476LIDKITV	1	Kit, Lid, 1.5 Inch, Yellow,		477.00		X 1.5 Inch M ● ■
	4=01 ID14ITE1		Non-Locking ■		477-00	1	Hose Swivel, 0.75 Inch Npt
1	476LIDKITEL	1	Kit, Lid, 1.5 Inch, Lavender		477.04	4	X 0.75 Inch Mht ●■
•	4701/51/05 41		(Effluent), Locking ■		477-01	1	Hose Swivel, 1 Inch Npt X
2	473KEYSEAL	1	Seal, 0.75 Inch ■		477-02	4	0.75 Inch Mht ● ■
2	474KEYSEAL	1	Seal, 1 Inch ■		477-02	ı	Hose Swivel, 1 Inch Npt X 1 Inch Mht ● ■
2	475KEYSEAL	1	Seal, 1.25 Inch ■		KEYHANDLE	1	Handle, Qcv Key (10
2	476KEYSEAL	1	Seal, 1.5 Inch ■		KETHANDLE	ı	Handles Per Pack) ● ■
3	473BODYKIT	1	Kit, Body, 0.75 Inch,				rialities Fel Fack) =
			(Includes Valve Assy. And Item 2 Key Seal)■				
3	474BODYKIT	4	Kit, Body, 1 Inch, (Includes				
3	4/460DTKII	1	Valve Assy. And Item 2 Key				
			Seal) ■				
			ocai, –				

5 380-0081A

Not illustrated
□ Order Through Finished Goods Distribution System - Minneapolis





