


TORO®

5 BLADE
MODEL NO. 03461-90001 & UP
8 BLADE
MODEL NO. 03462-90001 & UP

PARTS CATALOG

5 BLADE & 8 BLADE CUTTING UNITS (For Reelmaster® 2300D)



T-2058-3

REEL ASM

Ref. No.	Part No.	Description	No. Used
1	323-6	Screw-HH	10
†2	93-6972	Asm-Hydraulic Motor (Front Cutting Units)	1
*†	93-6975	Asm-Hydraulic Motor (Rear Cutting Unit)	1
3	323-7	Screw-HH	2
4	3253-5	Washer-Lock	4
5	323-2	Screw-HH	2
6	32121-36	Pin-Roll	4
7	32144-10	Screw-HWH	2
8	93-8064	Decal-Shield	1
8	94-9585	Decal-Shield (Japan)	1
9	94-3621	Asm-Front Grass Guard (Incl. Ref. #8)	1
10	93-8849	Asm-Rear Grass Guard (Incl. Ref. #11-13)	1
11	61-3280	Cover-Rubber Side	2


Ref. No.	Part No.	Description	No. Used
12	61-3290	Cover-Rubber Center	2
13	700382	Rivet	12
14	3296-39	Nut-Lock	6
15	94-5003	Frame-Cutting Unit	1
16	32128-36	Nut-Lock	8
17	93-8806	Washer	16
18	93-6981	Spacer	8
19	94-8945	Bushing	8
20	93-6980	Link	4
21	323-11	Screw-HH	4
22	93-6960	Cover-Bearing	1
23	93-8826	Coupling-Male LH	1
24	88-7880	Bearing-Ball	2
25	99-3404	Housing-Bearing	2
26	302-5	Fitting-Grease	4
27	94-3697	Plate-Side LH	1
28	323-4	Screw-HH	4

* Not Illustrated

† Supplied with Traction Unit

© The TORO Company - 1998
All Rights Reserved

TPS




T-2058-3

REEL ASM (Continued)

Ref. No.	Part No.	Description	No. Used
29	99-3483	Reel-8 Blade	1
*	99-3482	Reel-5 Blade	1
30	94-3695	Plate-Side RH	1
31	93-8825	Coupling-Male RH	1
32	93-8827	Spider-Coupling	1
†33	32128-48	Nut-Lock	1

Ref. No.	Part No.	Description	No. Used
†34	93-8823	Coupling-Female	1
35	323-10	Screw-HH	4
36	94-5979	Gasket	1
37	353-949	O-Ring	1
38	94-2703	Plug	1


†Supplied with Traction Unit



T-2059-3

BEDBAR & BEDKNIFE ASM

Ref. No.	Part No.	Description	No. Used	Ref. No.	Part No.	Description	No. Used
1	62-5510	Asm-Rubber Bushing	2	18	57-5190	Screw-Adjustment	2
2	52-2890	Bushing-Flanged (Nylon)	2	19	56-9520	Bushing-Flanged	2
3	3296-62	Nut-Lock	1	20	56-9510	Asm-Bushing	2
4	57-5270	Spring-Compression	1	21	E804256	Nut-Lock	1
5	29-8870	Washer	1	22	3219-2	Nut-Lock	1
6	257-5	Washer-Thrust	4	23	93-6855	Housing-Bedbar Adj.	1
7	257-6	Bearing-Thrust	2	24	3296-29	Nut-Lock	4
8	52-3000	Arm-Spring	1	25	3230-1	Screw-CARR	4
9	3256-25	Washer-Flat	1	26	57-4910	Screw-Special	10
10	52-2990	Screw-Spring Retainer	1	27	62-5180	Bedknife-7 In. Reel	1
11	302-5	Fitting-Grease	1	28	61-1210	Bedbar	2
12	94-5067	Asm-Handle	1	29	61-1950	Washer-Bedbar	2
13	253-84	Seal	1	30	61-1010	Bedbar Housing	1
14	52-2980	Pivot-Single Point Adjust	1	31	62-7120	Spacer	1
15	57-5260	Pin-S.P.A.	1	32	3256-56	Washer-Flat	1
16	302-18	Fitting-Grease	1	33	3253-4	Washer-Lock	1
17	3218-18	Nut-Jam	2	34	322-3	Screw-HH	1




T-2801-1

REAR ROLLER INSTALLATION ASM

Ref. No.	Part No.	Description	No. Used
1	71-3690	Pin-HOC	2
2	323-6	Screw-HH	8
3	3290-467	Cotter-Hairpin	4
4	61-3800	Plate-HOC Rear (Floating Suspension)	2
*	61-3810	Plate-HOC Rear (Fixed Suspension)	2
5	3290-55	Rivet-Pop	6
6	323-57	Screw-HH	4
7	61-0420	Support-HOC	4
8	3296-39	Nut-Lock	16
9	3231-25	Bolt-CARR	4
10	61-0910	Bracket-Angle	4
11	302-5	Fitting-Grease	4
12	61-0430	Bracket-Rear	2
13	56-9510	Bushing	4

Ref. No.	Part No.	Description	No. Used
14	56-9520	Bushing-Flanged	2
15	71-3590	Nut-Adjustment	2
16	253-153	Seal-Grease	2
17	62-7660	Washer-Shim (not used on all full roller assemblies)	2
18	254-78	Cone-Bearing	2
19	254-79	Cup-Bearing	2
20	253-251	Seal-Grease	2
21	61-0400	Shaft	1
22	61-0390	Tube	1
23	3256-38	Washer-Flat	2
24	61-3790	Plate-HOC Front	2
25	61-0440	Bracket-Front	2
*	61-0410	Asm-Full Roller (Incl. Ref. #11, 13-16 & & 18-22)	1

*Not Illustrated




T-2798-3

CUTTING UNIT ROLLER OPTIONS

Ref. No.	Part No.	Description	No. Used	Ref. No.	Part No.	Description	No. Used
1	61-0390	Tube-Roller	3	12	76-2400	Roller-Sectional	6
2	61-0400	Shaft	3	*	61-0410	Asm-Full Roller	
3	253-152	Seal-Grease	6			(Incl. Ref. #1 - 8)	3
4	254-79	Cup-Bearing (Outer)	6	*	92-1846	Asm-Wiehle Roller	
4	254-79	Cup-Bearing (Outer)				(Incl. Ref. #2, & 4-9)	3
		(Sectional Roller Only)	12	*	62-4970	Asm-Sectional Roller	
5	254-78	Cone-Bearing (Outer)	6			(Incl. Ref. #4-8 & 10-12)	3
6	253-153	Seal-Outer	6	*	03440	Kit-Full Roller	
7	71-3590	Nut-Adjustment	6			(Incl. 3 No. 61-0410)	1
8	302-5	Fitting-Grease	6	*	03450	Kit-Wiehle Roller	
9	92-3193	Roller-Wiehle	3			(Incl. 3 No. 92-1846)	1
10	76-2380	Shaft-Sectional Roller	3	*	03445	Kit-Sectional Roller	
11	252-112	Cone-Bearing (Inner)	6			(Incl. 3 No. 62-4970)	1

*Not Illustrated



T-2799-2

CUTTING UNIT FRONT ROLLER OPTIONS (Continued)

Ref. No.	Part No.	Description	No. Used
1	3231-2	Bolt-CARR	6
2	3296-39	Nut-Lock	20
3	61-0420	Support-Height of Cut	6
4	61-0790	Screw-HH	6
5	71-3690	Pin-Height of Cut	6
6	3290-467	Pin-Cotter, Hair	6
7	323-6	Screw-HH	8
8	3256-3	Washer-Flat	8
9	61-0910	Bracket-Angle	6
10	302-5	Fitting-Grease	6
11	61-0440	Bracket-Front	6
12	56-9510	Bushing	6

Ref. No.	Part No.	Description	No. Used
13	56-9520	Bushing-Flanged	3
14	71-3590	Nut-Adjustment	6
15	3-6498	Washer-Thrust	12
16	256-117	Bushing-Flanged	12
17	63-5060	Roller-Anti-Scalp	6
18	62-4990	Shaft-Anti-Scalp Roller	
*	63-5090	Asm-Anti-Scalp Roller (Incl. Ref. #10 & 14-18)	3
*	03447	Kit-Anti-Scalp Roller (Incl. Ref. #1-9, 11-13 & 3 of No. 63-5090)	1

*Not Illustrated

TORO PART NUMBER INDEX

3321-831

Part No.	Description	Pg. Ref. No. No. Qty.	Part No.	Description	Pg. Ref. No. No. Qty.
03440	Kit-Full Roller	5 * 1	93-8825	Coupling-Male RH	2 31 1
03445	Kit-Sectional Roller	5 * 1	93-8826	Coupling-Male LH	1 23 1
03447	Kit-Anti-Scalp Roller	6 * 1	93-8827	Spider-Coupling	2 32 1
03450	Kit-Wiehle Roller	5 * 1	93-8849	Asm-Rear Grass Guard	1 10 1
700382	Rivet	1 13 12	94-2703	Plug	2 38 1
3-6498	Washer-Thrust	6 15 12	94-3621	Asm-Front Grass Guard	1 9 1
E804256	Nut-Lock	3 21 1	94-3695	Plate-Side RH	2 30 1
29-8870	Washer	3 5 1	94-3697	Plate-Side LH	1 27 1
52-2890	Bushing-Flanged (Nylon)	3 2 2	94-5003	Frame-Cutting Unit	1 15 1
52-2980	Pivot-Single Point Adjust	3 14 1	94-5067	Asm-Handle	3 12 1
52-2990	Screw-Spring Retainer	3 10 1	94-5979	Gasket	2 36 1
52-3000	Arm-Spring	3 8 1	94-8945	Bushing	1 19 8
56-9510	Asm-Bushing	3 20 2	94-9585	Decal-Shield (Japan)	1 8 1
56-9510	Bushing	6 12 6	99-3404	Housing-Bearing	1 25 2
56-9510	Bushing	4 13 4	99-3482	Reel-5 Blade	2 * 1
56-9520	Bushing-Flanged	6 13 3	99-3483	Reel-8 Blade	2 29 1
56-9520	Bushing-Flanged	4 14 2	252-112	Cone-Bearing (Inner)	5 11 6
56-9520	Bushing-Flanged	3 19 2	253-84	Seal	3 13 1
57-4910	Screw-Special	3 26 10	253-152	Seal-Grease	5 3 6
57-5190	Screw-Adjustment	3 18 2	253-153	Seal-Grease	4 16 2
57-5260	Pin-S.P.A.	3 15 1	253-153	Seal-Outer	5 6 6
57-5270	Spring-Compression	3 4 1	253-251	Seal-Grease	4 20 2
61-0390	Tube	4 22 1	254-78	Cone-Bearing	4 18 2
61-0390	Tube-Roller	5 1 3	254-78	Cone-Bearing (Outer)	5 5 6
61-0400	Shaft	5 2 3	254-79	Cup-Bearing	4 19 2
61-0400	Shaft	4 21 1	254-79	Cup-Bearing (Outer)	5 4 12
61-0410	Asm-Full Roller	4 * 1	254-79	Cup-Bearing (Outer)	5 4 6
61-0410	Asm-Full Roller	5 * 3	256-117	Bushing-Flanged	6 16 12
61-0420	Support-HOC	4 7 4	257-5	Washer-Thrust	3 6 4
61-0420	Support-Height of Cut	6 3 6	257-6	Bearing-Thrust	3 7 2
61-0430	Bracket-Rear	4 12 2	302-5	Fitting-Grease	5 8 6
61-0440	Bracket-Front	6 11 6	302-5	Fitting-Grease	6 10 6
61-0440	Bracket-Front	4 25 2	302-5	Fitting-Grease	3 11 1
61-0790	Screw-HH	6 4 6	302-5	Fitting-Grease	4 11 4
61-0910	Bracket-Angle	6 9 6	302-5	Fitting-Grease	1 26 4
61-0910	Bracket-Angle	4 10 4	302-18	Fitting-Grease	3 16 1
61-1010	Bedbar Housing	3 30 1	322-3	Screw-HH	3 34 1
61-1210	Bedbar	3 28 1	323-2	Screw-HH	1 5 2
61-1950	Washer-Bedbar	3 29 2	323-4	Screw-HH	1 28 4
61-3280	Cover-Rubber Side	1 11 2	323-6	Screw-HH	1 1 10
61-3290	Cover-Rubber Center	1 12 2	323-6	Screw-HH	4 2 8
61-3790	Plate-HOC Front	4 24 2	323-6	Screw-HH	6 7 8
61-3800	Plate-HOC Rear	4 4 2	323-7	Screw-HH	1 3 2
61-3810	Plate-HOC Rear	4 * 2	323-10	Screw-HH	2 35 4
62-4970	Asm-Sectional Roller	5 * 3	323-11	Screw-HH	1 21 4
62-4990	Shaft-Anti-Scalp Roller	6 18	323-57	Screw-HH	4 6 4
62-5180	Bedknife-7 In. Reel	3 27 1	3218-18	Nut-Jam	3 17 2
62-5510	Asm-Rubber Bushing	3 1 2	3219-2	Nut-Lock	3 22 1
62-7120	Spacer	3 31 1	3230-1	Screw-CARR	3 25 4
62-7660	Washer-Shim (not used)	4 17 2	3231-2	Bolt-CARR	6 1 6
63-5060	Roller-Anti-Scalp	6 17 6	3231-25	Bolt-CARR	4 9 4
63-5090	Asm-Anti-Scalp Roller	6 * 3	3253-4	Washer-Lock	3 33 1
71-3590	Nut-Adjustment	5 7 6	3253-5	Washer-Lock	1 4 4
71-3590	Nut-Adjustment	6 14 6	3256-3	Washer-Flat	6 8 8
71-3590	Nut-Adjustment	4 15 2	3256-25	Washer-Flat	3 9 1
71-3690	Pin-HOC	4 1 2	3256-38	Washer-Flat	4 23 2
71-3690	Pin-Height of Cut	6 5 6	3256-56	Washer-Flat	3 32 1
76-2380	Shaft-Sectional Roller	5 10 3	3290-55	Rivet-Pop	4 5 6
76-2400	Roller-Sectional	5 12 6	3290-467	Cotter-Hairpin	4 3 4
88-7880	Bearing-Ball	1 24 2	3290-467	Pin-Cotter, Hair	6 6 6
92-1846	Asm-Wiehle Roller	5 * 3	3296-29	Nut-Lock	3 24 4
92-3193	Roller-Wiehle	5 9 3	3296-39	Nut-Lock	6 2 20
93-6855	Housing-Bedbar Adj.	3 23 1	3296-39	Nut-Lock	4 8 16
93-6960	Cover-Bearing	1 22 1	3296-39	Nut-Lock	1 14 6
93-6972	Asm-Hydraulic Motor	1 2 1	3296-62	Nut-Lock	3 3 1
93-6975	Asm-Hydraulic Motor	1 * 1	32121-36	Pin-Roll	1 6 4
93-6980	Link	1 20 4	32128-36	Nut-Lock	1 16 8
93-6981	Spacer	1 18 8	32128-48	Nut-Lock	2 33 1
93-8064	Decal-Shield	1 8 1	32144-10	Screw-HWH	1 7 2
93-8806	Washer	1 17 16	353-949	O-Ring	2 37 1
93-8823	Coupling-Female	2 34 1			

*Not Illustrated

PRODUCT CHANGES

In an effort to make improvements available to TORO owners as quickly as possible, minor changes are incorporated into Toro's products from time to time that do not become immediately shown in the Parts Catalog. If such a change has been made in your unit, which is not reflected in your manual, see your TORO Distributor or his Authorized TORO Service Dealer for information and part numbers.

COUNTRIES OTHER THAN THE UNITED STATES OR CANADA

Customers who have purchased TORO products exported from the United States or Canada should contact their Toro Distributor (Dealer) to obtain guarantee policies for your country, province or state. If for any reason you

are dissatisfied with your Distributor's service or have difficulty obtaining guarantee information, contact the TORO importer. If all other remedies fail, you may contact us at The Toro Company.

MAINTENANCE RECORD

[illegible]