


TORO®

MODEL NO. 03434-90001 & UP
MODEL NO. 03436-90001 & UP

PARTS CATALOG


FIXED SUSPENSION CUTTING UNITS GROUNDS PRO 2000, 5 BLADE



T-0283-4

CUTTING UNIT ASSEMBLY (Model No. 03434 Shown)

Ref. No.	Part No.	Description	No. Used	Ref. No.	Part No.	Description	No. Used
1	325-7	Screw-HH	1	21	257-5	Washer-Thrust	4
2	3256-26	Washer-Flat	1	22	253-84	Seal	1
3	61-0900	Bracket-Tensioner	1	23	61-0550	Shield-Top	2
4	80-4280	Pulley-Reel, 5 Blade	1	24	32144-10	Screw-HH	6
6	323-6	Screw-HH	6	25	61-1070	Asm-Handle	1
7	302-5	Fitting-Grease	1	26	257-6	Bearing-Thrust	2
11	32121-36	Pin-Roll	4	27	57-5260	Pin-Single Point Adjustment	1
12	62-5510	Asm-Rubber Bushing	2	28	93-8849	Asm-Rear Grass Guard (For Front Cutting Unit) (Incl. Ref. #78-80)	1
13	52-2890	Bushing-Flanged Nylon	2	29	61-0940	Plate-Side	1
14	3296-62	Nut-Lock	1	30	3253-5	Washer-Lock	2
15	57-5270	Spring-Compression	1	31	3273-34	Screw-Hex. Socket Hd.	1
16	29-8870	Washer-Flat	1	32	61-0500	Spacer-Bearing	1
17	52-2980	Pivot-Single Point Adjust.	1	33	67-9760	Washer-Flat	2
18	52-3000	Arm-Spring	1	34	302-11	Fitting-Grease	2
19	52-2990	Screw-Spring Retainer	1				
20	3256-25	Washer-Flat	1				




T-0283-4

CUTTING UNIT ASSEMBLY (Continued) (Model No. 03434 Shown)

Ref. No.	Part No.	Description	No. Used
35	3211-4	Screw-HH	1
36	3256-3	Washer-Flat	5
37	61-0610	Guard-Side	1
38	3230-1	Bolt-Carriage	10
39	76-2490	Flange-Bearing (Lube) (Incl. Ref. #34)	2
40	251-331	Bearing	2
41	76-2500	Flange-Bearing	2
42	3296-29	Nut-Lock	10
43	3217-2	Nut	1
44	93-6855	Housing-Bedbar Adj.	1
45	56-9510	Asm-Bushing	2
46	56-9520	Bushing-Flanged	2
47	57-4910	Screw-Special	10
48	62-5180	Bedknife-7 In. Reel	1
49	61-1210	Bedbar	1
50	61-1010	Housing-Bedbar	1
51	57-5190	Screw-Adjustment	2
52	3218-18	Nut-Jam	2
53	61-1950	Washer-Bedbar	1
54	3256-56	Washer-Flat	1
55	3253-4	Washer-Lock	1
56	322-3	Screw-Hex. Socket Hd.	1
57	12-7079	Asm-Reel 5 Blade L.H.	

Ref. No.	Part No.	Description	No. Used
*	12-7059	(Model No. 03434) Asm-Reel 5 Blade Center & R.H.	1
		(Model No. 03436)	1
58	61-0660	Frame-Reel	1
59	323-7	Screw-HH	2
60	67-5840	Nut-Jam	1
61	27-1850	Washer	1
62	61-1320	Plate-Side	1
63	3296-45	Nut-Lock	1
64	302-18	Fitting-Grease	2
65	62-7120	Spacer	1
66	93-8064	Decal-Warning	1
67	3296-39	Nut-Lock	9
68	3296-4	Nut-Lock	1
76	3247-6	Screw-Set, Recessed Hex.	1
77	3218-3	Nut-Jam	1
78	61-3290	Cover-Center	2
79	61-3280	Cover-End	2
80	700382	Rivet-Pop	12
*		Kit-Overhaul (Incl. Ref. #12, 13, 22, 26 40 & 45-47)	1

*Not Illustrated




T-2826

SUPPORT ASSEMBLY (MODEL NO. 03434 SHOWN)

Ref. No.	Part No.	Description	No. Used	Ref. No.	Part No.	Description	No. Used
1	3-0348	Bushing	2	8	92-3159	Support-Front LH (Incl. Ref. #1 & 4) (Model No. 03434)	1
2	323-6	Screw-HH	2	*8	92-3160	Support-Front RH (Incl. Ref. #1 & 4) (Model No. 03436)	1
3	3296-39	Nut-Lock	3	9	323-12	Screw-HH	1
4	302-5	Fitting-Grease	1				
5	321-2	Screw-HH	2				
6	3253-3	Washer-Lock	2				
7	61-3600	Tab	1				

*Not Illustrated




T-0284-

FRONT SKID & REAR ROLLER ASSEMBLY (MODEL NO. 03434 SHOWN)

Ref. No.	Part No.	Description	No. Used
1	323-7	Screw-HH	3
2	323-6	Screw-HH	5
3	3290-467	Cotter-Hairpin	2
4	61-3810	Plate-Height of Cut	2
5	323-57	Screw-HH	2
6	61-0420	Support-Height of Cut	2
7	3296-39	Nut-Lock	9
8	71-3690	Pin-Height of Cut	2
9	3290-55	Rivet-Pop	4
10	61-0910	Bracket-Angle	2
11	61-0380	Cap-Roller	2
12	61-0400	Shaft-Roller	1
13	253-152	Seal-Inner	2
14	254-79	Cup-Bearing	2

Ref. No.	Part No.	Description	No. Used
15	3231-25	Bolt-Carriage	2
16	61-0430	Bracket-Rear	2
17	56-9520	Bushing-Flanged	1
18	56-9510	Asm-Bushing	2
19	302-5	Fitting-Grease	2
20	71-3590	Nut-Adjustment	2
21	253-153	Seal-Outer	2
22	254-78	Cone-Bearing	2
23	61-0650	Skid	2
24	61-0390	Tube-Roller	1
*	61-0410	Asm-Roller (Incl. Ref. #11-14,19-22 & 24)	1

*Not Illustrated



T-2827-1

†ANTI-SCALP ROLLER OPTION

Ref. No.	Part No.	Description	No. Used
1	3231-25	Bolt-Carriage	2
2	3296-39	Nut-Lock	10
3	61-0420	Support-Height of Cut	2
4	323-57	Screw-HH	2
5	71-3690	Spade-Bent	2
6	323-6	Screw-HH	2
7	3290-467	Pin-Cotter, Hair	2
8	61-0910	Bracket-Angle	2
9	61-0440	Bracket-Front, Height of Cut	2
10	56-9510	Asm-Bushing	2

Ref. No.	Part No.	Description	No. Used
11	56-9520	Bushing-Flanged	1
13	71-3590	Nut-Adjustment	2
14	3-6498	Washer-Thrust	4
15	256-117	Bushing-Flanged	4
16	63-5060	Roller-Anti-Scalp	2
17	62-4990	Shaft-Anti-Scalp Roller	1
*	63-5090	Asm-Anti-Scalp Roller (Incl. Ref. #13-17)	1
*	03447	Kit-Anti-Scalp Roller (Incl. 3 No. 63-5090)	1

* Not Illustrated

† Quantities shown are for 1 assembly.

TORO PART NUMBER INDEX

Part No.	Description	Pg. Ref. No. No. Qty.	Part No.	Description	Pg. Ref. No. No. Qty.
03447	Kit-Anti-Scalp Roller	5 * 1	76-2500	Flange-Bearing	2 41 2
700382	Rivet-Pop	2 80 12	80-4280	Pulley-Reel, 5 Blade	1 4 1
3-0348	Bushing	3 1 2	92-3159	Support-Front LH	3 8 1
3-6498	Washer-Thrust	5 14 4	92-3160	Support-Front RH	3 * 8 1
12-7059	Asm-Reel 5 Blade	2 * 1	93-6855	Housing-Bedbar Adj.	2 44 1
12-7079	Asm-Reel 5 Blade L.H.	2 57 1	93-8064	Decal-Warning	2 66 1
13-3649	Kit-Overhaul	2 * 1	93-8849	Asm-Rear Grass Guard	1 28 1
27-1850	Washer	2 61 1	251-331	Bearing	2 40 2
29-8870	Washer-Flat	1 16 1	253-84	Seal	1 22 1
52-2890	Bushing-Flanged Nylon	1 13 2	253-152	Seal-Inner	4 13 2
52-2980	Pivot-Single Point Adjust.	1 17 1	253-153	Seal-Outer	4 21 2
52-2990	Screw-Spring Retainer	1 19 1	254-78	Cone-Bearing	4 22 2
52-3000	Arm-Spring	1 18 1	254-79	Cup-Bearing	4 14 2
56-9510	Asm-Bushing	5 10 2	256-117	Bushing-Flanged	5 15 4
56-9510	Asm-Bushing	4 18 2	257-5	Washer-Thrust	1 21 4
56-9510	Asm-Bushing	2 45 2	257-6	Bearing-Thrust	1 26 2
56-9520	Bushing-Flanged	5 11 1	302-5	Fitting-Grease	3 4 1
56-9520	Bushing-Flanged	4 17 1	302-5	Fitting-Grease	1 7 1
56-9520	Bushing-Flanged	2 46 2	302-5	Fitting-Grease	4 19 2
57-4910	Screw-Special	2 47 10	302-11	Fitting-Grease	1 34 2
57-5190	Screw-Adjustment	2 51 2	302-18	Fitting-Grease	2 64 2
57-5260	Pin-Single Point Adjustment	1 27 1	321-2	Screw-HH	3 5 2
57-5270	Spring-Compression	1 15 1	322-3	Screw-Hex. Socket Hd.	2 56 1
61-0380	Cap-Roller	4 11 2	323-6	Screw-HH	3 2 2
61-0390	Tube-Roller	4 24 1	323-6	Screw-HH	4 2 5
61-0400	Shaft-Roller	4 12 1	323-6	Screw-HH	1 6 6
61-0410	Asm-Roller	4 * 1	323-6	Screw-HH	5 6 2
61-0420	Support-Height of Cut	5 3 2	323-7	Screw-HH	4 1 3
61-0420	Support-Height of Cut	4 6 2	323-7	Screw-HH	2 59 2
61-0430	Bracket-Rear	4 16 2	323-12	Screw-HH	3 9 1
61-0440	Bracket-Front, Height of Cut	5 9 2	323-57	Screw-HH	5 4 2
61-0500	Spacer-Bearing	1 32 1	323-57	Screw-HH	4 5 2
61-0550	Shield-Top	1 23 2	325-7	Screw-HH	1 1 1
61-0610	Guard-Side	1 37 1	3211-4	Screw-HH	1 35 1
61-0650	Skid	4 23 2	3217-2	Nut	2 43 1
61-0660	Frame-Reel	2 58 1	3218-3	Nut-Jam	2 77 1
61-0900	Bracket-Tensioner	1 3 1	3218-18	Nut-Jam	2 52 2
61-0910	Bracket-Angle	5 8 2	3230-1	Bolt-Carriage	2 38 10
61-0910	Bracket-Angle	4 10 2	3231-25	Bolt-Carriage	5 1 2
61-0940	Plate-Side	1 29 1	3231-25	Bolt-Carriage	4 15 2
61-1010	Housing-Bedbar	2 50 1	3247-6	Screw-Set, Recessed Hex.	2 76 1
61-1070	Asm-Handle	1 25 1	3253-3	Washer-Lock	3 6 2
61-1210	Bedbar	2 49 1	3253-4	Washer-Lock	2 55 1
61-1320	Plate-Side	2 62 1	3253-5	Washer-Lock	1 30 2
61-1950	Washer-Bedbar	2 53 1	3256-3	Washer-Flat	1 36 5
61-3280	Cover-End	2 79 2	3256-25	Washer-Flat	1 20 1
61-3290	Cover-Center	2 78 2	3256-26	Washer-Flat	1 2 1
61-3600	Tab	3 7 1	3256-56	Washer-Flat	2 54 1
61-3810	Plate-Height of Cut	4 4 2	3273-34	Screw-Hex. Socket Hd.	1 31 1
62-4990	Shaft-Anti-Scalp Roller	5 17 1	3290-55	Rivet-Pop	4 9 4
62-5180	Bedknife-7 In. Reel	2 48 1	3290-467	Cotter-Hairpin	4 3 2
62-5510	Asm-Rubber Bushing	1 12 2	3290-467	Pin-Cotter, Hair	5 7 2
62-7120	Spacer	2 65 1	3296-4	Nut-Lock	2 68 1
63-5060	Roller-Anti-Scalp	5 16 2	3296-29	Nut-Lock	2 42 10
63-5090	Asm-Anti-Scalp Roller	5 * 1	3296-39	Nut-Lock	5 2 10
67-5840	Nut-Jam	2 60 1	3296-39	Nut-Lock	3 3 3
67-9760	Washer-Flat	1 33 2	3296-39	Nut-Lock	4 7 9
71-3590	Nut-Adjustment	5 13 2	3296-39	Nut-Lock	2 67 9
71-3590	Nut-Adjustment	4 20 2	3296-45	Nut-Lock	2 63 1
71-3690	Pin-Height of Cut	4 8 2	3296-62	Nut-Lock	1 14 1
71-3690	Spade-Bent	5 5 2	32121-36	Pin-Roll	1 11 4
76-2490	Flange-Bearing (Lube)	2 39 2	32144-10	Screw-HH	1 24 6

*Not Illustrated

MAINTENANCE RECORD

[illegible]

Compliance with Radio Interference Regulations Certified.
Certifie Conforme au Reglement sur le Brouillage Radioelectrique.

Litho in U.S.A.