



Proline
92cm Side Discharge
Cutting Unit

Model No. 30138 – 990001 & Up

Parts Catalog

ORDERING REPLACEMENT PARTS

To order replacement parts, please supply: the part number, the quantity, and the description of each part desired.

Contents

Description	Page	Description	Page
Deck and Pulleys Assembly	1	Drive Spindle Assembly No. 54–7781	3
Frame, Belt and Wheel Assembly	2	Drive Spindle Assembly No. 27–0870	4

Accessories

Description	Model / Parts No.	Description	Model / Parts No.
Bagging Kit	30125		

Part Description Abbreviations

Part descriptions in this catalog may include the following abbreviations.

Abbreviation	Meaning	Abbreviation	Meaning
AR	as required	HWHTF	hex washer head thread forming
ASM	assembly	INC	incorporated
CARR	carriage	LH	left hand
DEG	degrees	PH	pan head
FH	flat head	PPH	Phillips pan head
GA	gauge	PTO	power take off
HF	hex flange	RH	right hand
HFV	hex flange washer	SFH	slotted fillister head
HH	hex head	SH	square head
HHF	hex head flange	SHWH	slotted hex washer head
HHST	hex head self tapping	SPH	slotted pan head
HJ	hex jam	STD	standard
HOC	height-of-cut	TAP	self tapping
HS	hex socket	TH	truss head
HSBH	hex socket button head	TTH	Torx truss head
HSFH	hex socket flat head	WH	wing head
HSH	hex socket head		
HWH	hex washer head		

Important Format Explanations

This catalog uses special formats to convey information in illustrations and parts lists. Specifically, one format is used in conjunction with service assemblies and another with quantities associated with reference numbers.

Service Assemblies

Parts within service assemblies have reference numbers in the form X:Y. X is the reference number of the service assembly and Y is a sequential number unique to each part within the service assembly.


For example, a wheel assembly might be identified by reference number 6, the tire by 6:1, the valve by 6:2, and the wheel by 6:3. When you order the assembly identified by reference number 6, you receive all parts identified by reference numbers 6:1, 6:2, and 6:3. However, you may also order any part individually.

Reference numbers of this type appear in part lists and as callouts in illustrations.

Reference Numbers with Quantities

Illustrations may have a quantity in parentheses next to a reference number, in the form $X(Y)$. X is the reference number. Y in parentheses is the quantity of the part identified by the reference number.

For example, the illustration callout 4 (2) indicates that two parts are used in that instance.




Sheet No.:2

Deck and Pulleys Assembly

Ref. No.	Part No.	Qty.	Description
1	68-2730	2	Gage Wheel
2	3211-5	1	Screw-HH
3	3296-5	3	Nut-Lock Ni
4	51-3660	1	Idler Pulley
5	56-4341-03	1	Arm-Idler Deck
6	51-3641	1	Sleeve-Idler Pivot
7	99-8524	1	92cm Deck ASM
7:1	43-8480	1	Decal-Danger
7:2	93-1122	1	Decal-Danger
7:3	68-8340	1	Decal-Blade Bolt
7:4	67-5360	1	Decal-Danger
7:5	66-1340	1	Decal-Danger
8	323-12	1	Screw-HH
9	3256-24	2	Washer-Flat
10	32128-21	14	Nut-Flange Lock
11	3231-22	13	Screw-CARR
12	98-5967	1	Spacer-Wheel
13	323-28	1	Screw-HH
14	3296-39	1	Nut-Lock Ni
15	51-3650-01	1	Spring - Extension
16	56-4360	1	Rod - Spring
17	54-7781	1	Spindle Housing ASM
18	27-0870	1	Spindle ASM
19	3230-22	2	Screw-CARR
20	3296-29	2	Nut-Lock Ni

Ref. No.	Part No.	Qty.	Description
21	40-6230	2	Spring
22	99-8526	1	Grass Deflector
22:2	93-1122	1	Decal-Danger
23	29-5590-01	2	Bracket-Pivot
24	3211-15	2	Screw-HH
25	56-2390	2	Blade
26	3253-7	2	Washer-Lock/Sp
27	44-2200	2	Screw-Blade
28	3230-18	4	Screw-CARR
29	32152-1	4	Nut-Lock
30	52-4780	2	Rod-Belt
31	72-9360	2	Cup-Anti Scalp
32	93-9480-01	1	Guard - Deflector
33	322-3	2	Screw-HH
34	3296-47	2	Nut-Lock Ni
35	98-3269	1	Decal-Made In USA
*	3256-2	2	Washer-Flat
*	3256-24	2	Washer-Flat

* Not illustrated




Sheet No.:3

Frame, Belt and Wheel Assembly

Ref. No.	Part No.	Qty.	Description
1	325-19	2	Screw-HH
2	302-5	2	Zerk
3	82-5460-01	1	Cover
4	98-2857-01	2	Caster Fork
5	98-2859	2	Castor Wheel ASM
*5:1	232-27	1	Stem-Valve
*5:2	302-11	1	Zerk-Grease 45°
*5:3	62-5570	1	Bearing-Roller
*5:4	62-5580	1	Bearing-Outside
*5:5	98-2877	1	Tire
6	32151-91	2	Ring-Tru Arc
7	32153-5	2	Nut
8	74-0350	4	Cushion-Rubber
9	3290-355	4	Pin-Hair Cotter
10	283-55	4	Pin-Clevis
11	74-0290	2	Spring
12	256-156	2	Bushing
13	68-8980	2	Spanner-Tire
14	3218-5	4	Nut-Jam
15	3256-24	2	Washer-Flat
16	93-1167-01	2	Spacer - Castor
17	74-0310	2	Shaft-Adjusting
18	95-2821	1	Frame
19	55-7660	1	V-Belt
20	51-3530	1	Belt-Drive, Deck
21	3256-6	8	Washer-Flat

Ref. No.	Part No.	Qty.	Description
22	3296-29	2	Nut-Lock Ni
23	41-8440	2	Washer
24	3-6781	8	Washer-Thrust
27	3296-45	2	Nut-Lock Ni
28	3234-6	6	Screw-HH
29	32128-23	6	Nut-Flange
30	93-9479-01	1	Baffle - Front
31	322-3	6	Screw-HH
32	3296-47	6	Nut-Lock Ni
33	323-4	2	Screw-HH
34	80-3340-01	1	Weight-Front
35	322-12	2	Screw-HH
36	93-7819	2	Decal-Height Of Cut
37	74-2080	1	Decal-Proline
38	99-4595	1	Decal-92cm

* Not illustrated




T-0218
Sheet No.:A1

Drive Spindle Assembly No. 54-7781

Ref. No.	Part No.	Qty.	Description
2	32146-20	1	Nut-Jam
3	92-5836	1	Washer - Axle
5	61-4160	1	Spindle
6	253-139	2	Seal-Oil
7	27-0950	1	Spacer-Bearing, Spindle
8	46-8530	1	Bearing ASM
8:1	27-0960	1	Bearing ASM
8:2	27-5970	1	Spacer-Matched Set
9	302-2	1	Fitting-Grease
11	51-3551	1	Spindle Shaft
12	55-7610-03	1	Pulley

Ref. No.	Part No.	Qty.	Description



Drive Spindle Assembly No. 27-0870

Ref. No.	Part No.	Qty.	Description
1	27-0920	1	Spindle Shaft
2	302-2	1	Fitting-Grease
4	46-8530	1	Bearing ASM
4:1	27-0960	1	Bearing ASM
4:2	27-5970	1	Spacer-Matched Set
5	27-0950	1	Spacer-Bearing, Spindle
6	253-139	2	Seal-Oil
7	61-4160	1	Spindle
8	27-0970	1	Pulley & Hub
9	32146-20	1	Nut-Jam
10	92-5836	1	Washer - Axle

Ref. No.	Part No.	Qty.	Description

TORO PART NUMBER INDEX

Part No.	Pg. No.	Ref. No.	Qty.	Description	Part No.	Pg. No.	Ref. No.	Qty.	Description
3-6781	2	24	8	Washer-Thrust	98-2857-01	2	4	2	Caster Fork
27-0870	1	18	1	Spindle ASM	98-2859	2	5	2	Castor Wheel ASM
27-0920	4	1	1	Spindle Shaft	98-2877	2	5:5	1	Tire
27-0950	3	7	1	Spacer-Bearing, Spindle	98-3269	1	35	1	Decal-Made In USA
27-0950	4	5	1	Spacer-Bearing, Spindle	98-5967	1	12	1	Spacer-Wheel
27-0960	3	8:1	1	Bearing ASM	99-4595	2	38	1	Decal-92cm
27-0960	4	4:1	1	Bearing ASM	99-8524	1	7	1	92cm Deck ASM
27-0970	4	8	1	Pulley & Hub	99-8526	1	22	1	Grass Deflector
27-5970	3	8:2	1	Spacer-Matched Set	232-27	2	5:1	1	Stem-Valve
27-5970	4	4:2	1	Spacer-Matched Set	253-139	3	6	2	Seal-Oil
29-5590-01	1	23	2	Bracket-Pivot	253-139	4	6	2	Seal-Oil
40-6230	1	21	2	Spring	256-156	2	12	2	Bushing
41-8440	2	23	2	Washer	283-55	2	10	4	Pin-Clevis
43-8480	1	7:1	1	Decal-Danger	302-2	3	9	1	Fitting-Grease
44-2200	1	27	2	Screw-Blade	302-2	4	2	1	Fitting-Grease
46-8530	3	8	1	Bearing ASM	302-5	2	2	2	Zerk
46-8530	4	4	1	Bearing ASM	302-11	2	5:2	1	Zerk-Grease
51-3530	2	20	1	Belt-Drive, Deck	322-3	1	33	2	Screw-HH
51-3551	3	11	1	Spindle Shaft	322-3	2	31	6	Screw-HH
51-3641	1	6	1	Sleeve-Idler Pivot	322-12	2	35	2	Screw-HH
51-3650-01	1	15	1	Spring - Extension	323-4	2	33	2	Screw-HH
51-3660	1	4	1	Idler Pulley	323-12	1	8	1	Screw-HH
52-4780	1	30	2	Rod-Belt	323-28	1	13	1	Screw-HH
54-7781	1	17	1	Spindle Housing ASM	325-19	2	1	2	Screw-HH
55-7610-03	3	12	1	Pulley	3211-5	1	2	1	Screw-HH
55-7660	2	19	1	V-Belt	3211-15	1	24	2	Screw-HH
56-2390	1	25	2	Blade	3218-5	2	14	4	Nut-Jam
56-4341-03	1	5	1	Arm-Idler Deck	3230-18	1	28	4	Screw-CARR
56-4360	1	16	1	Rod - Spring	3230-22	1	19	2	Screw-CARR
61-4160	3	5	1	Spindle	3231-22	1	11	13	Screw-CARR
61-4160	4	7	1	Spindle	3234-6	2	28	6	Screw-HH
62-5570	2	5:3	1	Bearing-Roller	3253-7	1	26	2	Washer-Lock/Sp
62-5580	2	5:4	1	Bearing-Outside	3256-2	1		2	Washer-Flat
66-1340	1	7:5	1	Decal-Danger	3256-6	2	21	8	Washer-Flat
67-5360	1	7:4	1	Decal-Danger	3256-24	1		2	Washer-Flat
68-2730	1	1	2	Gage Wheel	3256-24	1	9	2	Washer-Flat
68-8340	1	7:3	1	Decal-Blade Bolt Torque	3256-24	2	15	2	Washer-Flat
68-8980	2	13	2	Spanner-Tire	3290-355	2	9	4	Pin-Hair Cotter
72-9360	1	31	2	Cup-Anti Scalp	3296-5	1	3	3	Nut-Lock Ni
74-0290	2	11	2	Spring	3296-29	1	20	2	Nut-Lock Ni
74-0310	2	17	2	Shaft-Adjusting	3296-29	2	22	2	Nut-Lock Ni
74-0350	2	8	4	Cushion-Rubber	3296-39	1	14	1	Nut-Lock Ni
74-2080	2	37	1	Decal-Proline	3296-45	2	27	2	Nut-Lock Ni
80-3340-01	2	34	1	Weight-Front	3296-47	1	34	2	Nut-Lock Ni
82-5460-01	2	3	1	Cover	3296-47	2	32	6	Nut-Lock Ni
92-5836	3	3	1	Washer - Axle	32128-21	1	10	14	Nut-Flange Lock
92-5836	4	10	1	Washer - Axle	32128-23	2	29	6	Nut-Flange
93-1122	1	7:2	1	Decal-Danger	32146-20	3	2	1	Nut-Jam
93-1122	1	22:2	1	Decal-Danger	32146-20	4	9	1	Nut-Jam
93-1167-01	2	16	2	Spacer - Castor	32151-91	2	6	2	Ring-Tru Arc
93-7819	2	36	2	Decal-Height Of Cut	32152-1	1	29	4	Nut-Lock
93-9479-01	2	30	1	Baffle - Front	32153-5	2	7	2	Nut
93-9480-01	1	32	1	Guard - Deflector					
95-2821	2	18	1	Frame					