
Parts Manual

TURF TRACER®
S-SERIES

Model No. TTS541CKA48300—Serial No. 404314159 and Up

Picture below may not reflect actual product.



Part No. 4503-975 Rev. A

Ordering Replacement Parts

To order replacement parts, please supply the part number, the quantity, and the description of each part desired.

Understanding Reference Numbers

Each identified part in an illustration has a reference number. The reference number for a part also appears in the parts list, along with other information about the part.

This catalog uses two special reference number formats, one to indicate parts in a service assembly and another to indicate the quantity of a given part in an illustration.

Service Assembly Reference Numbers

Parts in service assemblies have reference numbers in the form a:b. The a represents the reference number of the entire service assembly and the b represents a sequential number unique to each part within the service assembly.

For example, a wheel assembly might be identified by reference number 6, the tire by 6:1, the valve by 6:2, and the wheel by 6:3. When you order the assembly identified by reference number 6, you receive all parts identified by reference numbers 6:1,6:2, and 6:3. However, you may also order any part individually. Reference numbers of this type appear in illustration and in parts lists.

Reference Numbers Indicating Quantity

In an illustration, if a reference number indicates more than one part, the reference number has the form nX y. The n represents the quantity of the part, the X is the multiplication symbol, and the y represents the reference number.

For example, in an illustration, the reference number 2X 37 means that two of the parts identified by reference number 37 are indicated.

Touch Up Paint

Exmark black touch up spray paint – gloss black.

Exmark red touch up paint (spray paint – P/N 1-850337 - .6 oz liquid bottle – P/N 103-9140).

© 2018—Exmark Mfg. Co., Inc.
2101 Ashland Ave
Beatrice, NE 68310

Contact us at www.Exmark.com.
Printed in the USA.
All Rights Reserved




If your Exmark dealer does not have the Exmark part in stock, Exmark will get the parts to the dealer the next business day or the part will be FREE Guaranteed!! (Some restrictions apply. See your participating Exmark Dealer for details.)

Contents

Complete Deck Assembly 4
Deck Assembly 6
Deck W/Decals Assembly 8
Deck Idler Assembly No. 126-2314 10
Main Frame Assembly 12
Engine Deck 14
Handle Assembly 16
Controls Assembly 18
Fuel Assembly 20
Engine Assembly 22
Ground Drive Assembly 24
Pump Idler Assembly No. 126-0615 26
Electrical Assembly 28


Complete Deck Assembly



Complete Deck Assembly (continued)

Ref.	*Part Number*	*Qty.*	*Description*
1	126-1909	1	ASM-Complete Deck 48

Deck Assembly



Deck Assembly (continued)

Ref.	Part Number	Qty.	Description
1	126-0781	1	ASM, Deck 48" W/Decals
2	116-3344	3	ASM-Cutter Hsg With Bearings
2:2	116-0720	2	Bearing-Ball
2:3	116-3312	1	Spacer-Bearing
3	116-3342	3	ASM-Spindle And Seal ❑
4	116-1286	3	Guard,Bearing Top .989
5	116-0674	3	Sheave,Blade Drive 5.90
6	103-6381	3	Blade, Solid ●
6	103-6386	3	Blade, Low Lift ●
6	103-6391	3	Blade, Mulching ◆
6	103-6401	3	Blade-Notched
6	116-5177	3	Blade-Extreme 2, 16.25" ●
7	103-3037	3	Bushing, Splined
9	109-9220	3	Screw-Sems 1/2-20 X 2.19 ■ ❍
10	103-2802	3	Washer-Spring Disc 3/4
11	116-7306	3	Nut-Hex ▲
12	109-2872	2	Spacer-Pulley
13	126-9197	2	Idler-Pulley, Flat 5.00X1.31
14	126-2314	1	ASM, Deck Idler
15	126-9196	1	Idler-Pulley, Flat
16	135-7043	2	Rod, Deck Support Tts
17	1-413425	2	Spacer-Deck Support
18	103-2916	1	Guard-Top
19	126-2782-01	1	Baffle, Dogleg
20	109-6658	22	Nut-Nyloc 3/8-16 Flg
21	323-7	1	Screw-HH 3/8-16 X 1 1/4
22	1-603050	2	Spacer
23	1-414521	2	Link Assy
23:1	1-413525	1	Link, Rear Deck Support
23:2	1-613204	1	Balljoint
23:3	3220-3	1	Nut-Jam 3/8-24
24	323-9	2	Screw-HH 3/8-16 X 1 3/4
25	1-323539	2	Spacer-Blade Drive
26	1-806009	4	Hairpin-Cotter #206
27	1-806332	2	Rollpin 1/4 X 1 1/2
28	104-8301	4	Nut-Nyloc 3/8-16 Flg
29	322-3	2	Screw-HH 5/16-18 X 3/4
30	322-2	1	Screw-HH 5/16-18 X 5/8
31	104-8300	3	Nut-Nyloc 5/16-18 Flg
32	116-9981	4	Kit, Anti-Scalp Roller
33	109-6936	1	Cover-Belt, LH
34	109-6935	1	Cover-Belt, RH
35	126-0959	1	ASM, Discharge Chute
35:1	109-2738	1	Chute, Discharge
35:2	126-0958-01	1	Bracket, Discharge Chute
35:3	3231-22	3	Bolt-Carriage 3/8-16 X 1
35:4	109-6658	3	Nut-Nyloc 3/8-16 Flg
36	3231-22	2	Bolt-Carriage 3/8-16 X 1
37	116-6317	1	Spring-Extension
38	126-0783	1	Belt, Deck
39	3231-40	2	Bolt-Carriage 3/8-16 X 2 1/4
40	3231-24	1	Bolt-Carriage 3/8-16 X 3 3/4
41	116-9362	4	Screw-HH 3/8-16 X 3 3/4 GR 8
42	98-5975	4	Washer-Spring Disc 3/8
43	116-8131	4	Axle, Roller
44	103-8415	4	Roller-Anti-Scalp
45	1-411532	2	Kit, Support Link W/Pin
46	126-8043	2	Shield-Dust
47	126-9195	1	Shield-Guard, Dust
48	43-0940	1	Spacer
49	32128-19	3	Nut-Hex 3/8-16 Side Lock
50	135-4828	2	Collar, Deck Height Pin
51	32121-32	2	Rollpin 1/4 X 1 3/4

● Optional Equipment

■ Torque to 50-60 ft-lb


▲ Torque to 130-160 ft-lb

◆ Requires installation of mulch kit for proper mulching. See your Exmark dealer for details.

❑ Apply Mobil HTS grease (P/N 103-5217 1.5 oz packet) (or a food-grade anti-seize). See operator s manual for locations.

❍ Apply lubricant to threads as needed to prevent seizing. Copper based anti-seize preferable. Grease is an acceptable substitute.


Deck W/Decals Assembly



Deck W/Decals Assembly (continued)

Ref.	Part Number	Qty.	Description
2	135-5210	1	Decal-Warning Thrown Obj
3	112-8760	2	Decal-Danger
4	116-8727	1	Decal-Belt Routing
5	116-8278	1	Decal-Anti-Scalp
6	116-8283	1	Decal-Bolt Torque
7	112-9028	3	Decal-Cover, Missing
8	126-6746	1	Decal-Ultracut 48 Series 3
9	126-0898	1	Decal-Roller Mounting

Deck Idler Assembly No. 126-2314




Deck Idler Assembly No. 126-2314 (continued)

Ref.	Part Number	Qty.	Description
1		1	Weld, Idler Arm ●
2	106-7159	2	O-Ring
3	32120-10	2	Ring-Snap
4	103-3504	2	Bearing-Spherical
5	103-5677	1	Spacer
6	103-3505	1	Seal-Lip, Double
7	103-3506	1	Seal-Lip, Single
8	302-40	1	Fitting-Grease, 90 DEG

● Not serviced separately

Main Frame Assembly




Main Frame Assembly (continued)

Ref.	Part Number	Qty.	Description
1	126-1514	1	ASM, Frame W/ Bushings, 48
1:2	1-303514	4	Bearing-Flanged
2	126-1503	4	Spring
3	126-1504	4	Pin-Spring
4	92-1298	4	Pin-Lynch
5	104-8300	4	Nut-Nyloc 5/16-18 Flg
6	126-1517	1	ASM, Shield W/ Decals, 48
6:2	126-6892	1	Decal-Turf Tracer
6:3	106-5517	2	Decal-Warning
6:4	126-1692	4	Decal-Scratch Cover
7	116-7941-01	2	Fork, Caster [red]
8	126-1425	2	Cap, Dust
9	110-1718	2	Screw-Hex Flange 3/8-16 X 3/4
10	1-513547	2	Spacer
10	103-2171	2	Kit,Semi-Pneumatic Wheel Replacement
10:1		1	Wheel And Tire ASM ●
10:1:1		1	Tire ●
10:1:2	1-513809	1	Bearing
10:1:3	1-513810	2	Bushing-Flanged
10:1:4	302-61	1	Zerk-45° 1/4-28
10:1:5		1	Wheel ●
10:2	1-513547	1	Spacer
11	325-20	2	Screw-HH 1/2-13 X 6
12	99-5107	2	Nut-Lock 1/2-13
13	1-513336	2	Bushing-Deck
14	32120-33	2	Ring-Retaining
15	98-5975	8	Washer-Spring Disc 3/8
16	104-8301	8	Nut-Nyloc 3/8-16 Flg
17	323-7	8	Screw-HH 3/8-16 X 1 1/4
24	1-373034	2	Washer
25	135-4827-01	2	Latch, Deck Height
26	119-4036	2	Screw-HHF
27	136-7148	2	Spacer-Grommet
28	116-4280	4	Washer-Conical
29	3256-3	2	Washer-5/16 Std
30	104-8300	2	Nut-Nyloc 5/16-18 Flg

● Not serviced separately


Engine Deck


15
27
27:2
25
26
28
29
25
5
15:2
10
9
30
17
16
1:2
1:4
11
31
32
13
1:3
40
1
5
22
20
21
18
9
6
12
19
16
8
14
23
5
24
9
39
7
2
3
4

Engine Deck (continued)

Ref.	Part Number	Qty.	Description
1	126-1238	1	ASM, Engine Deck W/ Decals
1:2	116-8253	1	Decal-Drive Release
1:3	126-1400	1	Decal-Warning, Sulky
1:4	98-1977	1	Decal-Warning
2	1-412082-01	2	Mount-Wheel Motor
3	98-5975	8	Washer-Spring Disc 3/8
4	323-6	8	Screw-HH 3/8-16 X 1
5	104-8301	18	Nut-Nyloc 3/8-16 Flg
6	1-413510	2	Clip-Loom
7	103-2056	1	Shield-Drag
8	322-3	2	Screw-HH 5/16-18 X 3/4
9	104-8300	7	Nut-Nyloc 5/16-18 Flg
10	1-633102	2	Bearing-Flanged
11	3234-47	4	Screw-HH Flg 5/16-18 X 3/4
12	1-643312	1	Clip-Loom
13	3229-11	1	Bolt-Carriage 1/4-20 X 5/8
14	104-7201	1	Nut-Nyloc 1/4-20 Flg
15	126-2181	1	ASM, Tank Support W/ Decal
15:2	116-5988	1	Decal-Park Brake, CE
16	3234-42	9	Screw HHF 3/8-16 X 1
17	126-6572	2	Decal-S-Series
18	116-9964	1	Brake
19	32128-20	1	Nut-Whizlock 5/16-18
20	3290-357	1	Nut-Whizlock 3/8-16
21	3296-59	1	Nut-Nyloc 3/8-16 Thin
22	323-9	1	Screw-HH 3/8-16 X 1 3/4
23	322-6	1	Screw-HH 5/16-18 X 1 1/4
24	1-323161	1	Spring
25	1-413347	2	Sleeve-Bushing
26	1-413344	1	Bushing-Pivot
27	126-2180	1	ASM, Brake Lever W/ Grip
27:2	1-303020	1	Grip-Lever
28	3256-4	1	Washer-3/8 Std
29	323-10	1	Screw-HH 3/8-16 X 2
30	116-9959	1	Linkage, Brake
31	1-633131	1	Yoke-Linkage, Brake
32	103-2399	1	Pin-Clevis Spring 3/8
39	133-8062	1	Decal-Arrestor, Spark
40	126-4345	1	Decal-Patent

Handle Assembly




Handle Assembly (continued)

Ref.	Part Number	Qty.	Description
1	126-2642-03	1	Weld, Handle
2	103-0815	2	Grip-Bar, Handle
4	32144-10	2	Screw-HWH 1/4-20 X .62
6	126-4706	1	ASM, Console W/ Decals
6:2	135-2860	1	Decal-Console
6:3	103-2242	1	Decal, Ecs Instruction LH
6:4	103-2243	1	Decal, Ecs Instruction RH
6:5	126-6877	1	Decal, Exmark Logo
7	103-0027	2	Bushing-Lever, Drive
8	103-2513	1	Asm, Drive Lever RH
8:1	116-4082	1	Wld,RH Drive Lever
8:2	126-9366	2	Bushing, Sleeve
9	103-1371	1	Thumb Latch Asm RH
10	103-2514	1	Asm, Drive Lever LH
10:1	116-4081	1	Wld,LH Drive Lever
10:2	126-9366	2	Bushing, Sleeve
11	103-1372	1	Thumb Latch Asm LH
12	1-303365	2	Bushing-Nylon
13	103-0769-03	1	Rod Weldment, OPC
14	116-4079	1	Wld,LH OPC Lever ■
14:1:2	1-803322	1	Setscrew-5/16-24 X 5/16 ●
15	116-4080	1	Wld,RH OPC Lever ■
15:1:2	1-803322	1	Setscrew-5/16-24 X 5/16 ●
16	3256-22	2	Washer-1/4 SAE
17	3256-23	1	Washer-5/16 SAE
18	1-323244	2	Washer-Friction
19	126-0148	1	Lever, Shift W/Grip
19:2	103-5994	1	Grip-Handle, Steering
20	1-603716	1	Washer-Friction Disc
21	322-11	2	Screw-HH 5/16-18 X 2 1/4
22	1-323245	2	Spring-Compression
23	104-8301	6	Nut-Nyloc 3/8-16 Flg
25	109-3958	1	Control-Throttle
26	1-807513	2	Bolt-Carriage #10-24 X 1/2
27	3296-2	2	Nut-Nyloc #10-24
28	104-7201	2	Nut-Nyloc 1/4-20 Flg
29	98-5975	4	Washer-Spring Disc 3/8
30	323-7	4	Screw-HH 3/8-16 X 1 1/4
31	321-14	2	Screw-HH 1/4-20 X 2 3/4
33	126-2931	2	Screw-Shoulder
34	1-303363	1	Spring-Extension
35	1-303105	1	Yoke-Adjustable
36	1-413225	1	Rod, Speed Control
37	1-808280	1	Pin-Clevis 5/16 X 1 49/64
38	1-806003	1	Hairpin-Cotter
39	322-9	2	Screw-HH 5/16-18 X 1 3/4
40	3296-29	2	Nut-Nyloc 5/16-18
41	126-2107	1	Cable, Choke
42	103-1166	2	Spacer-Tube, Pump Link
43	323-9	2	Screw-HH 3/8-16 X 1 3/4
44	103-2463	2	Balljoint
45	103-1148	2	Rod,Drive Lever
46	3220-3	4	Nut-Jam 3/8-24
47	3219-3	2	Nut-Hex 3/8-24
48	3220-16	2	Nut-Jam 3/8-24 LH
49	116-3414	2	Drive Link ASM
50	3272-5	1	Pin-Cotter 3/32 X 1/2
51	103-1167	2	Joint-Ball End
52	116-4081	1	Wld,LH Drive Lever
53	116-4082	1	Wld,RH Drive Lever
54	126-9366	4	Bushing, Sleeve
55	104-8300	2	Nut-Nyloc 5/16-18 Flg
56	1-633349	2	Spring-Compression
57	126-2921	2	Latch, Ecs

● Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.
■ Use Pro-Lock retaining type, Part no. 1-840023 (.5cc tube) on inside of bore of OPC hub.


Controls Assembly



Controls Assembly (continued)

Ref.	Part Number	Qty.	Description
1	116-9975	1	Weld, Motion Control, Rt
2	116-9974	1	Weld, Motion Control, Lt
3	1-803022	2	Setscrew-5/16-18 X 5/8
4	126-2982-01	1	Weld, Speed Control
5	1-603735	2	Bushing-Flanged
6	103-0265	2	Spring, Neutral Return
7	1-603737	2	Bolt-Neutral Return
8	3256-23	9	Washer-5/16 SAE
9	3219-2	7	Nut-Hex 5/16-24
10	3220-2	2	Nut-Jam 5/16-24
11	104-8300	6	Nut-Nyloc 5/16-18 Flg
12	32128-20	2	Nut-Whizlock 5/16-18
13	322-5	2	Screw-HH 5/16-18 X 1
14	1-303105	2	Yoke-Adjustable
15	1-808280	2	Pin-Clevis 5/16 X 1 49/64
16	1-806003	2	Hairpin-Cotter
17	1-613089	2	Tab-Spring, Extension
18	1-603693	2	Spring
19	126-0610	2	Pin, Motion Control
20	126-8571	2	Swivel-Adjustable, Short
21	1-413350	2	Link-Control, Speed
22	3272-5	2	Pin-Cotter 3/32 X 1/2
23	1-323245	1	Spring-Compression
24	1-603903	1	Spacer
25	103-3060	1	Knob-Tracking
27	1-809056	2	Screw-Sh 5/16-18 X 1 3/8
28	116-7918	1	Decal-Tracking Adjustment
29	302-19	2	Zerk-1/4-28 Str


Fuel Assembly



Fuel Assembly (continued)

Ref.	Part Number	Qty.	Description
1	135-2855	1	ASM, Fuel Tank 5 Gal
1:2	137-4119	1	Cap-Fuel, Ratcheting
1:3	114-0284	1	Grommet
1:4	119-3547	1	Valve-Vent, Fuel
1:5	46-6560	1	Bushing
1:6	109-9364	1	Fitting-Fuel (W/Line And Screen)
2	107-4543	2	Clamp
3	104-8300	2	Nut-HF, NI
4	322-10	2	Screw-HH
11	115-4486-01	1	Bracket-Canister, Carbon
12	114-0292	1	Bracket-Canister, Carbon
13	3229-10	2	Screw-CARR
14	117-1221	1	Canister-Carbon, 800Cc
15	115-0962	1	Hose-Vent, Canister
16	119-8502	1	Hose-Vent, Formed
17	116-2232	1	Valve-Control, Vacuum
18	119-8501	1	Hose-Vent, Formed
19	321-2	2	Screw-HH
20	104-7201	4	Nut-HF
26	116-4801	1	Hose-Emissions
27	116-3116	1	Hose-Vent, Formed
31	1-303335	4	Tie-Plastic
33	114-4428	1	Hose-Fuel
34	2412-98	4	Clamp-Hose
35	1-603770	1	Valve-Fuel
36	105-8342	1	Hose-Fuel
37	1-643312	1	Clip-Loom

Engine Assembly



Engine Assembly (continued)

Ref.	Part Number	Qty.	Description
1		1	Engine, Kawasaki 541Cc ■▲
1:1	114-3550	4	Washer-Spring Lock M8
1:2	114-3549	4	Nut-M8
1:3	1-653313	2	Gasket-Exhaust
2	116-7328	1	Sheave, W/ Hub
3	126-2615	1	Clutch, 105 Ft/Lbs, 1.13
4	5-1336	1	Key-Machine 1/4 X 1/4 X 2 ❍
5	3256-23	1	Washer-5/16 SAE
6	126-0620	1	ASM, Clutch Anchor
7	237-136	1	Grommet
8	3296-4	1	Nut-Lock 5/16-24
9	109-6919	1	Washer-Clutch
10	1-603610	2	Washer-Spring Disc 7/16
11	3212-12	1	Screw-HH 7/16-20 X 3 ❑
12	116-3735	1	Muffler-Horizontal
13	135-4729-03	1	Tube-Guard Muffler
14	323-6	4	Screw-HH 3/8-16 X 1
15	104-8301	4	Nut-Nyloc 3/8-16 Flg
16	116-5052	1	Asm-Oil Drain Hose W/Plug ◆
16:1	353-508	1	Plug-W/O-Ring ●
16:1:1	237-42	1	O-Ring
19	98-5975	4	Washer-Spring Disc 3/8
20	323-7	4	Screw-HH 3/8-16 X 1 1/4

● Torque to 20-24 ft-lb

■ Not serviced separately


▲ Obtain parts from www.kawpowerepc.com

◆ Use a Teflon Pipe Sealant or equivalent on threads.

❑ Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.

❍ Apply anti-seize compound to engine crankshaft, pulley hub I.D., clutch bore I.D. and square key.

Ground Drive Assembly




Ground Drive Assembly (continued)

Ref.	Part Number	Qty.	Description
1	116-0943	1	RH HYD Pump ASM
1:1	103-2664	1	Input Shaft Kit
1:2	94-6922	1	Bearing-Thrust
1:3	103-2666	1	Cylinder Block Kit
1:4	105-6184	1	Seal Overhaul Kit
2	116-0942	1	LH HYD Pump ASM
2:1	103-2664	1	Input Shaft Kit
2:2	94-6922	1	Bearing-Thrust
2:3	103-2666	1	Cylinder Block Kit
2:4	105-6184	1	Seal Overhaul Kit
3	1-603990	4	Adapter-Straight
3:1	1-603920	1	O-Ring-SAE #8
3:2	1-603992	1	O-Ring-37 Flare #8
4	103-1802	2	Fitting-Elbow, 90 DEG
4:1	237-42	1	O-Ring
5	100-4887	3	Fitting-Elbow, 90
5:1	237-42	1	O-Ring
6	1-413010	2	Sheave ASM
7	1-807272	2	Key-5Mm X 5Mm X 25Mm
8	120-6474	4	Screw-Set, SQH 5/16-18 X 3/4
9	103-4761	1	Belt
10	126-0615	1	ASM, Pump Idler
11	116-6316	1	Spring-Extension
12	126-0621	1	ASM, Filter Head
12:2	103-1912	1	Adapter-Straight
12:2:1	237-42	1	O-Ring
12:3	103-1807	1	Fitting-Barbed, 45 DEG
12:3:1	237-42	1	O-Ring
13	1-805004	2	Washer-Lock 1/4 Heavy
14	321-3	2	Screw-HH 1/4-20 X 5/8
15	1-603718	2	HYD Motor ASM
15:1	1-000119	1	Seal Kit
15:2	1-000138	1	Bearing And Seal Kit
16	1-603991	4	Adapter-Straight
16:1	237-80	1	O-Ring
16:2	1-603992	1	O-Ring-37 Flare #8
17	98-5975	8	Washer-Spring Disc 3/8
18	323-6	8	Screw-HH 3/8-16 X 1
19	112-9049	2	Wheel Hub ASM
19:2	1-633926	4	Stud-Wheel
20	116-2839	2	Nut-Lock
21	1-613263	2	Wheel And Tire ASM
21:1	1-613264	1	Tire-Turfmaster
21:2	1-603715	1	Rim-Wheel
22	242-50	8	Nut-Lug 1/2-20
23	114-8417	4	Nut-HF, NI
24	3232-3	4	Bolt-Carriage 7/16-14 X 1 1/2
25	109-4180	1	Element, Oil Filter
26	126-1248	1	ASM, HYD Reservoir ■
26:1		1	Reservoir-HYD ●
26:1:1	103-1948	1	Cap-Reservoir, HYD
26:1:2	103-1949	1	Gasket-Cap
26:2	115-4212	1	Decal-Warning
27	103-1912	1	Adapter-Straight
27:1	237-42	1	O-Ring
28	103-2959	1	Hose-Charge
29	103-1988	6	Clamp-Hose 11/16
30	126-0623	1	Hose-Case Drain
31	126-0622	1	Hose-Charge
33	321-5	2	Screw-HH 1/4-20 X 7/8
34	119-7827	4	HYD Hose ASM
36	32128-32	2	Nut-Hex 1/4-20 Side Lock
37	283-16	1	Pin-Clevis
38	108-2992	1	Pin-Hair
39	3269-26	1	Washer-Plain
40	1-323365	1	Chain-Link, Twist
41	1-323366	1	Ring-Split
42	126-2056	2	Decal-Torque Wheel Lug-Hub
44	3256-22	2	Washer-1/4 SAE

● Not serviced separately

■ Use Exmark Premium Hydro Oil P/N 109-9828 (32oz)


Pump Idler Assembly No. 126-0615



Pump Idler Assembly No. 126-0615 (continued)

Ref.	Part Number	Qty.	Description
1	109-4077	1	Pulley-Idler, Flat
3	109-8054	2	Bushing-Flanged
4	116-8718	1	Spacer, Pivot
5	126-1680	1	Screw-Hfh
6	1-373034	1	Washer
7	98-5975	1	Washer-Spring Disc 3/8
8	104-8301	1	Nut-Nyloc 3/8-16 Flg
9	112-7451	1	Screw-TAP

Electrical Assembly



Electrical Assembly (continued)

Ref.	Part Number	Qty.	Description
2	103-5221	1	Switch-PTO
4	1-403121	1	Switch & Key (Includes Nut & Washer)
4	103-0498	1	Nut-Ignition
8	110-6765	3	Switch
9	126-3931	1	Meter-Hour
10	1-543286	1	Grommet
19	1-323430	1	Module-Interlock
20	104-7201	1	Nut-Nyloc 1/4-20 Flg
21	99-6810	1	Screw-HH 1/4-20 X 5/8
24	126-0624	1	Harness-Clutch Pigtail
25	126-0625	1	Harness-Main ●
26	1-303335	7	Tie-Cable 7 15/16 (Large)
28	33094-00	1	Washer
29	33114-016	1	Screw-HH M8-1.25 X 16Mm

● Use dielectric grease on all unsealed connectors and terminals only. Do not apply in sealed connectors.

Notes:

MAXIMIZE THE PERFORMANCE OF YOUR EXMARK MACHINE.



EXMARK® PREMIUM ENGINE OIL

Exmark now offers a family of engine oil viscosities to perform well in any environment. Each viscosity has the same synthetic formulation to give you what you need in punishing conditions. We designed each grade to the highest quality, making it ideal even for diesel applications. Coupled with Exmark Premium Fuel Treatment, we have the performance products to make your machine hum.

EXMARK PREMIUM ENGINE OIL SAE 30/10W-30

- Meets zero shear requirements of a straight grade SAE 30 as well as the cold temp properties of a 10W-30.
- Most versatile oil in the industry.
- Superior corrosion protection over conventional oil - even in corrosive, humid environments.

EXMARK PREMIUM ENGINE OIL SAE 10W-50

- Full synthetic formulation gives you peak performance. Don't settle for less.
- Wide span multi-grade combines easy starting in cold weather with maximum protection in high temperature operation.
- Reduce friction & wear over standard mineral formulations.

EXMARK PREMIUM ENGINE OIL UTV FORMULATION

- 4-cycle high-temp formulation.
- Heavier viscosity, full synthetic, perfect for your UTV.

EXMARK PREMIUM ENGINE OIL SAE 20W-50

- Perfect for your big block engine, or any application in severe service.
- Same full synthetic formulation as all other Exmark Premium viscosities.
- Also effective for use in severe service small block engines.

EXMARK PREMIUM ENGINE OIL SAE 0W-40

- The perfect choice for when the weather turns cold or unpredictable, and your Exmark UTV has to perform.
- Commercial quality for severe service.
- Advanced additive package helps prevent corrosion from long-term storage.

EXMARK PREMIUM UTV EXTREME CONDITIONS GEAR OIL

- SAE 80W-90, designed to keep your UTV performing at its peak.
- Shear stable, hypoid gear lube.
- Includes a premium additive system to combat wear, oxidation, rust & corrosion.

Available from your local Exmark dealer. Find your closest dealer at exmark.com

EXMARK ACCESSORIES AND OPTIONS*

MID-MOUNT RIDING ACCESSORIES AND OPTIONS

CUSTOM RIDE SEAT SUSPENSION SYSTEM
FULL SUSPENSION SEAT
DECK LIFT ASSIST KIT
HITCH KIT
LIGHT KIT
12V POWER PORT
MICRO-MULCH SYSTEM
OPERATOR CONTROLLED DISCHARGE
SUN SHADE
TRASH CONTAINER
TURF STRIPER
ULTRA VAC COLLECTION SYSTEM
ULTRA VAC QUICK DISPOSAL SYSTEM

OUT-FRONT RIDING ACCESSORIES AND OPTIONS

CUSTOM RIDE SEAT SUSPENSION SYSTEM
DUAL-TAIL WHEEL
FLOOR PAN EXTENDER
HITCH KIT
LIGHT KIT
MICRO-MULCH SYSTEM
ROLL OVER PROTECTION SYSTEM (ROPS)
SNOW BLADE
SNOWBLOWER
SUN SHADE
TRASH CONTAINER
ULTRA VAC COLLECTION SYSTEM
ULTRA VAC QUICK DISPOSAL SYSTEM
WEATHER CAB

WALK-BEHIND ACCESSORIES AND OPTIONS

GRASS CATCHER
MICRO-MULCH SYSTEM
TURF STRIPER
STANDON

*Some accessories and options not available for some models.

Place Model No. and Serial No. Label Here (Included in the Literature Pack) or Fill in Below

Model No. _____

Serial No. _____

Date Purchased _____

Engine Model No. and Spec. No. _____

Engine Serial No. (E/No) _____

© 2018 Exmark Mfg. Co., Inc.
All Rights Reserved

2101 Ashland Ave
Beatrice, NE 68310
(402) 223-6375
Fax (402) 223-5489

Part No. 4503-975 Rev. A
Printed in the USA.

www.exmark.com