
TURF TRACER X-SERIES

Model No. TTX650EKC52400—Serial No. 406294345 and Up

Picture below may not reflect actual product.



Parts Manual

Part No. 4504-589 Rev. B

Ordering Replacement Parts

To order replacement parts, please supply the part number, the quantity, and the description of each part desired.

Understanding Reference Numbers

Each identified part in an illustration has a reference number. The reference number for a part also appears in the parts list, along with other information about the part.

This catalog uses two special reference number formats, one to indicate parts in a service assembly and another to indicate the quantity of a given part in an illustration.

Service Assembly Reference Numbers

Parts in service assemblies have reference numbers in the form a:b. The a represents the reference number of the entire service assembly and the b represents a sequential number unique to each part within the service assembly.

For example, a wheel assembly might be identified by reference number 6, the tire by 6:1, the valve by 6:2, and the wheel by 6:3. When you order the assembly identified by reference number 6, you receive all parts identified by reference numbers 6:1,6:2, and 6:3. However, you may also order any part individually. Reference numbers of this type appear in illustration and in parts lists.

Reference Numbers Indicating Quantity

In an illustration, if a reference number indicates more than one part, the reference number has the form nX y. The n represents the quantity of the part, the X is the multiplication symbol, and the y represents the reference number.

For example, in an illustration, the reference number 2X 37 means that two of the parts identified by reference number 37 are indicated.

Touch Up Paint

Exmark black touch up spray paint – gloss black.

Exmark red touch up paint (spray paint – P/N 1-850337 - .6 oz liquid bottle – P/N 103-9140).

© 2020—Exmark Mfg. Co., Inc.
2101 Ashland Ave
Beatrice, NE 68310

Contact us at www.Exmark.com.
Printed in the USA.
All Rights Reserved




If your Exmark dealer does not have the Exmark part in stock, Exmark will get the parts to the dealer the next business day or the part will be FREE Guaranteed!! (Some restrictions apply. See your participating Exmark Dealer for details.)

Contents

Complete Deck Assembly 4
Deck Assembly 6
Deck W/Decals 8
Deck Idler Assembly No. 126-2314 10
Frame Assembly 12
Front Frame Assembly 14
Engine Deck Assembly 16
Handle Assembly 18
Controls Assembly 20
Fuel Assembly 22
Engine Assembly 24
Hydro Assembly 26
Electrical Assembly 28


Complete Deck Assembly



Complete Deck Assembly (continued)

Ref.	*Part Number*	*Qty.*	*Description*
4	126-2536	1	ASM, Complete Deck, 52

Deck Assembly



Deck Assembly (continued)

Ref.	Part Number	Qty.	Description
1	126-2472	1	ASM, Deck W/ Decals, 52"
2	116-3344	3	ASM-Cutter Hsg With Bearings
2:2	116-0720	2	Bearing-Ball
2:3	116-3312	1	Spacer-Bearing
3	116-3341	3	ASM-Spindle And Seal ❑
4	116-5175	3	Blade-Extreme 2, 18.00" ●
4	103-6402	3	Blade-Notched
4	103-6392	3	Blade, Mulching ◆
4	103-6387	3	Blade, Low Lift ●
4	103-6382	3	Blade, Solid ●
5	103-3037	3	Bushing, Splined
7	109-9220	3	Screw-Sems ■ ❍
8	116-1286	3	Guard,Bearing Top .989
9	116-0675	3	Sheave,Blade Drive 6.50
10	103-2802	3	Washer
11	116-7306	3	Nut-Hex ▲
12	3256-4	1	Washer-Flat
13	126-2314	1	ASM, Deck Idler
14	3231-24	1	Screw-CARR
15	126-9196	1	Idler-Pulley, Flat
16	126-9197	2	Idler-Pulley, Flat 5.00X1.31
17	135-4829	2	Rod, Deck Support
18	1-413425	2	Spacer-Deck Support
19	1-603050	2	Spacer
20	1-414521	2	Link Assy
20:1	1-413525	1	Link, Rear Deck Support
20:2	1-613204	1	Balljoint
20:3	3220-3	1	Nut-HJ
21	109-2872	2	Spacer-Pulley
22	1-323539	2	Spacer
23	103-2916	1	Guard-Top
24	116-6317	1	Spring-Extension
25	323-7	1	Screw-HH
26	109-6658	18	Nut-Flange, NI
27	322-2	1	Screw-HH
28	104-8300	1	Nut-HF, NI
29	1-806332	2	Roll Pin, 1/4 X 1-1/2
30	323-9	2	Screw-HH
31	104-8301	6	Nut-HF, NI
32	1-806009	4	Hairpin, .177
33	116-9981	6	Kit, Anti-Scalp Roller
34	109-6935	1	Cover-Belt, RH
35	109-6936	1	Cover-Belt, LH
36	109-7188	1	ASM,Discharge Chute
36:1	109-2738	1	Chute, Discharge
36:2	109-8675-01	1	Bracket,Discharge Chute
36:3	3231-22	3	Screw-CARR
36:4	109-6658	3	Nut-Flange, NI
37	3231-22	4	Screw-CARR
38	3231-40	2	Bolt-CARR
39	126-2538	1	Belt-Drive, Deck
40	116-5814-01	1	Baffle-Dogleg, Lz-Vt52
41	116-9362	6	Screw-HH
42	116-8131	6	Axle, Roller
43	103-8415	6	Roller-Anti-Scalp
44	109-6658	6	Nut-Flange, NI
45	98-5975	6	Washer-Belleville
46	1-411532	2	Kit, Support Link W/Pin
47	126-8043	2	Shield-Dust
48	126-9195	1	Shield-Guard, Dust
49	43-0940	1	Spacer
50	32128-19	3	Nut-HF
51	135-4828	2	Collar, Deck Height Pin
52	32121-32	2	Pin-Roll

● Optional Equipment

■ Torque to 50-60 ft-lb


▲ Torque to 130-160 ft-lb

◆ Requires installation of mulch kit for proper mulching. See your Exmark dealer for details.

❑ Apply Mobil HTS grease (P/N 103-5217 1.5 oz packet) (or a food-grade anti-seize). See operator s manual for locations.

❍ Apply lubricant to threads as needed to prevent seizing. Copper based anti-seize preferable. Grease is an acceptable substitute.


Deck W/Decals



Deck W/Decals (continued)

Ref.	Part Number	Qty.	Description
2	135-5210	1	Decal-Warning Thrown Obj
3	112-8760	2	Decal-Danger
4	116-8727	1	Decal-Belt Routing
5	116-8278	1	Decal-Anti-Scalp
6	126-0898	1	Decal-Roller Mounting
7	112-9028	3	Decal-Cover, Missing
8	126-6588	1	Decal, 524
9	116-8283	1	Decal-Torque, Bolt

Deck Idler Assembly No. 126-2314




Deck Idler Assembly No. 126-2314 (continued)

Ref.	Part Number	Qty.	Description
1		1	Weld, Idler Arm ●
2	106-7159	2	O-Ring
3	32120-10	2	Ring-Snap
4	103-3504	2	Bearing-Spherical
5	103-5677	1	Spacer
6	103-3505	1	Seal-Lip, Double
7	103-3506	1	Seal-Lip, Single
8	302-40	1	Fitting-Grease, 90 DEG

● Not serviced separately

Frame Assembly




Frame Assembly (continued)

Ref.	Part Number	Qty.	Description
1	126-2540	1	ASM, Front Frame W/ Bearings, 52
2	126-1503	5	Spring
3	126-1504	5	Pin-Spring
4	92-1298	5	Pin-Lynch
5	1-543509	4	Cone-Bearing Tapered Roller
6	103-1891-01	2	Wld, Caster Fork
7	1-633508	6	Washer-Spring Disc
8	3296-51	2	Nut-Nyloc 3/4-10
9	104-8300	7	Nut-Nyloc 5/16-18 Flg
10	109-3524	2	Asm, Wheel And Bearings
10:1	103-2768	2	Guard-Seal
10:2		1	Wheel And Bearing ASM ●
10:2:1	1-633585	2	Bearing-Cone Tapered Roller
10:2:2	103-0063	2	Seal-Double Lip
10:2:3	103-3051	1	Spacer-Nut
10:2:4	126-5359	1	Caster Axle ASM
10:3	325-20	1	Screw-HH 1/2-13 X 6
10:4	3296-45	1	Nut-Nyloc 1/2-13 Thin
11	98-5975	8	Washer-Spring Disc 3/8
12	104-8301	8	Nut-Nyloc 3/8-16 Flg
13	323-7	8	Screw-HH 3/8-16 X 1 1/4
14	126-2544	1	ASM, Center Shield W/ Decals, 52
14:2	126-6892	1	Decal-Turf Tracer
14:3	106-5517	2	Decal-Warning
14:4	126-1692	5	Decal-Scratch Cover
15	135-4827-01	2	Latch, Deck Height
16	3230-4	2	Bolt-Carriage 5/16-18 X 1 1/2
17	110-4068	2	Washer-Plastic
18	108-9087	2	Collar-Basket
19	75-3960	1	Spring-Torsion, LH (Yellow)
20	75-3970	1	Spring-Torsion, RH
21	3256-3	2	Washer-5/16 Std

● Not serviced separately


Front Frame Assembly



Front Frame Assembly (continued)

Ref.	Part Number	Qty.	Description
2	1-513336	2	Bushing-Deck
3	32120-33	2	Ring-Retaining
4	103-4882	2	Cap-Grease
5	1-811010	2	Plug
6	1-543511	2	Seal-Grease
7	302-19	1	Zerk-1/4-28 Str


Engine Deck Assembly



Engine Deck Assembly (continued)

Ref.	Part Number	Qty.	Description
1	126-2521	1	ASM, Engine Deck W/ Decals
1:2	98-1977	1	Decal-Warning
1:3	126-1400	1	Decal-Warning, Sulky
1:4	116-8253	1	Decal-Drive Release
2	126-2181	1	ASM, Tank Support W/ Decal
2:2	116-5988	1	Decal-Park Brake, CE
3	1-413344	1	Bushing-Pivot
4	3256-4	1	Washer-3/8 Std
5	323-10	1	Screw-HH 3/8-16 X 2
6	126-2180	1	ASM, Brake Lever W/ Grip
6:2	1-303020	1	Grip-Lever
7	116-9960	1	Linkage-Brake
8	1-633131	1	Yoke-Linkage, Brake
9	116-9159	1	Wld,Brake Ttx
10	3296-59	3	Nut-Nyloc 3/8-16 Thin
11	3290-357	1	Nut-Whizlock 3/8-16
12	323-9	1	Screw-HH 3/8-16 X 1 3/4
13	3234-42	7	Screw HHF 3/8-16 X 1
14	104-8301	8	Nut-Nyloc 3/8-16 Flg
15	103-2399	1	Pin-Clevis Spring 3/8
16	3234-12	2	Screw-HH Flg 3/8-16 X 3/4
17	104-8300	8	Nut-Nyloc 5/16-18 Flg
18	32128-20	1	Nut-Whizlock 5/16-18
19	322-6	1	Screw-HH 5/16-18 X 1 1/4
20	1-323161	1	Spring
21	3234-47	4	Screw-HH Flg 5/16-18 X 3/4
22	1-643312	1	Clip-Loom
23	3229-11	1	Bolt-Carriage 1/4-20 X 5/8
24	104-7201	1	Nut-Nyloc 1/4-20 Flg
25	126-6573	2	Decal-X-Series
27	1-413510	3	Clip-Loom
28	103-2224	1	Shield, Drag
29	322-3	3	Screw-HH 5/16-18 X 3/4
30	115-1958	1	Bolt-Shoulder
31	1-633102	2	Bearing-Flanged
33	133-8062	1	Decal-Arrestor, Spark
34	126-4345	1	Decal-Patent
35	1-413347	2	Sleeve-Bushing

Handle Assembly




Handle Assembly (continued)

Ref.	Part Number	Qty.	Description
1	126-2642-03	1	Weld, Handle
2	103-0815	2	Grip-Bar, Handle
3	126-2820	1	ASM, Console W/ Decals
3:2	135-2862	1	Decal-Console
3:3	103-2242	1	Decal, Ecs Instruction LH
3:4	103-2243	1	Decal, Ecs Instruction RH
3:5	126-6877	1	Decal, Exmark Logo
4	32144-10	2	Screw-HWH 1/4-20 X .62
5	103-0027	2	Bushing-Lever, Drive
6	103-2513	1	Asm, Drive Lever RH
6:1	116-4082	1	Wld,RH Drive Lever
6:2	126-9366	2	Bushing, Sleeve
7	1-633349	2	Spring-Compression
8	126-2921	2	Latch, Ecs
9	103-1371	1	Thumb Latch Asm RH
10	103-2514	1	Asm, Drive Lever LH
10:1	116-4081	1	Wld,LH Drive Lever
10:2	126-9366	2	Bushing, Sleeve
11	103-1372	1	Thumb Latch Asm LH
12	126-2931	2	Screw-Shoulder
13	1-303365	2	Bushing-Nylon
14	103-0769-03	1	Rod Weldment, OPC
15	116-4079	1	Wld,LH OPC Lever ■
15:1:2	1-803322	1	Setscrew-5/16-24 X 5/16 ●
16	116-4080	1	Wld,RH OPC Lever ■
16:1:2	1-803322	1	Setscrew-5/16-24 X 5/16 ●
17	3256-23	1	Washer-5/16 SAE
18	1-323244	2	Washer-Friction
19	126-0148	1	Lever, Shift W/Grip
19:2	103-5994	1	Grip-Handle, Steering
20	1-603716	1	Washer-Friction Disc
21	322-11	2	Screw-HH 5/16-18 X 2 1/4
22	1-323245	2	Spring-Compression
23	104-8301	6	Nut-Nyloc 3/8-16 Flg
24	109-3958	1	Control-Throttle
25	1-807513	2	Bolt-Carriage #10-24 X 1/2
26	3296-2	2	Nut-Nyloc #10-24
27	104-7201	2	Nut-Nyloc 1/4-20 Flg
28	98-5975	4	Washer-Spring Disc 3/8
29	323-7	4	Screw-HH 3/8-16 X 1 1/4
30	3256-22	2	Washer-1/4 SAE
31	321-14	2	Screw-HH 1/4-20 X 2 3/4
32	1-303363	1	Spring-Extension
33	1-413225	1	Rod, Speed Control
34	1-303105	1	Yoke-Adjustable
35	1-808280	1	Pin-Clevis 5/16 X 1 49/64
36	3272-5	1	Pin-Cotter 3/32 X 1/2
37	1-806003	1	Hairpin-Cotter
38	322-9	2	Screw-HH 5/16-18 X 1 3/4
39	3296-29	2	Nut-Nyloc 5/16-18
41	103-1166	2	Spacer-Tube, Pump Link
42	323-9	2	Screw-HH 3/8-16 X 1 3/4
43	103-2463	4	Balljoint
44	103-1167	2	Joint-Ball End
45	103-1148	2	Rod,Drive Lever
46	3220-3	4	Nut-Jam 3/8-24
47	3219-3	2	Nut-Hex 3/8-24
48	3220-16	2	Nut-Jam 3/8-24 LH
49	116-3414	2	Drive Link ASM
50	104-8300	2	Nut-Nyloc 5/16-18 Flg

● Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.
■ Use Pro-Lock retaining type, Part no. 1-840023 (.5cc tube) on inside of bore of OPC hub.


Controls Assembly



Controls Assembly (continued)

Ref.	Part Number	Qty.	Description
1	116-9975	1	Weld, Motion Control, Rt
2	116-9974	1	Weld, Motion Control, Lt
3	1-803022	2	Setscrew-5/16-18 X 5/8
4	126-2982-01	1	Weld, Speed Control
5	1-603735	2	Bushing-Flanged
6	103-0265	2	Spring, Neutral Return
7	1-603737	2	Bolt-Neutral Return
8	3256-23	9	Washer-5/16 SAE
9	3219-2	7	Nut-Hex 5/16-24
10	3220-2	2	Nut-Jam 5/16-24
11	104-8300	6	Nut-Nyloc 5/16-18 Flg
12	32128-20	2	Nut-Whizlock 5/16-18
13	322-5	2	Screw-HH 5/16-18 X 1
14	1-303105	2	Yoke-Adjustable
15	1-808280	2	Pin-Clevis 5/16 X 1 49/64
16	1-806003	2	Hairpin-Cotter
17	1-613089	2	Tab-Spring, Extension
18	1-603693	2	Spring
19	126-0610	2	Pin, Motion Control
20	126-8571	2	Swivel-Adjustable, Short
21	1-413350	2	Link-Control, Speed
22	3272-5	2	Pin-Cotter 3/32 X 1/2
23	1-323245	1	Spring-Compression
24	1-603903	1	Spacer
25	103-3060	1	Knob-Tracking
26	1-809056	2	Screw-Sh 5/16-18 X 1 3/8
27	116-7918	1	Decal-Tracking Adjustment
28	302-19	2	Zerk-1/4-28 Str


Fuel Assembly



Fuel Assembly (continued)

Ref.	Part Number	Qty.	Description
1	135-2855	1	ASM, Fuel Tank 5 Gal
1:2	137-4119	1	Cap-Fuel, Ratcheting
1:3	114-0284	1	Grommet
1:4	119-3547	1	Valve-Vent, Fuel
1:5	46-6560	1	Bushing
1:6	109-9364	1	Fitting-Fuel (W/Line And Screen)
2	107-4543	2	Clamp
3	104-8300	2	Nut-Nyloc 5/16-18 Flg
4	322-10	2	Screw-HH 5/16-18 X 2
11	126-1679	1	Hose, Emissions
12	98-2952	1	Fitting-Straight
13	119-8562	1	Hose-Fuel
20	2412-98	4	Clamp-Hose
21	1-603770	1	Valve-Fuel
34	1-303335	1	Tie-Cable 7 15/16 (Large)
36	110-1876	1	Hose-Fuel
38	109-0275	1	Hose-Fuel Line 32"
39	1-643312	1	Clip-Loom

Engine Assembly




Engine Assembly (continued)

Ref.	Part Number	Qty.	Description
1		1	Engine, Kohler Ecv650-3017 ▲◆
2	126-2605	1	Sheave W/ Hub
3	126-2601	1	Clutch, 200 Ft/Lbs, 1.13
4	126-2602	1	Strap, Clutch
5	3256-23	1	Washer-5/16 SAE
6	126-0620	1	ASM, Clutch Anchor
7	1-807259	1	Key-Machine 1/4 X 1/4 X 1 ◗
8	237-136	1	Grommet
9	3296-4	1	Nut-Lock 5/16-24
10	109-6919	1	Washer-Clutch
11	1-603610	2	Washer-Spring Disc 7/16
12	87-2080	1	Bolt-Hex, TAP ❍
13	116-8653	1	Muffler-Ttx, EFI
14	116-8654	1	Shield-Muffler,Ttx EFI
15	116-1103	4	Screw-HH, Thread Forming
16	135-4730-03	1	Tube-Guard Air Cleaner
17	323-6	4	Screw-HH 3/8-16 X 1
18	104-8301	4	Nut-Nyloc 3/8-16 Flg
19	116-5316	1	Oil Drain Hose ASM ❑■
19:2	353-508	1	Plug-W/O-Ring ●
19:2:1	237-42	1	O-Ring
20	1-303334	4	Washer-Spring Disc 5/16
21	322-7	4	Screw-HH 5/16-18 X 1 1/2
22	104-8300	4	Nut-Nyloc 5/16-18 Flg
23	110-6697	2	Gasket-Exhaust
25	68-9400	4	Nut-Flange
26	3296-47	2	Nut-Nyloc 5/16-18 Thin
27	3230-18	2	Bolt-Carriage 5/16-18 X 5/8
28	75-6880	1	Screen-Arrester, Spark

● Torque to 24-26 ft-lb
■ Torque to 17-23 ft-lb
▲ Not serviced separately
◆ Obtain parts from www.kohlerplus.com
❑ Use a Teflon Pipe Sealant or equivalent on threads.
❍ Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.
◗ Apply anti-seize compound to engine crankshaft, pulley hub I.D., clutch bore I.D. and square key.

Hydro Assembly




Hydro Assembly (continued)

Ref.	Part Number	Qty.	Description
1	116-2495	1	Pump-HYD Pe RH TTH
1:1	103-2664	1	Input Shaft Kit
1:2	94-6922	1	Bearing-Thrust
1:3	103-2666	1	Cylinder Block Kit
1:4	105-6184	1	Seal Overhaul Kit
1:5	126-2479	1	Kit, 10Cc Pump Kit
2	116-2494	1	Pump-HYD Pe LH TTH
2:1	103-2664	1	Input Shaft Kit
2:2	94-6922	1	Bearing-Thrust
2:3	103-2666	1	Cylinder Block Kit
2:4	105-6184	1	Seal Overhaul Kit
2:5	126-2479	1	Kit, 10Cc Pump Kit
3	103-1802	2	Fitting-Elbow, 90 DEG
3:1	237-42	1	O-Ring
4	1-603990	3	Adapter-Straight
4:1	1-603920	1	O-Ring-SAE #8
4:2	1-603992	1	O-Ring-37 Flare #8
5	103-2153	1	Elbow-90°
5:1	1-603920	1	O-Ring-SAE #8
5:2	1-603992	1	O-Ring-37 Flare #8
6	100-4887	3	Fitting-Elbow, 90
6:1	237-42	1	O-Ring
7	1-413010	2	Sheave ASM
8	1-807272	2	Key-5Mm X 5Mm X 25Mm
9	120-6474	4	Screw-Set, SQH 5/16-18 X 3/4
10	103-4761	1	Belt
11	126-2531	1	ASM, Pump Idler
11:1	109-4077	1	Pulley-Idler, Flat
11:3	109-8054	2	Bushing-Flanged
11:4	126-1680	1	Screw-Hfh
12	116-6316	1	Spring-Extension
13	126-0621	1	ASM, Filter Head
13:2	103-1912	1	Adapter-Straight
13:2:1	237-42	1	O-Ring
13:3	103-1807	1	Fitting-Barbed, 45 DEG
13:3:1	237-42	1	O-Ring
14	1-805004	2	Washer-Lock 1/4 Heavy
15	321-3	2	Screw-HH 1/4-20 X 5/8
16	1-603718	2	HYD Motor ASM
16:1	1-000119	1	Seal Kit
16:2	1-000138	1	Bearing And Seal Kit
17	1-603991	4	Adapter-Straight
17:1	237-80	1	O-Ring
17:2	1-603992	1	O-Ring-37 Flare #8
18	98-5975	9	Washer-Spring Disc 3/8
19	323-6	8	Screw-HH 3/8-16 X 1
20	112-9049	2	Wheel Hub ASM
20:2	1-633926	4	Stud-Wheel
21	116-2839	2	Nut-Lock
22	103-1715	2	Tire And Wheel Assy
23	242-50	8	Nut-Lug 1/2-20
24	114-8417	4	Nut-HF, NI
25	3232-3	4	Bolt-Carriage 7/16-14 X 1 1/2
26	109-4180	1	Element, Oil Filter
27	126-1248	1	ASM, HYD Reservoir ■
27:1		1	Reservoir-HYD ●
27:1:1	103-1948	1	Cap-Reservoir, HYD
27:1:2	103-1949	1	Gasket-Cap
27:2	115-4212	1	Decal-Warning
28	103-1912	1	Adapter-Straight
28:1	237-42	1	O-Ring
29	103-2959	1	Hose-Charge
30	103-1988	6	Clamp-Hose 11/16
31	126-2550	1	Hose, Case
32	126-2555	1	Hose, Charge
33	321-5	2	Screw-HH 1/4-20 X 7/8
34	32128-32	2	Nut-Hex 1/4-20 Side Lock
35	126-2056	2	Decal-Torque Wheel Lug-Hub
37	126-2954	1	Pivot, Idler
38	1-373034	1	Washer
39	126-2956	1	Screw-HHF
41	116-8646	3	Hose,Hydraulic W/Cover
42	119-7827	1	HYD Hose ASM
43	3256-22	2	Washer-1/4 SAE

● Not serviced separately

■ Use Exmark Premium Hydro Oil P/N 109-9828 (32oz)

Electrical Assembly



Electrical Assembly (continued)

Ref.	Part Number	Qty.	Description
1	103-5221	1	Switch-PTO
2	135-2253	1	Switch, Key Start
3	103-0498	1	Nut-Ignition
4	1-643267	1	Indicator-Red LED
5	110-6765	3	Switch
6	1-543286	1	Grommet
7	103-2106	1	Key-Exmark Logo
8	1-303335	7	Tie-Cable 7 15/16 (Large)
9	126-6170	1	Harness-Wire ■
9:5	1-816001	1	Fuse-Blade Type, 20 Amp
12	135-2056	1	Bracket, Battery Hold Down
13	1-633651	2	Bolt-Holddown
14	1-543792	2	Wingnut-Nyloc 1/4-20
15	3230-1	2	Bolt-Carriage 5/16-18 X 3/4
16	104-8300	2	Nut-Nyloc 5/16-18 Flg
17	142-2440	1	Module-Hour Meter
18	126-0624	1	Harness-Clutch Pigtail
21	109-7621	1	Positive Battery Cable ASM
21:1	1-543393	1	Insulator-Solenoid
21:2	109-2407	1	Insulator-Battery
22	1-413540	1	Cable-Battery, Negative ●
26	3256-22	1	Washer-1/4 SAE
27	3217-5	1	Nut-Hex 1/4-20
28	126-6603-03	1	Bracket-Mounting, Fuseblock
29	104-7201	3	Nut-Nyloc 1/4-20 Flg
30	3229-10	2	Bolt-Carriage 1/4-20 X 1/2
31	321-2	1	Screw-HH 1/4-20 X 1/2
32	126-3991	1	Relay-Micro
34	32180-176	1	Cover-Block, Fuse
35	32180-177	1	Clip-Mounting

● Not illustrated
■ Use dielectric grease on all unsealed connectors and terminals only. Do not apply in sealed connectors.

Notes:

MAXIMIZE THE PERFORMANCE OF YOUR EXMARK MACHINE.



EXMARK® PREMIUM ENGINE OIL

Exmark now offers a family of engine oil viscosities to perform well in any environment. Each viscosity has the same synthetic formulation to give you what you need in punishing conditions. We designed each grade to the highest quality, making it ideal even for diesel applications. Coupled with Exmark Premium Fuel Treatment, we have the performance products to make your machine hum.

EXMARK PREMIUM ENGINE OIL SAE 30/10W-30

- Meets zero shear requirements of a straight grade SAE 30 as well as the cold temp properties of a 10W-30.
- Most versatile oil in the industry.
- Superior corrosion protection over conventional oil - even in corrosive, humid environments.

EXMARK PREMIUM ENGINE OIL SAE 10W-50

- Full synthetic formulation gives you peak performance. Don't settle for less.
- Wide span multi-grade combines easy starting in cold weather with maximum protection in high temperature operation.
- Reduce friction & wear over standard mineral formulations.

EXMARK PREMIUM ENGINE OIL UTV FORMULATION

- 4-cycle high-temp formulation.
- Heavier viscosity, full synthetic, perfect for your UTV.

EXMARK PREMIUM ENGINE OIL SAE 20W-50

- Perfect for your big block engine, or any application in severe service.
- Same full synthetic formulation as all other Exmark Premium viscosities.
- Also effective for use in severe service small block engines.

EXMARK PREMIUM ENGINE OIL SAE 0W-40

- The perfect choice for when the weather turns cold or unpredictable, and your Exmark UTV has to perform.
- Commercial quality for severe service.
- Advanced additive package helps prevent corrosion from long-term storage.

EXMARK PREMIUM UTV EXTREME CONDITIONS GEAR OIL

- SAE 80W-90, designed to keep your UTV performing at its peak.
- Shear stable, hypoid gear lube.
- Includes a premium additive system to combat wear, oxidation, rust & corrosion.

Available from your local Exmark dealer. Find your closest dealer at exmark.com

EXMARK ACCESSORIES AND OPTIONS*

MID-MOUNT RIDING ACCESSORIES AND OPTIONS

CUSTOM RIDE SEAT SUSPENSION SYSTEM
FULL SUSPENSION SEAT
DECK LIFT ASSIST KIT
HITCH KIT
LIGHT KIT
12V POWER PORT
MICRO-MULCH SYSTEM
OPERATOR CONTROLLED DISCHARGE
SUN SHADE
TRASH CONTAINER
TURF STRIPER
ULTRA VAC COLLECTION SYSTEM
ULTRA VAC QUICK DISPOSAL SYSTEM

OUT-FRONT RIDING ACCESSORIES AND OPTIONS

CUSTOM RIDE SEAT SUSPENSION SYSTEM
DUAL-TAIL WHEEL
FLOOR PAN EXTENDER
HITCH KIT
LIGHT KIT
MICRO-MULCH SYSTEM
ROLL OVER PROTECTION SYSTEM (ROPS)
SNOW BLADE
SNOWBLOWER
SUN SHADE
TRASH CONTAINER
ULTRA VAC COLLECTION SYSTEM
ULTRA VAC QUICK DISPOSAL SYSTEM
WEATHER CAB

WALK-BEHIND ACCESSORIES AND OPTIONS

GRASS CATCHER
MICRO-MULCH SYSTEM
TURF STRIPER
STANDON

*Some accessories and options not available for some models.

Place Model No. and Serial No. Label Here (Included in the Literature Pack) or Fill in Below

Model No. _____

Serial No. _____

Date Purchased _____

Engine Model No. and Spec. No. _____

Engine Serial No. (E/No) _____

© 2020 Exmark Mfg. Co., Inc.
All Rights Reserved

2101 Ashland Ave
Beatrice, NE 68310
(402) 223-6375
Fax (402) 223-5489

Part No. 4504-589 Rev. B
Printed in the USA.





www.exmark.com