

EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
31803T	323000001 and Up	60V Cordless Power Shovel CE	60V POWER SHOVEL, BARE TOOL

Conform(s) to the following directives:

2000/14/EC and 2005/88/EC (Noise), 2006/42/EC (Machinery Directive), 2014/30/EU (EMC), and 2011/65/EU (ROHS)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN IEC 55014-1:2021

EN IEC 55014-2:2021

EN 62233:2008

EN 60335-1:2012 / C11:2014+A11:2014+A13:2017+A1:2019+A14:2019+A2:2019+A15:2021

EN ISO 8437-1:2021

EN ISO 8437-2:2021

EN ISO 8437-4:2021

EN ISO 11201:2010

Data for Noise Directive (2000/14/EC, 2005/88/EC):

Model	Classification	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)
31803T	Snow Removing Machine	93	96

Determined in accordance with ISO 3744:1995.

Conformity Assessment: Annex V of directive 2000/14/EC and 2005/88/EC.

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.

Certified:



John Heckel
Engineering Director
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
May 5, 2023

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro Europe NV
Nijverheidsstraat 5
2260 Oevel
Belgium



EU Specifications

Machine Power, Mass, and Vibration Data

Model	Rated Power (kW)	Machine Mass [‡] (kg)	Hand/Arm Vibration (m/s ²)* Level		
			Left Hand	Right Hand	Uncertainty
31803T	2	8.17	1.4	2.4	0.2

[‡] With batteries removed in the normal operating configuration

* Determined in accordance with EN ISO 5349-1:2001.

Machine Sound Data

Model	Sound Pressure (dBA) ¹	
	Level	Uncertainty
31803T	82	3

¹ A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 11201.







BG: За да получите копие от този документ на вашия език, отидете на www.toro.com/en/parts.

CS: Kopii tohoto dokumentu ve svém jazyce získáte na adrese www.toro.com/en/parts.

DA: For at indhente en kopi af dette dokument på dit sprog skal du besøge www.toro.com/en/parts.

DE: Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter www.toro.com/en/parts.

EL: Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση www.toro.com/en/parts.

EN: To obtain a copy of this document in your language, go to www.toro.com/en/parts.

ES: Puede obtener una copia de este documento en su idioma en www.toro.com/en/parts.

ET: Dokumendist enda keeles koopia saamiseks külastage veebilehte www.toro.com/en/parts.

FI: Tästä asiakirjasta saa omakielisen version osoitteesta www.toro.com/en/parts.

FR: Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur www.toro.com/en/parts.

HR: Za primjerak Izjave o sukladnosti na Vašem jeziku idite na www.toro.com/en/parts.

HU: Ha szükséges van a dokumentum egy példányára a saját nyelvén, letöltheti azt a www.toro.com/en/parts oldalról.

IT: La copia del presente documento nella vostra lingua è disponibile su www.toro.com/en/parts.

LT: Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite www.toro.com/en/parts.

LV: Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz www.toro.com/en/parts.

NL: Voor een exemplaar van dit document in uw eigen taal, gaat u naar: www.toro.com/en/parts.

NO: For å få en kopi av dette dokumentet på ditt språk, gå til www.toro.com/en/parts.

PL: Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę www.toro.com/en/parts.

PT: Para obter uma cópia deste documento no seu idioma, vá a www.toro.com/en/parts.

RO: Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați www.toro.com/en/parts.

SK: Ak chcete získať kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu www.toro.com/en/parts.

SL: Za izvod tega dokumenta v vašem jeziku obiščite spletno stran www.toro.com/en/parts.

SR: Da biste dobili primerak ovog dokumenta na svom jeziku, posetite www.toro.com/en/parts.

SV: Gå in på www.toro.com/en/parts om du vill ha ett exemplar av det här dokumentet på ditt språk.

UK Declaration of Conformity

The Toro Company ®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
31803T	323000001 and Up	60V Cordless Power Shovel CE	60V POWER SHOVEL, BARE TOOL

Conform(s) to the following UK national laws:

S.I. 2001 No. 1701 (Noise), S.I. 2008 No. 1597 (Machinery Safety), S.I. 2016 No. 1091 (EMC), and S.I. 2012 No. 3032 (ROHS)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN IEC 55014-1:2021

EN IEC 55014-2:2021

EN 62233:2008

EN 60335-1:2012 / C11:2014+A11:2014+A13:2017+A1:2019+A14:2019+A2:2019+A15:2021

EN ISO 8437-1:2021

EN ISO 8437-2:2021

EN ISO 8437-4:2021

EN ISO 11201:2010

Data for Noise Regulations (S.I. 2001 No. 1701):

Model	Classification	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)
31803T	Snow Removing Machine	93	96

Determined in accordance with ISO 3744:1995.

Conformity Assessment: Schedule 8 of regulation S.I. 2001 No. 1701.

This declaration has been issued under the sole responsibility of the manufacturer.
The object of the declaration is in conformity with relevant UK legislation.



John Heckel
Engineering Director
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
May 5, 2023

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro U.K. Limited
Spellbrook Lane West
Bishop's Stortford
CM23 4BU
United Kingdom

UK Specifications

Machine Power, Mass, and Vibration Data

Model	Rated Power (kW)	Machine Mass† (kg)	Hand/Arm Vibration (m/s²)* Level		
			Left Hand	Right Hand	Uncertainty
31803T	2	8.17	1.4	2.4	0.2

† With batteries removed in the normal operating configuration

* Determined in accordance with EN ISO 5349-1:2001.

Machine Sound Data

Model	Sound Pressure (dBA)¹	
	Level	Uncertainty
31803T	82	3

¹ A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 11201.