
Parts Manual

STARIS® E-SERIES

Model No. STE600CKA363H1—Serial No. 408644346 and Up

Picture below may not reflect actual product.



Part No. 4505-332 Rev. B

Ordering Replacement Parts

To order replacement parts, please supply the part number, the quantity, and the description of each part desired.

Understanding Reference Numbers

Each identified part in an illustration has a reference number. The reference number for a part also appears in the parts list, along with other information about the part.

This catalog uses two special reference number formats, one to indicate parts in a service assembly and another to indicate the quantity of a given part in an illustration.

Service Assembly Reference Numbers

Parts in service assemblies have reference numbers in the form a:b. The a represents the reference number of the entire service assembly and the b represents a sequential number unique to each part within the service assembly.

For example, a wheel assembly might be identified by reference number 6, the tire by 6:1, the valve by 6:2, and the wheel by 6:3. When you order the assembly identified by reference number 6, you receive all parts identified by reference numbers 6:1,6:2, and 6:3. However, you may also order any part individually. Reference numbers of this type appear in illustration and in parts lists.

Reference Numbers Indicating Quantity

In an illustration, if a reference number indicates more than one part, the reference number has the form nX y. The n represents the quantity of the part, the X is the multiplication symbol, and the y represents the reference number.

For example, in an illustration, the reference number 2X 37 means that two of the parts identified by reference number 37 are indicated.

Touch Up Paint

Exmark black touch up spray paint – gloss black.

Exmark red touch up paint (spray paint – P/N 1-850337 - .6 oz liquid bottle – P/N 103-9140).


© 2021—Exmark Mfg. Co., Inc.
415 Industrial Row
Beatrice, NE 68310

Contact us at www.Exmark.com.
Printed in the USA.
All Rights Reserved

Contents

Complete Deck Assembly 4
Deck Assembly 6
Deck W/Decals Assembly 8
Idler Assembly 10
Discharge Deflector Assembly 12
Main Frame Assembly 14
Control Assembly 16
Left Motion Control Assembly 18
Right Motion Control Assembly 20
Platform Assembly 22
Guarding Assembly 24
Caster Wheel Assembly 26
Deck Lift Assembly 28
Height of Cut Lever 30
Lift Rod Assembly 32
Park Brake Assembly 34
Tire and Wheel Assembly 36
Fuel Assembly 38
Fuel Tank Assembly-cont 40
Fuel Line and Valve Assembly 42
Engine Assembly 44
Hydraulic Assembly 46
Idler Arm Assembly 48
Electrical Assembly 50
Harness Assembly 52


Complete Deck Assembly



Complete Deck Assembly (continued)

Ref.	*Part Number*	*Qty.*	*Description*
1	142-3435	1	ASM, 36" Deck, Complete

Deck Assembly




Deck Assembly (continued)

Ref.	Part Number	Qty.	Description
1	142-2607	1	ASM, 36" Deck W/ Decals
2	116-3344	2	ASM-Cutter Hsg With Bearings
2:2	116-0720	2	Bearing-Ball
2:3	116-3312	1	Spacer-Bearing
3	116-3342	2	ASM-Spindle And Seal
4	116-1286	2	Guard,Bearing Top .989
5	135-4809	2	Sheave-Blade Drive
6	103-2802	2	Washer-Spring Disc 3/4
7	116-7306	2	Nut-Hex
8	116-5175	2	Blade-Extreme 2, 18.00" ●
8	103-6402	2	Blade-Notched
8	103-6392	2	Blade, Mulching ■
8	103-6387	2	Blade, Low Lift ●
8	103-6382	2	Blade, Solid ●
9	103-3037	2	Bushing, Splined
10	109-9220	2	Screw-Sems 1/2-20 X 2.19
11	126-2783-01	1	Baffle, Dogleg
12	109-6658	21	Nut-Nyloc 3/8-16 Flg
14	104-8300	1	Nut-Nyloc 5/16-18 Flg
15	3231-25	4	Bolt-Carriage 3/8-16 X 1 1/4
16	322-2	1	Screw-HH 5/16-18 X 5/8
17	109-2872	3	Spacer-Pulley
18	135-4398	2	Idler - V 4.13 Eod-A
19	126-9187	1	Pulley-Idler, Flat
20	126-8043	1	Shield-Dust
21	3231-31	3	Bolt-Carriage 3/8-16 X 2 1/2
23	135-0313	1	Screw-CARR
24	135-1679	1	ASM.-Arm, Idler
25	126-9195	1	Shield-Guard, Dust
26	126-9196	1	Idler-Pulley, Flat
27	103-2916	1	Guard-Top
28	126-1680	1	Screw-HHF
29	135-3214	1	Belt-V
30	116-6317	1	Spring-Extension
31	116-9981	1	Kit, Anti-Scalp Roller
32	135-2160	1	Rubber Deflector ASM
33	3256-4	1	Washer-3/8 Std
34	116-8131	1	Axle, Roller
35	103-8415	1	Roller-Anti-Scalp
36	98-5975	1	Washer-Spring Disc 3/8
37	116-9362	1	Screw-HH 3/8-16 X 3 3/4 GR 8

● Optional Equipment

■ Requires installation of mulch kit for proper mulching. See your Exmark dealer for details.


Deck W/Decals Assembly



Deck W/Decals Assembly (continued)

Ref.	Part Number	Qty.	Description
2	116-8283	1	Decal-Torque, Bolt
3	126-6745	1	Decal-Ultracut 36 Series 3
4	135-5210	2	Decal-Warning Thrown Obj
5	112-9028	1	Decal-Cover, Missing
6	135-3004	1	Decal-Belt Routing


Idler Assembly



Idler Assembly (continued)

Ref.	Part Number	Qty.	Description
2	106-7159	2	O-Ring
3	32120-10	2	Ring-Retaining
4	103-3504	2	Bearing-Spherical
5	103-5677	1	Spacer
6	103-3505	1	Seal-Lip, Double
7	103-3506	1	Seal-Single Lip
8	302-40	1	Zerk-90° 1/4-28


Discharge Deflector Assembly



Discharge Deflector Assembly (continued)

Ref.	Part Number	Qty.	Description
1	135-2157	1	Deflector-Rubber
2	135-2155-01	1	Bracket-Top Deflector
3	135-2158-01	1	Bracket-Deflector
4	135-2159-01	1	Bracket-Deflector
5	135-2156-03	1	Strap-Bottom Deflector
6	3231-4	4	Bolt-Carriage 3/8-16 X 1 1/2
7	109-6658	4	Nut-Nyloc 3/8-16 Flg


Main Frame Assembly



Main Frame Assembly (continued)

Ref.	Part Number	Qty.	Description
1	142-2557	1	ASM, Rear Frame W/ Decals
1:2	98-1977	2	Decal-Warning
1:3	116-8559	2	Decal, Cover Missing
1:4	116-5988	1	Decal-Park Brake, CE
1:5	135-2267	1	Decal-Belt Routing HYD
2	142-2538-01	1	Weld, Front Frame, 36
3	99-5107	6	Nut-Lock 1/2-13
4	3234-40	5	Screw-HF
5	107069	3	Nut-Retainer-Panel 1/4-20
21	142-3783	1	Screw, HSBH

Control Assembly




Control Assembly (continued)

Ref.	Part Number	Qty.	Description
1	135-3683	1	ASM-Ctrl Tower
1:2	142-3077	1	Decal-HYD Fluid Warn
1:4	138-2758	2	Nut-Clinch,Hex
2	107069	8	Nut-Retainer-Panel 1/4-20
3	135-2579	1	ASM, Control Panel W/ Decals
3:2	135-6773	1	Decal-Control Panel Non-EFI
4	135-3432-05	1	Weld, Front Ref Bar
5	135-3430-05	1	Weld, Rear Ref Bar
6	3296-59	4	Nut-Nyloc 3/8-16 Thin
7	3231-21	4	Bolt-Carriage 3/8-16 X 3/4
8	3274-94	2	Screw-Button Head 3/8-16 X 1
9	104-8301	2	Nut-Nyloc 3/8-16 Flg
10	135-1277	2	Pin, Pivot
11	135-1304	1	ASM, Motion Control, Lt
12	135-1305	1	ASM, Motion Control, Rt
13	135-7116	2	ASM, Linkage
13:1		1	ASM, Motion Control Link ●
13:1:2	116-4755	1	Rod-Adjustment
13:1:3	3220-16	1	Nut-Jam 3/8-24 LH
13:1:4	135-1291	1	Link, Motion Control
13:1:5	3220-3	1	Nut-Jam 3/8-24
14	135-2168	1	Control, Choke
15	135-2169	1	Control, Throttle
16	135-3176	4	Screw, BHCS
17	3296-2	4	Nut-Nyloc #10-24
18	1-513658	2	Bumper
19	322-8	4	Screw-HH
20	104-8300	8	Nut-Nyloc 5/16-18 Flg
21	32144-10	4	Screw-HWH 1/4-20 X .62
22	3230-16	4	Bolt-Carriage 5/16-18 X 7/8
23	135-3494	6	Screw, Torx
24	126-1499	2	Cam
25	3296-56	2	Nut-Nyloc 1/4-20 Thin
26	1-633545	4	Spacer
27	135-2281	1	Decal-Cover

● Not serviced separately


Left Motion Control Assembly



Left Motion Control Assembly (continued)

Ref.	Part Number	Qty.	Description
2	135-2546	1	ASM, Lt Control Lever W/ Grip
2:2	135-3301	1	Grip, Drive Lever
3	135-6412	4	Bearing, Igus
4	121-1229	1	Bolt-Shoulder
5	3296-56	1	Nut-Lock, NI
6	114-0249	1	Spring-Extension


Right Motion Control Assembly



Right Motion Control Assembly (continued)

Ref.	Part Number	Qty.	Description
2	135-2547	1	ASM, Rt Control Lever W/ Grip
2:2	135-3301	1	Grip, Drive Lever
3	135-6412	4	Bearing, Igus
4	121-1229	1	Bolt-Shoulder
5	3296-56	1	Nut-Lock, NI
6	114-0249	1	Spring-Extension


Platform Assembly



Platform Assembly (continued)

Ref.	Part Number	Qty.	Description
1	142-2710	1	ASM-Platform
1:1	142-2470-05	1	Weld-Platform [blk-Txt]
1:2	135-2548	2	Bumper-Isolator
1:3	104-8300	2	Nut-Nyloc 5/16-18 Flg
1:4	3230-2	2	Bolt-Carriage 5/16-18 X 1
2	109-6658	2	Nut-Nyloc 3/8-16 Flg
3	135-7158	2	Screw-HSBH
4	126-8360	2	Bushing-Rubber, Suspension
5	108-6544	2	Spacer
6	109-8788	2	Bushing-Flanged
7	142-2590-03	1	Deflector, Air, 36
8	3290-456	1	Washer-Spring Disc
9	135-7382	1	Knob
10	1-803037	1	Nut-Retaining
11	126-9966	1	Bumper-ROPS
12	3256-4	2	Washer-3/8 Std
13	142-3224	1	Pad-Platform
14	142-3247	4	Rivet-Ratchet


Guarding Assembly



Guarding Assembly (continued)

Ref.	Part Number	Qty.	Description
1	93-6079	2	Spacer-Nylon
2	135-2190	1	ASM-Cover W Decals
2:2	106-5517	1	Decal-Warning
2:4	136-1672	2	Decal-No Step/Riders
3	126-6877	1	Decal, Exmark Logo
4	142-3523	1	Cover-Rear Ste
5	135-2601	1	ASM, Pad Backing W/ Decals
5:2	135-2412	1	Decal-Warning
5:3	116-8253	1	Decal-Drive Release
5:4	135-2563	1	Decal-Service Aid Sm
6	131-8667	2	Washer-Thrust
7	3234-9	2	Screw-HHF
8	3296-59	2	Nut-Nyloc 3/8-16 Thin
9	135-1611	1	Rod, Prop
10	142-2596-03	1	Skin, Tower
11	135-1972	1	Pad-Thigh
11:1	135-6557	1	Cover, Pad
12	3290-475	3	Washer-Belleville
13	100-1668	3	Screw-HHF
14	142-3397-03	1	Cover, Rt Side
15	32128-25	2	Nut-Hex 5/16-18 Side Lock
16	3230-2	2	Bolt-Carriage 5/16-18 X 1
17	135-2204	1	ASM, Belt Guard W/ Decal
17:2	98-1977	1	Decal-Warning
18	32104-17	2	Screw-HWH 1/4-20 X 1/2 Tap
19	135-3494	9	Screw, Torx
20	135-5344	1	Pad, Knee, Lt
21	135-5345	1	Pad, Knee, Rt
22	126-6575	2	Decal-Exmark Logo
23	135-6807	1	Decal-Staris Logo Lt
24	142-3088	1	Decal-Staris Logo Rt
25	1-513658	2	Bumper
26	142-4759	3	Strip-Seal 2.13

Caster Wheel Assembly




Caster Wheel Assembly (continued)

Ref.	Part Number	Qty.	Description
1	109-3678	4	Bearing-Ball
2	126-5897	2	Spring
3		2	ASM-Caster Fork W/Tire ●
3:1	135-1651-01	1	ASM-Caster Fork [red]
3:2	135-4518	1	ASM-Tire&whl Sp 9X4.50-5
3:2:3	126-7904	1	Axle-Caster
3:2:4	116-4004	2	Bearing
3:3	135-3218	2	Guard, Seal
3:4	135-4633	1	Screw-HHF
3:5	32128-23	1	Nut-HF
4	3256-68	2	Washer-Flat
5	3234-5	2	Screw-HHF
6	116-4348	2	Cap-Grease

● Not serviced separately


Deck Lift Assembly



Deck Lift Assembly (continued)

Ref.	Part Number	Qty.	Description
1	142-2566-03	1	Weld, HOC Lift Shaft
2	115-5065	2	Bushing-Flange
3	3230-2	4	Bolt-Carriage 5/16-18 X 1
4	116-2887	2	Gusset-Lift, Deck
5	104-8300	4	Nut-Nyloc 5/16-18 Flg
6	135-1248	4	Bushing, Igus
7	142-4524-03	1	Weld, Bellcrank, Lt Rr
8	142-2570-03	1	Weld, Bellcrank, Rt Rr
9	142-3444	2	Spacer, HOC Pivot
10	32151-103	2	E-Ring
11	142-4521-03	1	Weld, Lift Strap, Lt
12	142-4522-03	1	Strap, Lift Rt
13	135-1259	4	Bolt, Shoulder
14	99-5107	4	Nut-Lock 1/2-13
15	43-0940	4	Spacer
16	130-0742	8	Bolt-Shoulder
17	104-8301	15	Nut-Nyloc 3/8-16 Flg
18	103-9859	4	Chain-Decklift
19	116-0886	1	Spring-Extension
20	92-7674	1	Screw-SHCS 3/8-16 X 2.212
21	142-2588	2	ASM, Strut W/ Bushings
22	2844	2	Washer
23	104-3396	4	Screw-HH
24	142-2772	2	Strip, Rub
25	32105-32	4	Screw-Truss HD 1/4-20 X 1
26	104-7201	4	Nut-Nyloc 1/4-20 Flg
27	142-2579	1	ASM, HOC Lever
28	142-2181	1	Pivot, HOC Lever
29	3234-38	1	Screw-HHF 1/2-13 X 1 1/4
30	142-2581	1	ASM, Lift Rod
31	1-603716	2	Washer-Friction Disc
32	115-5142	2	Screw-HHF
33	142-2585-03	1	Weld, HOC Index
34	3231-27	3	Bolt-Carriage 3/8-16 X 7/8
35	126-5401	1	Pin-HOC
36	142-3087	1	Decal-Height Of Cut
37	3290-357	1	Nut-HHF, Whiz
38	5-0652	4	Spacer


Height of Cut Lever



Height of Cut Lever (continued)

Ref.	Part Number	Qty.	Description
1	142-2577	1	ASM, Lever W/ Bushings
2	142-3358	1	Linkage, HOC Lever
3	115-3592	1	Grip
4	114-1207	1	Washer-Special
5	114-8187	1	Spring-Compression
6	135-7809	1	Button, Push
7	126-7888	1	Washer-Nylon
8	142-2578	1	Arm, Transport
9	142-4197	1	Screw-Bh
10	3296-59	1	Nut-Nyloc 3/8-16 Thin
11	142-2216	1	Screw, 1/4-20 X 3/8 PH Torx
12	3256-67	1	Washer


Lift Rod Assembly



Lift Rod Assembly (continued)

Ref.	Part Number	Qty.	Description
1	1-633029	1	Balljoint
2	117-5291	1	Balljoint-Spherical
3	142-2580	1	Rod, Lift
4	3220-6	1	Nut-Jam
5	117-5293	1	Nut-Jam


Park Brake Assembly



Park Brake Assembly (continued)

Ref.	Part Number	Qty.	Description
1	115-5065	2	Bushing-Flange
2	3230-2	4	Bolt-Carriage 5/16-18 X 1
4	135-7867	2	Support, Bearing
5	104-8300	4	Nut-Nyloc 5/16-18 Flg
6	135-1950-03	1	Wld-Brake Shaft 32/36
7	138-2573	2	Bushing-Flange
8	142-2558	1	Spacer, Brake Pivot
9	142-2560	1	ASM, Lever W/ Grip
9:2	1-633268	1	Grip-Lever
10	112-7161	1	Screw-HH
12	3256-24	1	Washer-3/8 SAE
13	142-2562	1	ASM, Brake Link
13:1	103-0608	1	Balljoint
13:2	142-4034	1	Linkage, Brake
13:3	3220-3	3	Nut-Jam 3/8-24
13:4	103-1167	1	Joint-Ball End
14	3231-4	1	Bolt-Carriage 3/8-16 X 1 1/2
15	3296-59	3	Nut-Nyloc 3/8-16 Thin
16	108-4052	1	Spring-Torsion
19	142-4035	1	Spacer
20	95-3857	1	Screw-HSBH


Tire and Wheel Assembly



Tire and Wheel Assembly (continued)

Ref.	Part Number	Qty.	Description
1	135-7244	2	ASM-Whl Tire [+1.45 Os]
1:1	135-7245	1	Wheel 10 X 6 Wht
1:2	135-1626	1	Tire-21X8.5-10
1:3	232-27	1	Stem-Valve
2	242-50	8	Nut-Lug
3	126-2056	2	Decal-Torque Wheel Lug-Hub


Fuel Assembly



Fuel Assembly (continued)

Ref.	Part Number	Qty.	Description
1	135-1919	1	Assembly, Fuel Tank
2	135-1921	1	Clamp, Tank
3	104-8301	2	Nut-Nyloc 3/8-16 Flg
4	32180-030	2	Clip-Tie
5	142-3596	1	ASM-Fuel Line & Valve
11	135-4495-03	1	Bracket-Carbon Canister
12	114-0292	1	Bracket-Canister, Carbon
13	117-1221	1	Canister-Carbon, 800Cc
15	115-0962	1	Hose-Vent, Canister
16	104-7201	4	Nut-Nyloc 1/4-20 Flg
17	321-3	4	Screw-HH 1/4-20 X 5/8
18	119-8501	1	Hose-Vent, Formed
19	116-2232	1	Valve-Control, Vacuum
20	119-8502	1	Hose-Vent, Formed
21	119-6074	1	Hose-Fuel
22	132-6854	1	Hose-Fuel
23	133-8062	1	Decal-Arrestor, Spark


Fuel Tank Assembly-cont.



Fuel Tank Assembly-cont. (continued)

Ref.	Part Number	Qty.	Description
2	137-4119	1	Cap-Fuel, Ratcheting
3	46-6560	1	Bushing
4	135-1917	1	Straw, Fuel, Long
5	114-0284	1	Grommet
6	119-3547	1	Valve-Vent, Fuel
99	135-3694	1	Kit-Fuel Gauge Replacement


Fuel Line and Valve Assembly



Fuel Line and Valve Assembly (continued)

Ref.	Part Number	Qty.	Description
1	1-603770	1	Valve-Fuel
2	109-0298	1	Line-Fuel
4	109-0293	1	Hose-Fuel Line 8 1/2"
6	92-6064	2	Clamp-R
7	2412-98	4	Clamp-Hose

Engine Assembly




Engine Assembly (continued)

Ref.	Part Number	Qty.	Description
1		1	Engine-Kawasaki Fs600 ■▲
1:1		1	Kawasaki 49065-7007 Engine Oil Filter ■▲
1:2		1	Kawasaki 49019-0031 Fuel Filter ■▲
1:3		1	Kawasaki 92070-7004 Plug-Spark Bpr4ES ■▲
1:4		1	Kawasaki 11013-7046 Foam Pre-Filter ■▲
1:5		1	Kawasaki 11013-0752 Air Filter ■▲
2	135-5025	1	Muffler-Vertical Ka
3	33104-016	2	Screw-HHF
4	135-5028	1	Spacer-Clutch
5	135-6711	1	ASM-Clutch Anchor W/Insert
5:2	138-2758	1	Nut-Clinch,Hex
6	98-5975	5	Washer-Spring Disc 3/8
7	323-8	4	Screw-HH 3/8-16 X 1 1/2
8	142-3586	1	Clutch 105
9	1-603610	2	Washer-Spring Disc 7/16
10	126-7198	1	Screw-HH 7/16-20 X 3 W/Loctite ◆
11	135-1198	1	Pulley, Crank
12	135-7890	1	Screw-HH, Patch,
13	135-2660	1	Drain-Oil Valve ●
14	94-2413	2	Nut-U
15	3234-5	2	Screw-HH Flg 5/16-18 X 3/4
16	135-5026	1	Manifold-Vertical Ka Exh
17	104-4090	1	Clamp-Muffler
18	135-3828-03	1	Bracket-Muffler Vertical
19	3253-21	2	Washer-Lock 3/8
20	114-3550	4	Washer-Spring Lock M8
21	114-3549	4	Nut-M8
22	1-653313	2	Gasket-Exhaust
23	135-6844	1	Decal-10W-50 Oil

● Torque to 23-29 ft-lb
▲ Obtain parts from www.kawpower.com
◆ Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.
■ Not serviced separately

Hydraulic Assembly




Hydraulic Assembly (continued)

Ref.	Part Number	Qty.	Description
1	135-1274	2	Motor-Wheel
2	135-2212	1	Pump-Hydraulic 10Cc
2:1	126-2479	1	Kit, 10Cc/12Cc Pump Kit
2:2	105-6184	1	Seal Overhaul Kit
3	135-2211	1	Pump-Hydraulic 10Cc
3:1	126-2479	1	Kit, 10Cc/12Cc Pump Kit
3:2	105-6184	1	Seal Overhaul Kit
4	135-3305	1	ASM, Hydraulic Reservoir
4:3	142-2793	1	Cap, Hydraulic
4:3:1	142-2792	1	O-Ring
5	32105-15	2	Screw-Machine 1/4-20 X 3/4
6	3296-56	2	Nut-Nyloc 1/4-20 Thin
7	142-2592-03	1	Mount, Filter
8	340-98	4	Fitting-Elbow, 90 DEG
8:1	237-79	1	O-Ring
8:2	237-30	1	O-Ring
9	340-77	4	Fitting-Elbow, 90 DEG
9:1	237-22	1	O-Ring
9:2	237-42	1	O-Ring
10	340-105	4	Fitting-Elbow, 90 DEG
10:1	237-80	1	O-Ring
10:2	237-30	1	O-Ring
11	103-2888	1	Head-Filter
12	340-96	2	Adapter
12:1	237-30	1	O-Ring
12:2	237-42	1	O-Ring
13	109-4180	1	Element, Oil Filter
14	135-7056	1	Line, Hydraulic, Case Tee
15	135-7054	1	Line, Hydraulic, Case
16	135-7055	1	Line, Hydraulic, Charge Tee
17	142-2594	1	Line, HYD. Charge
18	135-1621	2	ASM-Hub And Studs
18:2	116-1696	4	Stud-Wheel
19	116-2839	2	Nut-Lock
20	142-2593	1	Line, HYD. Supply
21	135-1270	1	ASM, Idler Arm
22	135-1272	1	Spring, Extension
23	142-2968	2	Pulley, Pvk5
24	135-1196	1	Belt, Pvk5
25	142-5632	1	Kit-Ste HYD Line Lt Rear B-A
26	142-5633	1	Kit-Ste HYD Line Lt Frnt A-B
27	142-5634	1	Kit-Ste HYD Line Rt Rear B-B
28	142-5635	1	Kit-Ste HYD Line Rt Frnt A-A
29	126-6268	2	Screw-Truss HD 5/16-18 X 3/4 Torx Plus
30	104-8300	2	Nut-Nyloc 5/16-18 Flg
31	3234-13	2	Screw-HH Flg 1/4-20 X 1/2
32	3232-3	4	Bolt-Carriage 7/16-14 X 1 1/2
33	114-8417	4	Nut-HF, NI
34	98-5975	8	Washer-Spring Disc 3/8
35	323-6	8	Screw-HH 3/8-16 X 1
36	135-7971	2	Key, 5Mm X 5Mm X 29Mm
37	3241-7	4	Screw-SQH 1/4-20 X 1/2■
39	340-99	2	Fitting-HYD, 90 DEG
39:1	237-30	1	O-Ring
39:2	237-42	1	O-Ring
40	73-0041	2	Washer-Thrust
41	142-4399	2	Spacer-Hydraulic Tube
99	105-6184	1	Seal Overhaul Kit●
99	126-2479	1	Kit, 10Cc/12Cc Pump Kit●
99	133-1779	1	Seal Kit●

● Not illustrated
■ Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.


Idler Arm Assembly



Idler Arm Assembly (continued)

Ref.	Part Number	Qty.	Description
1	135-2238	1	ASM, Idler Arm W/ Bushings
2	135-1199	1	Idler, Flat
3	1-213069	1	Washer
4	323-16	1	Screw-HH 3/8-16 X 4
5	135-1273	1	Tube, Idler Pivot
6	3296-59	1	Nut-Nyloc 3/8-16 Thin
7	104-8301	2	Nut-Nyloc 3/8-16 Flg
8	3234-19	1	Screw-HHF 3/8-16 X 1 3/4

Electrical Assembly




Electrical Assembly (continued)

Ref.	Part Number	Qty.	Description
1	142-2926	1	Harness-Wiring ■
2	135-2255	1	Harness-Battery
3	142-7427	1	Battery-Agm
4	135-4422	1	Hold Down, Battery
5	3234-29	1	Screw-HH Flg 5/16-18 X 1
6	135-4473	1	Nut, Snap
7	104-3338	2	Switch-Delta
8	135-7189	1	Module-Hour Meter
9	126-6187	1	Switch-PTO, Sealed
10	82-2190	1	Switch
11	126-6285	1	Ignition Switch ASM
11:2	108-8660	1	Nut-Mounting
11:3	106-5270	1	Ignition Key Set
11:4	108-8659	1	Washer-Backup
14	32144-11	1	Screw-HWH 5/16-18 X 3/4 Tf
15	32144-10	1	Screw-HWH 1/4-20 X .62
16	1-303435	2	Washer-Spring Disc 1/4
99	142-7682	1	Hardware Kit, Battery ●

● Not illustrated
■ Use dielectric grease on all unsealed connectors and terminals only. Do not apply in sealed connectors.

Harness Assembly



Harness Assembly (continued)

Ref.	Part Number	Qty.	Description
5	32180-030	9	Clip-Tie
6	32180-197	1	Cap-Plug
10	32180-078	4	Clip-Edge
11	121-8868	1	Fuse-Mini Blade, 20 Amp
12	126-3991	1	Relay-Micro
13	32180-176	1	Cover-Block, Fuse
14	32180-177	1	Clip-Mounting
15	126-7875	1	Decal-Fuse
16	103-3895	1	Diode
17	100-4918	2	Diode
18	1-303287	7	Tie-Cable
19	32180-082	3	Clip-Edge W/Tie, Perpendicular
20	121-8867	1	Fuse-Mini Blade, 15 Amp

Notes:

MAXIMIZE THE PERFORMANCE OF YOUR EXMARK MACHINE.



EXMARK® PREMIUM ENGINE OIL

Exmark now offers a family of engine oil viscosities to perform well in any environment. Each viscosity has the same synthetic formulation to give you what you need in punishing conditions. We designed each grade to the highest quality, making it ideal even for diesel applications. Coupled with Exmark Premium Fuel Treatment, we have the performance products to make your machine hum.

EXMARK PREMIUM ENGINE OIL SAE 30/10W-30

- Meets zero shear requirements of a straight grade SAE 30 as well as the cold temp properties of a 10W-30.
- Most versatile oil in the industry.
- Superior corrosion protection over conventional oil - even in corrosive, humid environments.

EXMARK PREMIUM ENGINE OIL SAE 10W-50

- Full synthetic formulation gives you peak performance. Don't settle for less.
- Wide span multi-grade combines easy starting in cold weather with maximum protection in high temperature operation.
- Reduce friction & wear over standard mineral formulations.

EXMARK PREMIUM ENGINE OIL UTV FORMULATION

- 4-cycle high-temp formulation.
- Heavier viscosity, full synthetic, perfect for your UTV.

EXMARK PREMIUM ENGINE OIL SAE 20W-50

- Perfect for your big block engine, or any application in severe service.
- Same full synthetic formulation as all other Exmark Premium viscosities.
- Also effective for use in severe service small block engines.

EXMARK PREMIUM ENGINE OIL SAE 0W-40

- The perfect choice for when the weather turns cold or unpredictable, and your Exmark UTV has to perform.
- Commercial quality for severe service.
- Advanced additive package helps prevent corrosion from long-term storage.

EXMARK PREMIUM UTV EXTREME CONDITIONS GEAR OIL

- SAE 80W-90, designed to keep your UTV performing at its peak.
- Shear stable, hypoid gear lube.
- Includes a premium additive system to combat wear, oxidation, rust & corrosion.

Available from your local Exmark dealer. Find your closest dealer at exmark.com

EXMARK ACCESSORIES AND OPTIONS*

MID-MOUNT RIDING ACCESSORIES AND OPTIONS

CUSTOM RIDE SEAT SUSPENSION SYSTEM
FULL SUSPENSION SEAT
DECK LIFT ASSIST KIT
HITCH KIT
LIGHT KIT
12V POWER PORT
MICRO-MULCH SYSTEM
OPERATOR CONTROLLED DISCHARGE
SUN SHADE
TRASH CONTAINER
TURF STRIPER
ULTRA VAC COLLECTION SYSTEM
ULTRA VAC QUICK DISPOSAL SYSTEM

OUT-FRONT RIDING ACCESSORIES AND OPTIONS

CUSTOM RIDE SEAT SUSPENSION SYSTEM
DUAL-TAIL WHEEL
FLOOR PAN EXTENDER
HITCH KIT
LIGHT KIT
MICRO-MULCH SYSTEM
ROLL OVER PROTECTION SYSTEM (ROPS)
SNOW BLADE
SNOWBLOWER
SUN SHADE
TRASH CONTAINER
ULTRA VAC COLLECTION SYSTEM
ULTRA VAC QUICK DISPOSAL SYSTEM
WEATHER CAB

WALK-BEHIND ACCESSORIES AND OPTIONS

GRASS CATCHER
MICRO-MULCH SYSTEM
TURF STRIPER
STANDON

*Some accessories and options not available for some models.

Place Model No. and Serial No. Label Here (Included in the Literature Pack) or Fill in Below

Model No. _____

Serial No. _____

Date Purchased _____

Engine Model No. and Spec. No. _____

Engine Serial No. (E/No) _____

© 2021 Exmark Mfg. Co., Inc.
All Rights Reserved

415 Industrial Row
Beatrice, NE 68310
(402) 223-6375
Fax (402) 223-5489

Part No. 4505-332 Rev. B
Printed in the USA.

www.exmark.com