



HAYTER®

MAKERS OF THE FINEST MOWERS

Form No. 3455-804 A

Operator's Manual

60V MAX Battery Charger Accessories

Model No. CODE102A - Serial No. 323000101 and Up

Model No. CODE104A - Serial No. 323000101 and Up

Model No. CODE106A - Serial No. 323000101 and Up

Model No. CODE107A - Serial No. 323000101 and Up

Model No. CODE120A - Serial No. 323000101 and Up

Model No. CODE121A - Serial No. 323000101 and Up

Introduction

These battery packs and chargers are intended to be used by residential homeowners. These battery packs are designed to be charged only by Hayter approved 60V lithium-ion battery chargers. These chargers are designed to charge only Hayter approved 60V lithium-ion battery packs. They are not designed to charge any other batteries. Using these products for purposes other than their intended use could prove dangerous to you and bystanders.

Read this information carefully to learn how to operate and maintain your product properly and to avoid injury and product damage. You are responsible for operating the product properly and safely.

Visit www.hayter.co.uk for more information, including safety tips, training materials, accessory information, help finding a dealer, or to register your product.

Whenever you need service, genuine Hayter parts, or additional information, contact an Authorised Service Dealer or Hayter Customer Service and have the model and serial numbers of your product ready. Figure 1 identifies the location of the model and serial numbers on the product. Write the numbers in the space provided.

Important: With your mobile device, you can scan the QR code on the serial number decal (if equipped) to access warranty, parts, and other product information.




Figure 1

Model No. _____

Serial No. _____

Safety-Alert Symbol

The safety-alert symbol appears above information that alerts you to unsafe actions or situations and is followed by the word DANGER, WARNING, or CAUTION.



Figure 2

Safety-alert symbol

The safety-alert symbol appears above information that alerts you to unsafe actions or situations and is followed by the word DANGER, WARNING, or CAUTION.

DANGER indicates an imminently hazardous situation which, if not avoided, will result in death or serious injury.

WARNING indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury.

CAUTION indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury.

This manual uses two other words to highlight information. Important calls attention to special mechanical information and Note emphasises general information worthy of special attention.

Safety

IMPORTANT SAFETY INSTRUCTIONS

1. **SAVE THESE INSTRUCTIONS**—This manual contains important safety and operating instructions for battery pack models CODE102A, CODE104A, CODE106A, and CODE107A, and battery charger models CODE120A and CODE121A.
2. Before using the battery charger, read all the instructions and cautionary markings on the battery charger, battery pack, and product using the battery pack.
3. **CAUTION**—To reduce risk of injury, charge battery pack models CODE102A, CODE104A, CODE106A, and CODE107A with battery charger models CODE120A and CODE121A only. Other brands of battery packs may burst, causing personal injury and damage.
4. **WARNING**—Plugging the battery charger into an outlet that is not 100 to 240 V can cause a fire or electric shock. Do not plug the battery charger into an outlet other than 100 to 240 V. For a different style of connection, use an attachment plug adapter of the proper configuration for the power outlet if needed.
5. **CAUTION**—A mistreated battery pack may present a risk of fire or chemical burn. Do not disassemble the battery pack. Do not heat the battery pack above 68°C (154°F) or incinerate it. Replace the battery pack with a genuine Hayter battery pack only; using another type of battery pack may cause a fire or explosion. Keep battery packs out of the reach of children and in the original packaging until you are ready to use them.

Training

1. Do not allow people with reduced physical, sensory, or mental capabilities or without experience and knowledge to use the battery charger unless they have received instruction or supervision on using it safely and understand the hazards involved while using it.
2. Do not allow children to use or play with the battery pack or battery charger; local regulations may restrict the age of the operator.
3. Use appliances only with specifically designated battery packs. Using other types of battery packs may create a risk of injury and/or fire.
4. Do not use a damaged or modified battery pack or battery charger. It may exhibit unpredictable behavior, resulting in fire, explosion, or risk of injury.
5. If the supply cord to the battery charger is damaged, contact an Authorised Service Dealer to replace it.

Preparation

1. Use appliances only with specifically designated battery packs. Using other types of battery packs may create a risk of injury and/or fire.
2. Do not use a damaged or modified battery pack or battery charger. It may exhibit unpredictable behavior, resulting in fire, explosion, or risk of injury.
3. If the supply cord to the battery charger is damaged, contact an Authorised Service Dealer to replace it.

Operation


1. Do not use non-rechargeable batteries.
2. Charge the battery pack with only the battery charger specified by Hayter. A charger suitable for 1 type of battery pack may create a risk of fire when used with another battery pack.
3. Charge the battery pack in a well-ventilated area only.
4. Do not expose a battery pack or battery charger to fire or to temperatures higher than 100°C (212°F).
5. Follow all charging instructions and do not charge the battery pack outside of the temperature range specified in the instructions. Otherwise, you may damage the battery pack and increase the risk of fire.
6. Under abusive conditions, the battery pack may eject liquid; avoid contact. If you accidentally come into contact with the liquid, flush with water. If the liquid contacts your eyes, seek medical help. Liquid ejected from the battery pack may cause irritation or burns.


Maintenance and Storage

1. Do not allow children to clean or maintain the battery charger without supervision.
2. When the battery pack is not in use, keep it away from metal objects such as paper clips, coins, keys, nails, and screws that can make a connection from 1 terminal to another. Shorting the battery terminals may cause burns or a fire.
3. Do not attempt to repair the battery pack or battery charger. Have an Authorised Service Dealer perform service on the battery pack or battery charger using identical replacement parts to ensure that the product is safely maintained.
4. Do not dispose of the battery in a fire. The cell may explode. Check with local councils for possible special disposal instructions.

SAVE THESE INSTRUCTIONS


Safety and Instructional Decals

 Safety decals and instructions are easily visible to the operator and are located near any area of potential danger. Replace any decal that is damaged or missing.



134-6761

- 1. Read the Operator's Manual
- 2. Do not dispose improperly
- 3. For indoor use
- 4. Double insulated



134-6763

- 1. Read the Operator's Manual
- 2. Do not dispose improperly
- 3. For indoor use
- 4. Double insulated



134-8079

1. Read the Operator's Manual.
2. Recycle
3. Contains lithium ions: do not discard.
4. Keep away from open flames.
5. Do not expose to rain.



134-6755

1. Read the Operator's Manual.
2. Recycle
3. Contains lithium ions: do not discard.
4. Keep away from open flames.
5. Do not expose to rain.



134-6757

1. Read the Operator's Manual.
2. Recycle
3. Contains lithium ions: do not discard.
4. Keep away from open flames.
5. Do not expose to rain.




134-6759

1. Read the Operator's Manual.
2. Recycle
3. Contains lithium ions: do not discard.
4. Keep away from open flames.
5. Do not expose to rain.



134-6762

- | | |
|---------------------------------------|---|
| 1. The battery pack is charging. | 3. The battery pack is over or under the appropriate temperature range. |
| 2. The battery pack is fully charged. | 4. Battery pack charging fault |



137-9461

- | |
|--------------------------|
| 1. Battery charge status |
|--------------------------|

Setup

Mounting the Battery Charger (Optional)

If desired, mount the battery charger securely on a wall using the wall-mount key holes on the back of the charger. Mount it indoors (such as a garage or other dry place), near a power outlet, and out of the reach of children.

Refer to Figure 3 for assistance in mounting the charger.

Slide the charger over the appropriately positioned hardware to secure the charger in place (hardware not included).




Figure 3

Product Overview




Figure 4

- | | |
|------------------------------------|------------------------------------|
| 1. Battery pack cavity | 5. LED indicators (current charge) |
| 2. Battery pack venting areas | 6. Handle |
| 3. Battery pack terminals | 7. Charger LED indicator light |
| 4. Battery-charge-indicator button | 8. Charger venting areas |

Battery Charger

| Model | CODE120A | CODE121A |
|--------|-------------------------------------|---|
| Type | 60V MAX Lithium-Ion Battery Charger | 60V MAX Lithium-Ion Battery Rapid Charger |
| Input | 100 to 240V AC 50/60Hz Max 2.0A | 100 to 240V AC 50/60Hz Max 5.0A |
| Output | 60V MAX DC 2.0A | 60V MAX DC 5.5A |

Battery Pack

| Model | CODE102A | CODE104A | CODE106A | CODE107A |
|---|------------------|------------------|------------------|------------------|
| Battery pack capacity | 2.5 Ah 135 Wh | 4.0 Ah 216 Wh | 6.0 Ah 324 Wh | 7.5 Ah 405 Wh |
| Battery manufacturer rating = 60V maximum and 54V nominal. Actual voltage varies with load. | | | | |

Appropriate Temperature Ranges

| | |
|-------------------------------|------------------------------|
| Charge battery pack at | 5°C (41°F) to 40°C (104°F)* |
| Use battery pack at | -20°C (-4°F) to 49°C (120°F) |
| Store battery pack/charger at | 5°C (41°F) to 40°C (104°F)* |

*Charging time will increase if you do not charge the battery within this range.

Store the tool, battery pack, and battery charger in an enclosed clean, dry area.

Operation

Charging the Battery Pack

Important: The battery pack is not fully charged when you purchase it. Before using the tool for the first time, place the battery pack in the charger and charge it until the LED display indicates the battery pack is fully charged. Read all safety precautions.

Important: Charge the battery pack only in temperatures that are within the appropriate range; refer to Specifications.

Note: At any time, press the battery-charge-indicator button on the battery pack to display the current charge (LED indicators).

1. Ensure that the vents on the battery and charger are clear of any dust and debris.




Figure 5

2. Line up the cavity in the battery pack with the tongue on the charger Figure 5.
3. Slide the battery pack into the charger until it is fully seated Figure 5.
4. To remove the battery pack, slide the battery backward out of the charger.
5. Refer to the following table to interpret the LED indicator light on the battery charger.

| Indicator light | Indicates |
|-----------------|--|
| Off | No battery pack inserted |
| Green blinking | Battery pack is charging |
| Green | Battery pack is charged |
| Red | Battery pack and/or battery charger is over or under the appropriate temperature range |
| Red blinking | Battery pack charging fault* |

*Refer to Troubleshooting for more information.

Important: The battery can be left on the charger for short periods between uses. If the battery will not be used for longer periods, remove the battery from the charger; refer to Storage.

Maintenance

Maintenance and servicing are not required under normal conditions.

When you clean the surface of the equipment, wipe it only with a dry cloth.

Do not disassemble the equipment; if it is damaged, contact your Authorised Service Dealer.

Storage

Important: Store the tool, battery pack, and charger only in temperatures that are within the appropriate range; refer to Specifications.

Important: If you are storing the battery pack for the off-season, charge it until 2 or 3 LED indicators turn green on the battery. Do not store a fully charged or fully depleted battery. When you are ready to use the machine again, charge the battery pack until the left indicator light turns green on the charger or all 4 LED indicators turn green on the battery.

- Disconnect the product from the power supply (i.e., remove the battery pack) and check for damage after use.
- Clean all foreign material from the product.
- Do not store the charger with the battery pack installed.
- When not in use, store the tool, battery pack, and battery charger out of the reach of children.
- Keep the tool, battery pack, and battery charger away from corrosive agents, such as garden chemicals and de-icing salts.
- To reduce the risk of serious personal injury, do not store the battery pack outside or in vehicles.
- Store the tool, battery pack, and battery charger in an enclosed clean, dry area.

Preparing the Battery Pack for Recycling

Important: Upon removal, cover the terminals of the battery pack with heavy-duty adhesive tape. Do not attempt to destroy or disassemble the battery pack or remove any of its components.

Contact your local council or your authorised Hayter distributor for more information on how to responsibly recycle the battery.

Troubleshooting

Perform only the steps described in these instructions. All further inspection, maintenance, and repair work must be performed by an authorised service centre or a similarly qualified specialist if you cannot solve the problem yourself.

| Problem | Possible Cause | Corrective Action |
|---|---|---|
| The battery pack loses charge quickly. | 1. The battery pack is over or under the appropriate temperature range. | 1. Move the battery pack to a place where it is dry and the temperature is between 5°C (41°F) and 40°C (104°F). |
| The battery charger is not working. | 1. The battery charger is over or under the appropriate temperature range. 2. The outlet that the battery charger is plugged into does not have power. | 1. Unplug the battery charger and move it to a place where it is dry and the temperature is between 5°C (41°F) and 40°C (104°F). 2. Contact your licensed electrician to repair the outlet. |
| The LED indicator light on the battery charger is red. | 1. The battery charger and/or battery pack is over or under the appropriate temperature range. | 1. Unplug the battery charger and move the battery charger and battery pack to a place where it is dry and the temperature is between 5°C (41°F) and 40°C (104°F). |
| The LED indicator light on the battery charger is blinking red. | 1. There is an error in the communication between the battery pack and the charger. 2. The battery pack is weak. | 1. Remove the battery pack from the battery charger, unplug the battery charger from the outlet, and wait 10 seconds. Plug the battery charger into the outlet again and place the battery pack on the battery charger. If the LED indicator light on the battery charger is still blinking red, repeat this procedure again. If the LED indicator light on the battery charger is still blinking red after 2 attempts, properly dispose of the battery pack at a battery recycling facility. 2. Properly dispose of the battery pack at a battery recycling facility. |
| The tool does not run or does not run continuously. | 1. There is moisture on the leads of the battery pack. 2. The battery is not fully installed into the tool. | 1. Allow the battery pack to dry or wipe it dry. 2. Remove and then replace the battery into the tool making sure that it is fully installed and latched. |

Warranty

3 Year Warranty 60 Volt Battery – Residential Use

1 Year Warranty 60 Volt Battery – Commercial Use

Toro U.K. Limited warrants to the original purchaser that this 60-volt battery shall be free from defects in material and workmanship, under normal, residential use, for a period of three years from the date of purchase or, if used commercially, for a period of 1 year from the date of purchase.

Terms and Conditions

Toro U.K. Limited shall, at our option replace any part covered by warranty during the applicable period.

This warranty does not apply to any unit that has been tampered with, altered, misused, abused, or used for hire.

Making a Claim

To make a warranty claim, return the unit to a Hayter Authorised Service Dealer, along with proof of purchase stating the serial number and date of purchase.

This warranty gives you specific legal rights and are in addition to any statutory rights to which you may be entitled. Your statutory rights are not affected by this warranty.

If you need additional information concerning this written warranty, or assistance in obtaining services:

UK (only)

Contact your seller or visit <https://www.hayter.co.uk> and select LOCATE DEALER to locate a Hayter Authorised Service Dealer in your area, who will be able to assist.

For additional assistance regarding warranty terms and conditions you can write to Toro U.K. Limited, Customer Care Team, Spellbrook, Bishop's Stortford, Hertfordshire CM23 4BU, email customer.care@hayter.co.uk, Tel Freephone (UK Only) 0800 616 298

Outside of UK

Visit <https://www.toro.com> and select WHERE TO BUY to locate a Toro service center in your area, who will be able to assist.

For additional assistance regarding warranty terms and conditions you can write to Toro U.K. Limited, Customer Care Team, Spellbrook, Bishop's Stortford, Hertfordshire CM23 4BU or email customer.care@hayter.co.uk.

EEA/UK Privacy Notice

Our Use of Your Personal Information

Toro U.K. Limited, and its parent, The Toro Company, respect your privacy. When you purchase our products, we may collect certain personal information about you, either directly from you or through your local retail outlet. We use this information to fulfil contractual obligations - such as to register your warranty, process your warranty claim or to contact you in the event of a product recall - and for legitimate business purposes - such as to gauge customer satisfaction, improve our products or provide you with product information which may be of interest. We may share your information with The Toro Company, its subsidiaries or affiliates, or with our dealers, retailers or other business partners in connection these activities. We may also disclose personal information when required by law or in connection with the sale, purchase or merger of a business. We will never sell your personal information to any other company for marketing purposes.

Retention of your Personal Information

We will keep your personal information as long as it is relevant for the above purposes and in accordance with legal requirements. For more information about applicable retention periods please contact legal@toro.com.

Our Commitment to Security

Your personal information may be processed in the US or another country which may have less strict data protection laws than your country of residence. Whenever we transfer your information outside of your country of residence, we will take legally required steps to ensure that appropriate safeguards are in place to protect your information and to make sure it is treated securely.

Access and Correction

You may have the right to correct or review your personal data, or object to or restrict the processing of your data. To do so, please contact us by email at legal@toro.com. If you have concerns about the way in which Toro U.K. Limited. has handled your information, we encourage you to raise this directly with us. Please note that European residents have the right to complain to your Data Protection Authority.

HAYTER®
 MAKERS OF THE FINEST MOWERS