

EU Declaration of Conformity

The Toro Company ®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
72504TE	400000000 and Up	GrandStand Mower, With 122cm TURBO FORCE Cutting Unit	GRANDSTAND LG KAW FX 22HP 122CM CE
72542TE	400000000 and Up	GrandStand Mower, With 122cm Rear Discharge TURBO FORCE Cutting Unit	GRANDSTAND LG KAW RD 22HP 122CM CE
74534TE	400000000 and Up	GrandStand Mower, With 91cm TURBO FORCE Cutting Unit	GRANDSTAND 18KA 91CM CE
74536TE	400000000 and Up	GrandStand Mower, With 102cm TURBO FORCE Cutting Unit	GRANDSTAND 18KA 102CM CE
74540TE	400000000 and Up	GrandStand Mower, With 91cm Rear Discharge TURBO FORCE Cutting Unit	GRANDSTAND 91CM REAR DISCHARGE CE
44410TE	400000000 and Up	Proline Commercial Walk-Behind 14.5 HP	MS KAWI FS481 SPHOC 91CM CE
44424TE	400000000 and Up	Proline Commercial Walk-Behind 15 HP	MS KAWI FS541 SPHOC 122CM CE

Conform(s) to the following directives:

2000/14/EC (Noise), 2005/88/EC (Noise), 2006/42/EC (Machinery Directive), 2014/30/EU (EMC)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN ISO 5395-1:2013+A1:2017
 EN ISO 5395-2:2013+A1:2016+A2:2017
 EN 55012:2007 + A1:2009

Further, the following accessories/attachments conform to the directives indicated below when installed according to instructions on the models listed above:

Model	Description	Directive
139-6650	48in Recycler Kit	2006/42/EC, 2000/14/EC
133-1437	Light Kit	2014/30/EU
133-1495	Strobe Light Kit	2014/30/EU
133-1434	Chute Gate Kit	2006/42/EC
134-3259	48in Recycler Kit	2006/42/EC, 2000/14/EC
133-1437	Light Kit	2014/30/EU
133-1495	Strobe Light Kit	2014/30/EU
110-2080	91 cm Recycler Kit	2006/42/EC, 2000/14/EC
110-2070	102 cm Recycler Kit	2006/42/EC, 2000/14/EC

Model	Description	Directive
134-3217	91 cm Recycler Kit	2006/42/EC, 2000/14/EC
44401	Sulky	2006/42/EC
140-1913	36-inch Recycler Kit	2006/42/EC
140-1914	48-inch Recycler Kit	2006/42/EC
140-4300	Rubber Deflector Kit	2006/42/EC
139-7860	Soft Side Bagger	2006/42/EC
138-6866	Weight Kit	2006/42/EC
139-5595	Light Kit	2006/42/EC, 2014/30/EU
140-4321	36-inch Bagging Kit	2006/42/EC
119-3381	48-inch Bagging Kit	2006/42/EC

Data for Noise Directive (2000/14/EC):

Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
72504TE	Lawn Mower	122	104	105	3000
72504TE with 115-7466	Lawn Mower	122	104	105	3000
72542TE	Lawn Mower	122	102	103	3600
74534TE	Lawn Mower	91	99	100	2650
74534TE with 110-2080	Lawn Mower	91	99	100	2650
74536TE	Lawn Mower	102	99	100	2400
74536TE with 110-2070	Lawn Mower	102	99	100	2400
74540TE	Lawn Mower	91	99	100	2700



Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
44410TE	Lawn Mower	91	100	100	2500
44410TE with 138-8883	Lawn Mower	91	100	100	2700
44410TE with 138-8894	Lawn Mower	91	100	100	2250
44424TE	Lawn Mower	122	104	105	2600
44424TE with 138-8884	Lawn Mower	122	105	105	2950
44424TE with 138-8891	Lawn Mower	122	105	105	2500

Determined in accordance with ISO 11094:1991 and EN ISO 3744:1995.

Conformity Assessment: Annex VI

Notified Body: NB 0197: TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg, Germany

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.

Certified:



John Heckel
 Engineering Director
 8111 Lyndale Ave. South
 Bloomington, MN 55420, USA
 October 6, 2022

Authorized Representative:

Marcel Dutrieux
 Manager European Product Integrity
 Toro Europe NV
 Nijverheidsstraat 5
 2260 Oevel
 Belgium

EEA/UK Privacy Notice

Toro's Use of Your Personal Information

The Toro Company ("Toro") respects your privacy. When you purchase our products, we may collect certain personal information about you, either directly from you or through your local Toro company or dealer. Toro uses this information to fulfil contractual obligations - such as to register your warranty, process your warranty claim or to contact you in the event of a product recall - and for legitimate business purposes - such as to gauge customer satisfaction, improve our products or provide you with product information which may be of interest. Toro may share your information with our subsidiaries, affiliates, dealers or other business partners in connection these activities. We may also disclose personal information when required by law or in connection with the sale, purchase or merger of a business. We will never sell your personal information to any other company for marketing purposes.

Retention of your Personal Information

Toro will keep your personal information as long as it is relevant for the above purposes and in accordance with legal requirements. For more information about applicable retention periods please contact legal@toro.com.

Toro's Commitment to Security

Your personal information may be processed in the US or another country which may have less strict data protection laws than your country of residence. Whenever we transfer your information outside of your country of residence, we will take legally required steps to ensure that appropriate safeguards are in place to protect your information and to make sure it is treated securely.

Access and Correction

You may have the right to correct or review your personal data, or object to or restrict the processing of your data. To do so, please contact us by email at legal@toro.com. If you have concerns about the way in which Toro has handled your information, we encourage you to raise this directly with us. Please note that European residents have the right to complain to your Data Protection Authority.

EU Specifications

Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass‡ (kg)	Hand/Arm Vibration (m/s ²)*			Whole Body Vibration (m/s ²)*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
			Level	Level		Level	Uncertainty
72504TE	16.4	404	1.7	1.4	0.9	0.65	0.33
72542TE	16.4	415	2	1.9	0.3	0.58	0.1
74534TE	11.2	343	0.6	0.8	0.4	0.79	0.39
74536TE	11.2	351	1.1	1.1	0.6	0.79	0.39
74540TE	11.2	352	1.5	1.1	0.1	0.52	0.03
44410TE	10.8	275	2.6	3.2	0.2	N/A	N/A
44410TE with 138-8883	10.8	275	2.6	3.2	0.2	N/A	N/A
44410TE with 138-8894	10.8	275	2.6	3.2	0.2	N/A	N/A
44424TE	11.2	302	1.8	1.9	0.2	N/A	N/A
44424TE with 138-8884	11.2	302	1.8	1.9	0.2	N/A	N/A
44424TE with 138-8891	11.2	302	1.8	1.9	0.2	N/A	N/A

‡ With empty tanks in the normal operating configuration

* Determined in accordance with EN ISO 5395-1:2013+A1:2018

Machine Sound Data

Model	Sound Pressure (dBA) ¹	
	Level	Uncertainty
72504TE	91	1
72542TE	89	2
74534TE	88	1
74536TE	86	1
74540TE	86	2
44410TE	90	1
44410TE with 138-8883	90	1
44410TE with 138-8894	90	1
44424TE	89	1
44424TE with 138-8884	89	1
44424TE with 138-8891	89	1

¹ A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395-1:2013.

BG: За да получите копие от този документ на вашия език, отидете на www.toro.com/en/parts.

CS: Kopii tohoto dokumentu ve svém jazyce získáte na adrese www.toro.com/en/parts.

DA: For at indhente en kopi af dette dokument på dit sprog skal du besøge www.toro.com/en/parts.

DE: Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter www.toro.com/en/parts.

EL: Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση www.toro.com/en/parts.

EN: To obtain a copy of this document in your language, go to www.toro.com/en/parts.

ES: Puede obtener una copia de este documento en su idioma en www.toro.com/en/parts.

ET: Dokumendist enda keeles koopia saamiseks külastage veebilehte www.toro.com/en/parts.

FI: Tästä asiakirjasta saa omakielisen version osoitteesta www.toro.com/en/parts.

FR: Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur www.toro.com/en/parts.

HR: Za primjerak Izjave o sukladnosti na Vašem jeziku idite na www.toro.com/en/parts.

HU: Ha szüksége van a dokumentum egy példányára a saját nyelven, letöltheti azt a www.toro.com/en/parts oldalról.

IT: La copia del presente documento nella vostra lingua è disponibile su www.toro.com/en/parts.

LT: Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite www.toro.com/en/parts.

LV: Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz www.toro.com/en/parts.

NL: Voor een exemplaar van dit document in uw eigen taal, gaat u naar: www.toro.com/en/parts.

NO: For å få en kopi av dette dokumentet på ditt språk, gå til www.toro.com/en/parts.

PL: Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę www.toro.com/en/parts.

PT: Para obter uma cópia deste documento no seu idioma, vá a www.toro.com/en/parts.

RO: Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați www.toro.com/en/parts.

SK: Ak chcete získat kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu www.toro.com/en/parts.

SL: Za izvod tega dokumenta v vašem jeziku obiščite spletno stran www.toro.com/en/parts.

SR: Da biste dobili primerak ovog dokumenta na svom jeziku, posetite www.toro.com/en/parts.

SV: Gå in på www.toro.com/en/parts om du vill ha ett exemplar av det här dokumentet på ditt språk.

UK Declaration of Conformity

The Toro Company ®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
72504TE	400000000 and Up	GrandStand Mower, With 122cm TURBO FORCE Cutting Unit	GRANDSTAND LG KAW FX 22HP 122CM CE
72542TE	400000000 and Up	GrandStand Mower, With 122cm Rear Discharge TURBO FORCE Cutting Unit	GRANDSTAND LG KAW RD 22HP 122CM CE
74534TE	400000000 and Up	GrandStand Mower, With 91cm TURBO FORCE Cutting Unit	GRANDSTAND 18KA 91CM CE
74536TE	400000000 and Up	GrandStand Mower, With 102cm TURBO FORCE Cutting Unit	GRANDSTAND 18KA 102CM CE
74540TE	400000000 and Up	GrandStand Mower, With 91cm Rear Discharge TURBO FORCE Cutting Unit	GRANDSTAND 91CM REAR DISCHARGE CE
44410TE	400000000 and Up	Proline Commercial Walk-Behind 14.5 HP	MS KAWI FS481 SPHOC 91CM CE
44424TE	400000000 and Up	Proline Commercial Walk-Behind 15 HP	MS KAWI FS541 SPHOC 122CM CE

Conform(s) to the following UK national laws:

S.I. 2001 No. 1701 (Noise), S.I. 2008 No. 1597 (Machinery Safety), S.I. 2016 No. 1091 (EMC)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN ISO 5395-1:2013+A1:2017
 EN ISO 5395-2:2013+A1:2016+A2:2017
 EN 55012:2007 + A1:2009

Further, the following accessories/attachments conform to the UK national laws indicated below when installed according to instructions on the models listed above:

Model	Description	Regulation
139-6650	48in Recycler Kit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
133-1437	Light Kit	S.I. 2016 No. 1091
133-1495	Strobe Light Kit	S.I. 2016 No. 1091
133-1434	Chute Gate Kit	S.I. 2008 No. 1597
134-3259	48in Recycler Kit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
133-1437	Light Kit	S.I. 2016 No. 1091
133-1495	Strobe Light Kit	S.I. 2016 No. 1091
110-2080	91 cm Recycler Kit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
110-2070	102 cm Recycler Kit	S.I. 2008 No. 1597, S.I. 2001 No. 1701

Model	Description	Regulation
134-3217	91 cm Recycler Kit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
44401	Sulky	S.I. 2008 No. 1597
140-1913	36-inch Recycler Kit	S.I. 2008 No. 1597
140-1914	48-inch Recycler Kit	S.I. 2008 No. 1597
140-4300	Rubber Deflector Kit	S.I. 2008 No. 1597
139-7860	Soft Side Bagger	S.I. 2008 No. 1597
138-6866	Weight Kit	S.I. 2008 No. 1597
139-5595	Light Kit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
140-4321	36-inch Bagging Kit	S.I. 2008 No. 1597
119-3381	48-inch Bagging Kit	S.I. 2008 No. 1597

Data for Noise Regulations (S.I. 2001 No. 1701):

Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
72504TE	Lawn Mower	122	104	105	3000
72504TE with 115-7466	Lawn Mower	122	104	105	3000
72542TE	Lawn Mower	122	102	103	3600
74534TE	Lawn Mower	91	99	100	2650
74534TE with 110-2080	Lawn Mower	91	99	100	2650
74536TE	Lawn Mower	102	99	100	2400
74536TE with 110-2070	Lawn Mower	102	99	100	2400
74540TE	Lawn Mower	91	99	100	2700

Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
44410TE	Lawn Mower	91	100	100	2500
44410TE with 138-8883	Lawn Mower	91	100	100	2700
44410TE with 138-8894	Lawn Mower	91	100	100	2250
44424TE	Lawn Mower	122	104	105	2600
44424TE with 138-8884	Lawn Mower	122	105	105	2950
44424TE with 138-8891	Lawn Mower	122	105	105	2500

Determined in accordance with ISO 11094:1991 and EN ISO 3744:1995.

Conformity Assessment: Schedule 9

Notified Body: NB 0197: TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg, Germany

This declaration has been issued under the sole responsibility of the manufacturer.
The object of the declaration is in conformity with relevant UK legislation.

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro U.K. Limited
Spellbrook Lane West
Bishop's Stortford
CM23 4BU
United Kingdom



John Heckel
Engineering Director
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
October 6, 2022

UK Specifications

Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass‡ (kg)	Hand/Arm Vibration (m/s ²)*			Whole Body Vibration (m/s ²)*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
			Level	Level		Level	Uncertainty
72504TE	16.4	404	1.7	1.4	0.9	0.65	0.33
72542TE	16.4	415	2	1.9	0.3	0.58	0.1
74534TE	11.2	343	0.6	0.8	0.4	0.79	0.39
74536TE	11.2	351	1.1	1.1	0.6	0.79	0.39
74540TE	11.2	352	1.5	1.1	0.1	0.52	0.03
44410TE	10.8	275	2.6	3.2	0.2	N/A	N/A
44410TE with 138-8883	10.8	275	2.6	3.2	0.2	N/A	N/A
44410TE with 138-8894	10.8	275	2.6	3.2	0.2	N/A	N/A
44424TE	11.2	302	1.8	1.9	0.2	N/A	N/A
44424TE with 138-8884	11.2	302	1.8	1.9	0.2	N/A	N/A
44424TE with 138-8891	11.2	302	1.8	1.9	0.2	N/A	N/A

‡ With empty tanks in the normal operating configuration

* Determined in accordance with EN ISO 5395-1:2013+A1:2018

Machine Sound Data

Model	Sound Pressure (dBA) ¹	
	Level	Uncertainty
72504TE	91	1
72542TE	89	2
74534TE	88	1
74536TE	86	1
74540TE	86	2
44410TE	90	1
44410TE with 138-8883	90	1
44410TE with 138-8894	90	1
44424TE	89	1
44424TE with 138-8884	89	1
44424TE with 138-8891	89	1

¹ A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395-1:2013.