
TORO_®

MODEL NO. 58007-0000001 AND UP

PARTS CATALOG


3.5 H.P. TILLER



TINE AND ENGINE ASSEMBLY

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|----------------------|-------------|
| 1 | 221-510 | Engine | 1 |
| 2 | 3217-6 | Nut | 4 |
| 3 | 3253-4 | Lockwasher | 6 |
| 4 | 7-0036 | Key Woodruff | 1 2 |
| 5 | 24-8990 | Spacer | 2 |
| 6 | 3256-22 | Washer | 4 |
| 7 | 3253-3 | Lockwasher | 2 |
| 8 | 321-10 | Capscrew | 2 |
| 9 | 32104-76 | Screw Self Tapping | 4 |
| 10 | 26-3670 | Pulley Cover | 1 |
| 11 | 26-3650 | Strap - Belt Shield | 1 |
| 12 | 3245-32 | Hex Socket Set Screw | 2 |
| 13 | 27-5820 | Engine Pulley | 1 |
| 14 | 26-3340 | V-Belt | 1 |
| 15 | 3210-3 | Hex Hd. Capscrew | 2 2 |
| 16 | 3256-23 | Washer | 2 |
| 17 | 26-3370 | Belt Guide | 1 |
| 18 | 321-8 | Capscrew | 2 |
| | 1 | - | ĺ |


| Ref. | Part No. | Description | No. Used |
|------|----------|--------------------------|-------------|
| 19 | 26-4030 | Belt Guide — Worm Shaft | 1 |
| 20 | 7-0081 | Spacer | 4 |
| 21 | 26-3660 | Tine Shroud | 1 |
| 22 | 32128-10 | Flange Nut | 2 |
| 23 | 322-11 | Capscrew | 4 |
| 24 | 17-8340 | Decal – Garden Tiller | 1 |
| 25 | 24-6960 | Axle Assembly L.H. Outer | 1 |
| 26 | 7-0103 | Tine R.H. | 8 |
| 27 | 323-7 | Hex Hd. Capscrew | 16 |
| 28 | 3272-11 | Cotter Pin | 4 |
| 29 | 3253-21 | Lockwasher | 16 |
| 30 | 3217-7 | Nut | 16 |
| 31 | 7-2116 | Tine Pin | 4 |
| 32 | 7-0102 | Tine L.H. | 8 |
| 33 | 24-6970 | Axle Assembly L.H. Inner | 1 |
| 34 | 24-6950 | Axle Assembly R.H. Inner | 1 |
| 35 | 24-6940 | Axle Assembly R.H. Outer | 1 |
| | , | | |



CHASSIS ASSEMBLY

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|------------------------|-------------|
| 1 | 32152-2 | Locknut | 1 |
| 2 | 7-0056 | Pulley | 1 |
| 3 | 5-2465 | Spacer | 1 |
| 4 | 26-7100 | Idler Arm | 1 |
| 5 | 323-12 | Hex hd. Capscrew | 1 |
| 6 | 26-3730 | Spring Extension | 1 |
| 7 | 32152-1 | Locknut | 5 |
| 8 | 283-14 | Pin | 1 |
| 9 | 26-3120 | Drawbar R.H. | 1 |
| 10 | 283-23 | Pin | 1 |
| 11 | 26-3750 | Latch — Depth Gauge | 1 |
| 12 | 26-3740 | Bracket — Depth Gauge | 1 |
| 13 | 26-3760 | Depth Gauge | 1 |
| 14 | 3290-255 | Hair Pin Cotter | 1 |
| 15 | 26-5850 | Drawbar L.H. | 1 |
| 16 | 3272-6 | Cotter Pin | 1 |
| 17 | 322-7 | Capscrew | 3 |
| 18 | 32120-35 | Snap Ring | 1 |
| 19 | 3256-23 | Washer | 3 |
| 20 | 7-0023 | Idler Bearing | 1 |
| 21 | 32149-10 | Keps Nut | 4 |
| 22 | 26-3180 | Lever Wheel Adjustment | 1 |
| 23 | 26-3130 | Handle Support | 2 |


| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|--------------------------|-------------|
| 24 | 26-3230 | Shaft - Wheel Adjustment | 1 |
| 25 | 3290-390 | Push On | 2 |
| 26 | 3230-7 | Carriage Bolt | 2 |
| 27 | 26-3610 | Wheel | 2 |
| 28 | 26-3600 | Wheel Bolt | 2 |
| 29 | 32153-5 | Locknut | 4 |
| 30 | 26-3140 | Axle Yoke | 1 |
| 31 | 5-1537 | Spacer | 2 |
| 32 | 26-3150 | Saddle Yoke | 1 |
| 33 | 7-0036 | Key | 1 |
| 34 | 3241-1 | Set Screw | 1 |
| 35 | 26-3360 | Pulley — Worm Shaft | 1 |
| 36 | 253-84 | Oil Seal | 1 |
| 37 | 256-167 | Bushing | 1 |
| 38 | 26-2280 | Chassis | 1 |
| 39 | 7-0045 | Oil Seal | 2 |
| 40 | 3235-18 | Hex Hd. Capscrew | 4 |
| 41 | 3254-8 | Lockwasher | 4 |
| 42 | 7-0048 | Cover | 1 |
| 43 | 252-88 | Needle Bearing | 2 |
| 44 | 7-0047 | Worm Wheel | 1 |
| 45 | 7-0020 | Gasket | 1 |
| 46 | 281-1 | Pipe Plug | 1 |



CHASSIS ASSEMBLY (Continued)

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|--------------|-------------|
| 47 | 7-0012 | Worm Shaft | 1 |
| 48 | 254-79 | Bearing Cup | 2 |
| 49 | 254-78 | Bearing Cone | 2 |
| 50 | 7-0013 | Snap Ring | 1 |
| 51 | 26-5800 | Spacer Rear | 1 |
| 52 | 7-0016 | Worm Gear | 1 |
| 53 | 7-0015 | Spacer Front | 1 |
| 54 | 23-7690 | Shim (.010) | A/R |
| 55 | 23-7700 | Shim (.020) | A/R |
| | | - | |


| Ref. No. | Part No. | Description | No. Used |
|-------------|-------------------|-------------------------|-------------|
| 56 57 | 237-71 23-7710 | "O" Ring Plug Tiller | 1 1 |
| 58 | 7-0018 | Snap Ring | , 1 |
| 59 | 3257-23 | Woodruff Key | 1 |
| 60 | 3257-33 | Woodruff Key | 2 |
| 61 | 7-0046 | Shaft Worm Wheel | 1 |
| 62 | 323-18 | Capscrew | 4 |
| 63 | 3241-2 | Set Screw | 1 |
| | | | |
| | | , | - |



HANDLE ASSEMBLY

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|--------------------|-------------|
| 1 | 321-10 | Capscrew | 1 |
| 2 | 26-3630 | Lift — Bail | 1 |
| 3 | 32111-7 | Nut – Acorn | 1 |
| 4 | 32111-9 | Cap Push-On | 1 |
| - 5 | 5-4723 | Spring | 1 |
| 6 | 235-20 | Hand Grip | 2 |
| 7 | 26-3710 | Decal — Forward | 1 |
| 8 | 26-3640 | Pin — Lock In | 1 |
| 9 | 26-3310 | Decal — Escutcheon | 1 |
| 10 | 17-9300 | Escutcheon Panel | 1 |
| 11 | 26-3380 | L.H. Handle | 1 |
| 12 | 32104-76 | Self Tapping Screw | 4 |
| 13 | 3290-396 | Push On Cap | 1 |
| 14 | 26-3490 | Pulley Cable | 1 |
| | | | |

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|--------------------|-------------|
| 15 | 26-3690 | Spring - Torsion | 2 |
| 16 | 322-10 | Capscrew | 2 |
| 17 | 3256-23 | Washer Plain | 2 2 2 |
| 18 | 32152-1 | Nut - Top Deform | 2 |
| 19 | 3290-395 | Retainer — Push On | 1 |
| 20 | 26-3470 | Spindle Forward | |
| 21 | 32128-28 | Nut | 1 2 1 |
| 22 | 26-3450 | Cable Assembly |] 1] |
| 23 | 2412-21 | Clamp | 2 |
| 24 | 32140-29 | Self Tapping Screw | 2 2 1 |
| 25 | 26-5890 | Boden Clip | 1 |
| 26 | 26-3440 | Handle R.H. | 1 |
| 27 | 26-3390 | Throttle Control | 1 |
| | | | |




MAGNETO NO. 610940A

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|----------------------------------|-------------|
| 1 | 610931B | Flywheel (Incl. Nos. 1A, 3 & 3A) | 1 |
| 1A | 610933 | Fan | 1 |
| 2 | 30551 | Spring, Breaker Box Dust Cover | 1 |
| 3 | 610947 | Cover, Dust | 1 |
| 3A | 610948 | Gasket, Dust Cover | 1 |
| 4 | 30552 | Cam, Breaker | 1 |
| 5 | 30547A | Contact Assy., Breaker | 1 |
| 6 | 610385 | Washer, Terminal | 1 |
| 7 | 33356 | Tab, Ground Terminal | 1 |
| 8 | 610408 | Nut, Terminal | 1 |
| 9 | 29181 | Screw & Washer, Breaker | 1 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|------------------------------------|-------------|
| 10 | 610593 | Screw, Condenser Fastening | 1 |
| 11 | 30560A | Coil Assy. (Incl. No. 12) | 1 |
| 12 | 30554 | Wire, Lead | 1 |
| 13 | 30548A | Condenser | 1 |
| 14 | 30545 | Core & Plate | 1 |
| 15 | 30561B | Stator Assy. (Incl. Nos. 2, 3, 3A, | |
| | | 5 thru 14 & 16 thru 18) | 1 |
| 16 | 30549 | Felt, Cam Wiper | 1 |
| 17 | 31311 | Clip, Coil Locking | 1 |
| 18 | 29629 | Spring, Coil Wedge | 1 |
| | | | , |
| | | | |
| ļ | | . *** | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | ٠ | |
| | | • | |
| | | | |
| | , | | |
| | | | |
| | | | |

^{*}The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list.

ENGINE TECUMSEH MODEL H35-45481M




ENGINE TECUMSEH MODEL H35-45481M

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|----------------------------------|-------------|
| 1 | 33164 | Cylinder Assy. | |
| • | | (Incl. Nos. 2, 3 & 4) | 1 |
| 2 | 26727 | Pin, Dowel | 2 |
| 2 | 1 | · · | 2 |
| 3 | 27642 | Plug, Sq. Hd. Pipe (Oil Drain) | |
| 4 | 29183 | Seal, Oil | 1 |
| 5 | 29314A | Valve, Intake (Std.) (Incl. | |
| | | Nos. 7, 8 & 9) | 1 |
| 5 | 29315B | Valve, Intake (1/32" oversize) | |
| | | (Incl. Nos. 7, 8 & 9) | 1 |
| 6 | 29313B | Valve, Exhaust (Std.) (Incl. | |
| | | Nos. 7, 8 & 9) | 1 |
| 6 | 29315B | Valve, Exhaust (1/32" oversize) | |
| _ | | (Incl. Nos. 7, 8 & 9) | 1 |
| 7 | 31671 | Cap, Upper valve spring | 2 |
| 8 | 31672 | Spring, Valve | 2 |
| 9 | 31672 | Cap, Lower Valve Spring | 2 |
| | ì | 1 | 1 |
| 11 | 32555A | Crankshaft Assy. | ı |
| 14 | 32538 | Piston & Pin Assy. (Incl. 2 of | |
| | | No. 16) (Std.) | 1 |
| 14 | 32548 | Piston & Pin Assy. (Incl. 2 of | |
| | | No. 16) (.010 oversize) | 1 |
| 14 | 32549 | Piston & Pin Assy. (Incl. 2 of | |
| | | No. 16) (.020 oversize) | 1 |
| 15 | 28986 | Ring Set, Piston (Std.) | 1 |
| 15 | 28987 | Ring Set, Piston (.010 oversize) | 1 |
| 15 | 28988 | Ring Set, Piston (.020 oversize) | 1 |
| 16 | 20381 | Ring, Piston Pin Retaining | 2 |
| 17 | | Rod Assy., Connecting (Incl. | _ |
| 17 | 30963B | | 1 |
| 4.0 | 2222 | Nos. 18, 19 & 20) | 1 |
| 18 | 26706 | Bolt, Connecting Rod | 2 |
| 19 | 28594 | Dipper, Oil | 1 |
| 20 | 27573 | Nut, Lock | 2 |
| 21 | 33149 | Camshaft (Compression Release) | |
| 22 | 27241 | Lifter, Valve | 2 |
| 23 | 30941D | Cover, Cylinder (Incl. Nos. 24, | |
| | | 25, 106 & 148) | 1 |
| 24 | 30256 | Seal, Oil | 1 |
| 25 | 27625 | Plug, Oil Filler (Incl. No. 148) | 1 |
| 26 | *27677 | Gasket, Cylinder Cover | 1 |
| 28 | 30564 | Screw, Hex hd. Cap Sems | 7 |
| | 1 | Cover, Spark Plug | 1 |
| 29 | 610118 | | 1 |
| 31 | 650489 | Screw, Hex hd. Sems | 2 |
| 32 | *29953B | Gasket, Cylinder Head | 1 |
| 33 | 30579 | Head, Cylinder | 1 |
| 34 | 26073 | Washer | 8 |
| 35 | 650694 | Screw, Hex hd. Cap | 5 |
| 36 | 6021 | Screw, Hex hd. Cap | 3 |
| 37 | 33636 | Plug, Spark (Champion J-8 or | |
| | | equivalent) | 1 |
| 38 | *27234 | Gasket, Valve Spring Cover | 2 |
| 39 | 27666 | Breather Body & Valve Assy. | 1 |
| 39 40 | 27233 | Element, Breather | 1 |
| 40 41 | 27667 | Cover, Valve Spring | 1 |
| | | i Cover, vaive Suring | 1 I |

| | 1 | | |
|------|----------|-----------------------------------|-------------|
| Ref. | Part No. | Description | No. Used |
| No. | | | Oseu |
| 42 | 32446 | Grommet, Breather Tube | 2 |
| 43 | 650128 | Screw, Fil. Slotted hd. Sems | 2 |
| 44 | 32447 | Tube, Breather | 1 |
| 45 | *26754 | Gasket, Intake | 1 |
| 46 | 28416 | Pipe, Intake | 1 |
| 47 | 650664 | Screw, Phil. fil hd. mach. Sems | 1 |
| 48 | 30646 | Screw, Phil. fil. hd. Sems | 1 |
| 53 | 650549 | Screw, Fil. slotted hd. mach | 1 |
| 54 | 31342 | Spring, Compression | 1 |
| 55 | †650139 | Screw, Fil. slotted hd. Sems | 2 |
| 56 | †30322 | Nut, Hex, Lock | 2 |
| 58 | 31858 | Link, Governor-to-throttle | 1 |
| 59 | 31426 | Spring, Extension | 1 |
| 60 | 31510 | Lever, Governor | 1 |
| 63 | 31334 | Rod, Governor | 1 |
| 64 | †33342 | Baffle, Blower Housing | 1 |
| 65 | 650561 | Screw, Phil. hex hd. Sems | 2 |
| 66 | 32078 | Decal, Name & Instruction | 1 |
| 67 | 28277 | Washer, Flat | 1 |
| 68 | 29212 | Screw, Hex hd. Sems | 2 |
| 69 | 650665 | Screw, Hex hd. Sems | 4 |
| 70 | **33663A | Housing, Blower | 1 |
| 71 | 650763 | Washer, Belleville | 1 |
| 72 | 650607 | Nut, Flywheel | 1 |
| 73 | **29752 | Nut & Lockwasher Assy. | 4 |
| 78 | *27272 | Gasket, Air Cleaner | 1 |
| 81 | 650168 | Washer, Flat | 1 |
| 82 | 33341 | Baffle, Extension | 1 |
| 83 | 650701 | Screw, Phil. hex washer hd. | |
| | | self-drilling | 1 |
| 84 | 6202 | Screw, Hex hd. Cap | 2 |
| 87 | *26756 | Gasket, Carburetor | 1 |
| 89 | 29752 | Nut & Lockwasher Assy. | 2 |
| 90 | 33120 | Tank Assy., Fuel (Incl. | _ |
| 00 | 00120 | Nos. 69 & 91) | 1 |
| 91 | 410144B | Cap, Fuel Tank | 1 |
| 93 | 29443 | Clip, Fuel Line | 2 |
| 94 | 28820 | Screw, Phil. fil. hd. mach. Sems. | l |
| 95 | 28942 | Screw, Hex hd. slotted Sems | 1 |
| 96 | 27793 | Clip, Conduit | 1 |
| 97 | 30590A | Washer, Flat | 1 |
| 98 | 31388 | Wire, Ground | 1 |
| 99 | 30997 | Cover, Muffler | 1 |
| 100 | 650665 | Screw, Hex hd. Sems | 1 |
| 101 | 650493 | Screw, Hex hd. Sems | 2 |
| 102 | *30081 | Gasket, Muffler | 1 |
| 103 | 30996 | Muffler | 1 |
| 104 | 30705 | Line, Fuel | 1 |
| 105 | 26460 | Clamp, Fuel Line | 2 |
| 106 | 30574 | Shaft, Mechanical Governor | 1 |
| 107 | 30591 | Gear Assy., Governor | |
| | | (Incl. No. 97) | 1 |
| 108 | 29193 | Ring, Retaining | 2 |
| .55 | | | |
| L | | | <u> </u> |

ENGINE TECUMSEH MODEL H35-45481M (Continued)




ENGINE TECUMSEH MODEL H35-45481M (Continued)

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|---------------------------------|-------------|
| 109 | 30588A | Spool, Governor | 1 |
| 111 | 28371B | Bracket, Fuel Tank — Upper | 1 |
| 112 | 32762 | Bracket, Fuel Tank - Lower | 1 |
| 114 | 31692 | Body, Air Cleaner | 1 |
| 115 | 31700 | Element, Air Cleaner | 1 |
| 116 | 31708 | Bracket, Air Cleaner | 1 |
| 117 | 650152 | Screw, Fil. slotted hd. Sems | 2 |
| 118 | 33876 | Gasket, Stator | 1 |
| 119 | 28819 | Spring, Fuel Line | 1 |
| 120 | 650128 | Screw, Fil. slotted hd. Sems | 1 |
| 121 | 29745 | Extension, Blower Housing | 1 |
| 130 | 610949 | Key, Flywheel | 1 |
| 132 | †33879 | Speed Control Assy. (Incl. Nos. | |
| | 1 | 53 thru 56) | 1 |
| 133 | 650561 | Screw, Phil. hex hd. Sems | 1 |
| 134 | 33668 | Screen, Starter | 1 |
| 135 | 33667 | Cup, Starter | 1 |
| | | | |
| | | , | |

| | Ref. No. | Part No. | Description | No. Used |
|---|-------------|----------|----------------------------------|-------------|
| | 138 | 28212 | Spacer | 2 |
| ĺ | 139 | 31335 | Clamp, Governor Lever | · 1 |
| | 140 | 650548 | Screw, Hex slotted washer hd. | 1 |
| ļ | 146 | 31871A | Decal, Air Cleaner | 1 |
| Ì | 147 | 31268 | Decal, "Choke" | 1 |
| | 148 | *39673 | Gasket, Oil Filler | 1 |
| | 149 | 610940A | Magneto (The complete magneto | |
| | | | is not available as an assembly. | |
| . | | | The magneto number is shown | |
| | | | for reference purposes only. | |
| | | | Order component parts in- | |
| | | | dividually, as shown in parts | |
| ı | | | list.) | 1 |
| | 150 | 631921 | Carburetor (Incl. No. 87) | 1 |
| | 151 | **590420 | Starter Assy., Rewind | 1 |
| | 152 | 33233 | Gasket Set (Incl. items | |
| | | 00200 | marked *) | 1 |
| | | | , | = |
| | | | | , |
| | | | | |

^{**}In original production the starter is riveted to the blower housing. If either the starter or blower housing requires replacement, both will have to be ordered. Also order four (4) nuts illustrated to attach replacement starter to replacement blower housing.


[†] In original production the speed control assembly is riveted to the blower housing baffle. Replacement speed control assembly includes screws and nuts for mounting. Replacement baffle has threaded holes.



CARBURETOR NO. 631921

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|---------------------------------|-------------|
| 1 | 631615 | Shaft & Lever Assy., Throttle | 1 |
| 2 | 631279 | Spring, Throttle Return | 1 |
| 3 | 631036 | Shutter, Throttle | 1 |
| 4 | 650506 | Screw | 2 |
| 5 | 630766 | Spring, Idle Regulating Screw | 2 |
| 6 | 650417 | Screw, Idle Regulating | 1 |
| 7 | 630919 | Shaft & Lever Assy., Choke | 1 |
| 8 | 630735 | Spring, Choke Stop | 1 |
| 9 | 31837 | Shutter, Choke | 1 |
| 10 | *630748 | Plug, Welch | 1 |
| 11 | *631027 | Plug, Welch | 1 |
| 12 | *631021 | Inlet Needle, Seat & Clip Assy. | , |
| | | (Incl. No. 13) | 1 |
| 13 | 631022 | Clip, Inlet Needle | 1 |
| | | | |
| | | | |
| | Ì | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | i | | |


| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|-------------------------------|-------------|
| 14 | 631023 | Float, Carburetor | 1 |
| 15 | *631024 | Shaft, Float | 1 |
| 16 | 631867 | Bowl, Float | 1 |
| 21 | 27110 | Gasket, Bowl-to-body | 1 |
| 22 | *31839 | Adjustment Screw Assy., Main | |
| ļ | l | (Incl. Nos. 21, 23, 30 & 31) | 1 |
| 23 | *630740 | "O" Ring, Adjustment Screw | 2 |
| 24 | *631078 | Screw, Idle Adjustment | 1 |
| 25 | *631028 | Gasket, Bowl-to-body | 1 |
| 26 | 631807 | Fitting, Fuel Inlet | 1 |
| 30 | 630738 | Spring, Main Adjustment Screw | |
| 31 | 630739 | Washer, Flat | 2 |
| 32 | 31840 | Repair Kit (Incl. items | |
| \ | 1 | marked *) | 1 |
| | İ | | |
| 1 | | į. | |
| | | | |
| | | ' | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



REWIND STARTER NO. 590420

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|------------------|-------------|
| 1 | 590409 | Screw, Retainer | 1 |
| 2 | 590410 | Retainer, R.H. | 1 |
| 3 | 590411 | Spring, Brake | 1 |
| 4 | 590148 | Dog, Starter | 1 |
| 5 | 590412 | Spring, R.H. Dog | 1 |
| 6 | 590413A | Pulley | 1 |
| | | | |


| Ref. No. | Part No. | Description | No. Used |
|-------------|--|---|-------------|
| | Part No. 590414 590415 590386 590387 590459 | Description Spring & Keeper Assy. Housing Assy., Starter Rope, Starter Handle Assy., Starter Pin, Centering | |
| | | | |



8" FURROWING TOOL MODEL NO. 59008 (Optional)

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|-------------|-------------|
| 1 | 323-7 | Capscrew | 2 |
| 2 | 7-1512 | Clamp | 2 |
| 2 3 | 3256-4 | Washer | 2 2 2 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | , | , | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | - | | |
| | - | | |
| | | | |
| | : | | |
| | | | |
| | | | |
| | | | |

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|---------------|-------------|
| 4 | 3217-7 | Nut | 3 |
| 5 | 7-1491 | Shovel | 1 |
| 6 | 3236-10 | Carriage Bolt | 1 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 1 | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | İ |
| | - | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | L | | |




PICK TINE KIT MODEL NO. 17-8200 (Optional)

| Part No. | Description | No. Used |
|----------|------------------|--|
| 32152-2 | Nut | 32 |
| 323-4 | | 32 |
| 17-8260 | Pick Tine | 16 |
| | | |
| | , | |
| | | |
| | | Ĭ |
| | | |
| | | |
| | | |
| | | |
| | - | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | - |
| | | |
| | | |
| | 32152-2 323-4 | Part No. Description 32152-2 Nut 323-4 Capscrew |

| Ref. No. | Part No. | Description | No. Used |
|------------------|--------------------------------|---|-------------|
| Het. No. 4 | Part No. 18-8920 17-8270 | Description Axle Welded R.H. Axle Welded L.H. | |
| , | | - | |

^{*}Not Illustrated



SLASHER TINE KIT MODEL NO. 17-8620

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|-------------------|-------------|
| 1 | 17-8660 | Slasher Tine L.H. | 8 |
| 2 | 17-9510 | Outer Axle R.H. | 1 |
| * | 17-8910 | Outer Axie L.H. | 1 |
| 3 | 3272-7 | Cotter Pin | 2 |
| 4 | 17-9500 | Inner Axle R.H. | 1 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|-------------------|-------------|
| * | 17-8900 | Inner Axle L.H. | 1 |
| 5 | 32152-2 | Locknut ° | 32 |
| 6 | 17-8650 | Slasher Tine R.H. | 8 |
| 7 | 323-7 | Capscrew | 32 |
| 8 | 7-2116 | Tine Pin | 2 |
| Ì | | | |
| : | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | ' | | |
| | | _ | |
| | | | |
| | | | |
| | | | |
| | | | |
| |) | | |

The Toro Promise

A ONE YEAR LIMITED WARRANTY

The Toro Company promises to repair any TORO Product if defective in materials or workmanship. The following time periods from the date of purchase apply:

Residential Product 1 Year Residential Products Used Commercially 45 Days

The costs of parts and labor are included, but the customer pays the transportation costs. Just return any residential product to an Authorized TORO Service Dealer or TORO Distributor.

Should you feel your TORO Product is defective and wish to rely on The Toro Promise, the following procedure is recommended:

- Contact any Authorized TORO Service Dealer, TORO Master Service Dealer, or TORO Distributor (the Yellow Pages of your telephone directory is a good reference source).
- He will either instruct you to return the product to him or recommend another Authorized TORO Service outlet which might be more convenient.
- Bring the product along with your original sales slip, or other evidence of purchase date, to the service dealer.
- 4. The servicing dealer will inspect the unit, advise you whether the product is defective and, if so, make all repairs necessary to correct the defect without extra charge to you.

If for any reason you are dissatisfied with the dealer's analysis of the defect or the service performed, you may contact us.

Write:

TORO Consumer Service Department 8111 Lyndale Avenue South Minneapolis, Minnesota 55420

The above remedy of product defects through repair by an Authorized TORO Service Dealer is the purchaser's sole remedy for any defect.

THERE IS NO OTHER EXPRESS WARRANTY. ALL IMPLIED WARRANTIES OF MERCHANT-ABILITY AND FITNESS FOR USE ARE LIMITED TO THE DURATION OF THE EXPRESS WARRANTY.

AYAYAYAYAYAXAYAYAYAYAYAYAYAYA

Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

This warranty applies only to parts or components which are defective and does not cover repairs necessary due to normal wear, misuse, accidents, or lack of proper maintenance. Regular, routine maintenance of the unit to keep it in proper operating condition is the responsibility of the owner.

All warranty repairs reimbursable under The Toro Promise must be performed by an Authorized TORO Service Dealer using Toro approved replacement parts.

Repairs or attempted repairs by anyone other than an Authorized TORO Service Account are not reimbursable under The Toro Promise. In addition, these unauthorized repair attempts may result in additional malfunctions, the correction of which is not covered by warranty.

THE TORO COMPANY IS NOT LIABLE FOR IN-DIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE USE OF THE PRODUCT INCLUDING ANY COST OR EXPENSE OF PROVIDING SUBSTITUTE EQUIP-MENT OR SERVICE DURING PERIODS OF MALFUNCTION OR NON-USE.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

COUNTRIES OTHER THAN THE UNITED STATES OR CANADA

Customers who have purchased TORO products exported from the United States or Canada should contact their TORO Distributor (Dealer) to obtain guarantee policies for your country, province or state. If for any reason you are dissatisfied with your Distributor's service or have difficulty obtaining guarantee information, contact

the TORO importer. If all other remedies fail, you may contact us at The Toro Company.

International Group Service Department One Corporate Center 7401 Metro Boulevard Minneapolis, Minnesota 55435 U.S.A. Y DOWN TO DOWN TO THE POST OF

PRODUCT CHANGES

In an effort to make improvements available to TORO owners as quickly as possible, minor changes are incorporated into Toro's products from time to time that do not become immediately shown in the Parts Catalog. If sich a change apparently has been made in your unit, which is not reflected in your manual, see your TORO Distributor or his Authorized TORO Service Dealer for information and part numbers.

IDENTIFICATION AND ORDERING

Model and Serial Numbers

The tiller has two identification numbers: a model number and a serial number. The two numbers are stamped on a decal which is located on left rear side of tine shroud. In any correspondence concerning the tiller, supply model and serial numbers to assure that correct information and replacement parts are obtained.

To order replacement parts from an Authorized TORO Service Dealer, supply the following information.

- 1. Model and serial numbers of the tiller.
- 2. Part number, description, and quantity of part(s) desired.

Note: Do not order by reference number if a parts catalog is being used; use the PART NUMBER.

Keep Your TORO All Toro



Insist on Genuine Toro Parts

MAINTENANCE RECORD

| Date | Hours Used | Oil Change | Air Cleaner Service | Lubrication | Winter Storage | Spring Service | Spark Plug Gap |
|------|------------|------------|------------------------|-------------|-------------------|-------------------|-------------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | ! ! | |
| | | | | | | · | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | - | | | |
| | | | | | | | |
| | | - | | | | | |
| | | | | | | | |
| | | | | | | | , |
| | | | | | | | |
| | | | | | | | |