

# EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
72504TE	400000000 and Up	GrandStand Mower, With 122cm TURBO FORCE Cutting Unit	GRANDSTAND LG KAW FX 22HP 122CM CE
72542TE	400000000 and Up	GrandStand Mower, With 122cm Rear Discharge TURBO FORCE Cutting Unit	GRANDSTAND LG KAW RD 22HP 122CM CE
74534TE	400000000 and Up	GrandStand Mower, With 91cm TURBO FORCE Cutting Unit	GRANDSTAND 18KA 91CM CE
74536TE	400000000 and Up	GrandStand Mower, With 102cm TURBO FORCE Cutting Unit	GRANDSTAND 18KA 102CM CE
74540TE	400000000 and Up	GrandStand Mower, With 91cm Rear Discharge TURBO FORCE Cutting Unit	GRANDSTAND 91CM REAR DISCHARGE CE
44410TE	400000000 and Up	Proline Commercial Walk-Behind 14.5 HP	MS KAWI FS481 SPHOC 91CM CE
44424TE	400000000 and Up	Proline Commercial Walk-Behind 15 HP	MS KAWI FS541 SPHOC 122CM CE

Conform(s) to the following directives:

2000/14/EC (Noise), 2005/88/EC (Noise), 2006/42/EC (Machinery Directive), 2014/30/EU (EMC)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN ISO 5395-1:2013+A1:2017  
 EN ISO 5395-2:2013+A1:2016+A2:2017  
 EN 55012:2007 + A1:2009

Further, the following accessories/attachments conform to the directives indicated below when installed according to instructions on the models listed above:

Model	Description	Directive
139-6650	48in Recycler Kit	2006/42/EC, 2000/14/EC
133-1437	Light Kit	2014/30/EU
133-1495	Strobe Light Kit	2014/30/EU
133-1434	Chute Gate Kit	2006/42/EC
134-3259	48in Recycler Kit	2006/42/EC, 2000/14/EC
133-1437	Light Kit	2014/30/EU
133-1495	Strobe Light Kit	2014/30/EU
110-2080	91 cm Recycler Kit	2006/42/EC, 2000/14/EC
110-2070	102 cm Recycler Kit	2006/42/EC, 2000/14/EC

Model	Description	Directive
134-3217	91 cm Recycler Kit	2006/42/EC, 2000/14/EC
44401	Sulky	2006/42/EC
140-1913	36-inch Recycler Kit	2006/42/EC
140-1914	48-inch Recycler Kit	2006/42/EC
140-4300	Rubber Deflector Kit	2006/42/EC
139-7860	Soft Side Bagger	2006/42/EC
138-6866	Weight Kit	2006/42/EC
139-5595	Light Kit	2006/42/EC, 2014/30/EU
140-4321	36-inch Bagging Kit	2006/42/EC
119-3381	48-inch Bagging Kit	2006/42/EC

Data for Noise Directive (2000/14/EC, 2005/88/EC):

Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
72504TE	Lawn Mower	122	104	105	3000
72504TE with 115-7466	Lawn Mower	122	104	105	3000
72542TE	Lawn Mower	122	102	103	3600
74534TE	Lawn Mower	91	99	100	2650
74534TE with 110-2080	Lawn Mower	91	99	100	2650
74536TE	Lawn Mower	102	99	100	2400
74536TE with 110-2070	Lawn Mower	102	99	100	2400
74540TE	Lawn Mower	91	99	100	2700



Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
44410TE	Lawn Mower	91	99	100	2400
44410TE with 138-8883	Lawn Mower	91	100	100	2700
44410TE with 138-8894	Lawn Mower	91	100	100	2250
44424TE	Lawn Mower	122	104	105	2600
44424TE with 138-8884	Lawn Mower	122	105	105	2950
44424TE with 138-8891	Lawn Mower	122	105	105	2500

Determined in accordance with ISO 11094:1991 and EN ISO 3744:1995.

Conformity Assessment: Annex VI

Notified Body: TÜV SÜD Industrie Service GmbH, Notifizierte Stelle 0036 nach 2000/14/EG, Notified Body 0036 according to 2000/14/EC, Westendstraße 199, 80686 München / Munich Deutschland / Germany

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.

Certified:



John Heckel  
 Engineering Director  
 8111 Lyndale Ave. South  
 Bloomington, MN 55420, USA  
 October 6, 2022

Authorized Representative:

Marcel Dutrieux  
 Manager European Product Integrity  
 Toro Europe NV  
 Nijverheidsstraat 5  
 2260 Oevel  
 Belgium

# EU Specifications

## Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass‡ (kg)	Hand/Arm Vibration (m/s <sup>2</sup> )*			Whole Body Vibration (m/s <sup>2</sup> )*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
			Level	Level		Level	Uncertainty
72504TE	16.4	404	1.7	1.4	0.9	0.65	0.33
72542TE	16.4	415	2	1.9	0.3	0.58	0.1
74534TE	11.2	343	0.6	0.8	0.4	0.79	0.39
74536TE	11.2	351	1.1	1.1	0.6	0.79	0.39
74540TE	11.2	352	1.5	1.1	0.1	0.52	0.03
44410TE	10.8	275	2.6	3.2	0.2	N/A	N/A
44410TE with 138-8883	10.8	275	2.6	3.2	0.2	N/A	N/A
44410TE with 138-8894	10.8	275	2.6	3.2	0.2	N/A	N/A
44424TE	11.2	302	1.8	1.9	0.2	N/A	N/A
44424TE with 138-8884	11.2	302	1.8	1.9	0.2	N/A	N/A
44424TE with 138-8891	11.2	302	1.8	1.9	0.2	N/A	N/A

‡ With empty tanks in the normal operating configuration

\* Determined in accordance with EN ISO 5395-1:2013+A1:2018

## Machine Sound Data

Model	Sound Pressure (dBA) <sup>1</sup>	
	Level	Uncertainty
72504TE	91	1
72542TE	89	2
74534TE	88	1
74536TE	86	1
74540TE	86	2
44410TE	90	1
44410TE with 138-8883	90	1
44410TE with 138-8894	90	1
44424TE	89	1
44424TE with 138-8884	89	1
44424TE with 138-8891	89	1

<sup>1</sup> A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395-1:2013.

**BG:** За да получите копие от този документ на вашия език, отидете на [www.toro.com/en/parts](http://www.toro.com/en/parts).

**CS:** Kopii tohoto dokumentu ve svém jazyce získáte na adrese [www.toro.com/en/parts](http://www.toro.com/en/parts).

**DA:** For at indhente en kopi af dette dokument på dit sprog skal du besøge [www.toro.com/en/parts](http://www.toro.com/en/parts).

**DE:** Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter [www.toro.com/en/parts](http://www.toro.com/en/parts).

**EL:** Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση [www.toro.com/en/parts](http://www.toro.com/en/parts).

**EN:** To obtain a copy of this document in your language, go to [www.toro.com/en/parts](http://www.toro.com/en/parts).

**ES:** Puede obtener una copia de este documento en su idioma en [www.toro.com/en/parts](http://www.toro.com/en/parts).

**ET:** Dokumendist enda keeles koopia saamiseks külastage veebilehte [www.toro.com/en/parts](http://www.toro.com/en/parts).

**FI:** Tästä asiakirjasta saa omakielisen version osoitteesta [www.toro.com/en/parts](http://www.toro.com/en/parts).

**FR:** Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur [www.toro.com/en/parts](http://www.toro.com/en/parts).

**HR:** Za primjerak Izjave o sukladnosti na Vašem jeziku idite na [www.toro.com/en/parts](http://www.toro.com/en/parts).

**HU:** Ha szükséges van a dokumentum egy példányára a saját nyelven, letöltheti azt a [www.toro.com/en/parts](http://www.toro.com/en/parts) oldalról.

**IT:** La copia del presente documento nella vostra lingua è disponibile su [www.toro.com/en/parts](http://www.toro.com/en/parts).

**LT:** Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite [www.toro.com/en/parts](http://www.toro.com/en/parts).

**LV:** Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz [www.toro.com/en/parts](http://www.toro.com/en/parts).

**NL:** Voor een exemplaar van dit document in uw eigen taal, gaat u naar: [www.toro.com/en/parts](http://www.toro.com/en/parts).

**NO:** For å få en kopi av dette dokumentet på ditt språk, gå til [www.toro.com/en/parts](http://www.toro.com/en/parts).

**PL:** Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę [www.toro.com/en/parts](http://www.toro.com/en/parts).

**PT:** Para obter uma cópia deste documento no seu idioma, vá a [www.toro.com/en/parts](http://www.toro.com/en/parts).

**RO:** Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SK:** Ak chcete získat kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SL:** Za izvod tega dokumenta v vašem jeziku obiščite spletno stran [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SR:** Da biste dobili primerak ovog dokumenta na svom jeziku, posetite [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SV:** Gå in på [www.toro.com/en/parts](http://www.toro.com/en/parts) om du vill ha ett exemplar av det här dokumentet på ditt språk.

# UK Declaration of Conformity

The Toro Company ®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
72504TE	400000000 and Up	GrandStand Mower, With 122cm TURBO FORCE Cutting Unit	GRANDSTAND LG KAW FX 22HP 122CM CE
72542TE	400000000 and Up	GrandStand Mower, With 122cm Rear Discharge TURBO FORCE Cutting Unit	GRANDSTAND LG KAW RD 22HP 122CM CE
74534TE	400000000 and Up	GrandStand Mower, With 91cm TURBO FORCE Cutting Unit	GRANDSTAND 18KA 91CM CE
74536TE	400000000 and Up	GrandStand Mower, With 102cm TURBO FORCE Cutting Unit	GRANDSTAND 18KA 102CM CE
74540TE	400000000 and Up	GrandStand Mower, With 91cm Rear Discharge TURBO FORCE Cutting Unit	GRANDSTAND 91CM REAR DISCHARGE CE
44410TE	400000000 and Up	Proline Commercial Walk-Behind 14.5 HP	MS KAWI FS481 SPHOC 91CM CE
44424TE	400000000 and Up	Proline Commercial Walk-Behind 15 HP	MS KAWI FS541 SPHOC 122CM CE

Conform(s) to the following UK national laws:

S.I. 2001 No. 1701 (Noise), S.I. 2008 No. 1597 (Machinery Safety), S.I. 2016 No. 1091 (EMC)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN ISO 5395-1:2013+A1:2017  
 EN ISO 5395-2:2013+A1:2016+A2:2017  
 EN 55012:2007 + A1:2009

Further, the following accessories/attachments conform to the UK national laws indicated below when installed according to instructions on the models listed above:

Model	Description	Regulation
139-6650	48in Recycler Kit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
133-1437	Light Kit	S.I. 2016 No. 1091
133-1495	Strobe Light Kit	S.I. 2016 No. 1091
133-1434	Chute Gate Kit	S.I. 2008 No. 1597
134-3259	48in Recycler Kit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
133-1437	Light Kit	S.I. 2016 No. 1091
133-1495	Strobe Light Kit	S.I. 2016 No. 1091
110-2080	91 cm Recycler Kit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
110-2070	102 cm Recycler Kit	S.I. 2008 No. 1597, S.I. 2001 No. 1701

Model	Description	Regulation
134-3217	91 cm Recycler Kit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
44401	Sulky	S.I. 2008 No. 1597
140-1913	36-inch Recycler Kit	S.I. 2008 No. 1597
140-1914	48-inch Recycler Kit	S.I. 2008 No. 1597
140-4300	Rubber Deflector Kit	S.I. 2008 No. 1597
139-7860	Soft Side Bagger	S.I. 2008 No. 1597
138-6866	Weight Kit	S.I. 2008 No. 1597
139-5595	Light Kit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
140-4321	36-inch Bagging Kit	S.I. 2008 No. 1597
119-3381	48-inch Bagging Kit	S.I. 2008 No. 1597

Data for Noise Regulations (S.I. 2001 No. 1701):

Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
72504TE	Lawn Mower	122	104	105	3000
72504TE with 115-7466	Lawn Mower	122	104	105	3000
72542TE	Lawn Mower	122	102	103	3600
74534TE	Lawn Mower	91	99	100	2650
74534TE with 110-2080	Lawn Mower	91	99	100	2650
74536TE	Lawn Mower	102	99	100	2400
74536TE with 110-2070	Lawn Mower	102	99	100	2400
74540TE	Lawn Mower	91	99	100	2700

Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
44410TE	Lawn Mower	91	99	100	2400
44410TE with 138-8883	Lawn Mower	91	100	100	2700
44410TE with 138-8894	Lawn Mower	91	100	100	2250
44424TE	Lawn Mower	122	104	105	2600
44424TE with 138-8884	Lawn Mower	122	105	105	2950
44424TE with 138-8891	Lawn Mower	122	105	105	2500

Determined in accordance with ISO 11094:1991 and EN ISO 3744:1995.

Conformity Assessment: Schedule 9

Notified Body: NB 0197: TÜV SÜD Industrie Service GmbH, Notifizierte Stelle 0036 nach 2000/14/EG, Notified Body 0036 according to 2000/14/EC, Westendstraße 199, 80686 München / Munich Deutschland / Germany

This declaration has been issued under the sole responsibility of the manufacturer.  
The object of the declaration is in conformity with relevant UK legislation.



John Heckel  
Engineering Director  
8111 Lyndale Ave. South  
Bloomington, MN 55420, USA  
October 6, 2022

Authorized Representative:

Marcel Dutrieux  
Manager European Product Integrity  
Toro U.K. Limited  
Spellbrook Lane West  
Bishop's Stortford  
CM23 4BU  
United Kingdom

# UK Specifications

## Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass‡ (kg)	Hand/Arm Vibration (m/s <sup>2</sup> )*			Whole Body Vibration (m/s <sup>2</sup> )*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
			Level	Level			
72504TE	16.4	404	1.7	1.4	0.9	0.65	0.33
72542TE	16.4	415	2	1.9	0.3	0.58	0.1
74534TE	11.2	343	0.6	0.8	0.4	0.79	0.39
74536TE	11.2	351	1.1	1.1	0.6	0.79	0.39
74540TE	11.2	352	1.5	1.1	0.1	0.52	0.03
44410TE	10.8	275	2.6	3.2	0.2	N/A	N/A
44410TE with 138-8883	10.8	275	2.6	3.2	0.2	N/A	N/A
44410TE with 138-8894	10.8	275	2.6	3.2	0.2	N/A	N/A
44424TE	11.2	302	1.8	1.9	0.2	N/A	N/A
44424TE with 138-8884	11.2	302	1.8	1.9	0.2	N/A	N/A
44424TE with 138-8891	11.2	302	1.8	1.9	0.2	N/A	N/A

‡ With empty tanks in the normal operating configuration

\* Determined in accordance with EN ISO 5395-1:2013+A1:2018

## Machine Sound Data

Model	Sound Pressure (dBA) <sup>1</sup>	
	Level	Uncertainty
72504TE	91	1
72542TE	89	2
74534TE	88	1
74536TE	86	1
74540TE	86	2
44410TE	90	1
44410TE with 138-8883	90	1
44410TE with 138-8894	90	1
44424TE	89	1
44424TE with 138-8884	89	1
44424TE with 138-8891	89	1

<sup>1</sup> A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395-1:2013.

