

EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
31900A with 31953	418200000 and Up	Groundsmaster 3200 2-Wheel Drive Traction Unit	GROUNDMASTER 3200 24HP 2WD
31901A with 31953	418200000 and Up	Groundsmaster 3200 All-Wheel Drive Traction Unit	GROUNDMASTER 3200 24HP AWD
31902A with 31953	418200000 and Up	Groundsmaster 3300 All-Wheel Drive Traction Unit	GROUNDMASTER 3300 37HP AWD
31903A with 31953	418100000 and Up	Groundsmaster 3310 All-Wheel Drive Traction Unit	GROUNDMASTER 3310 37HP AWD CAB

Conforms to the following legislation(s):

2000/14/EC (Noise), 2006/42/EC (Machinery Directive), 2014/30/EU (EMC), 2014/53/EU (RE D)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN ISO 5395-1:2013 + A1:2018

EN ISO 5395-3:2013 + A1:2017 + A2:2018

EN 55012:2007 + A1:2009

EN ISO 14982:2009

Further, the following accessories/attachments conform to the directives indicated below when installed according to instructions on the models listed above:

Model	Description	Directive
Accessories/Attachments for All Models		
02835	F60 155cm Flail Mower	2006/42/EC
03247	Operator Cooling Fan	2006/42/EC, 2014/30/EU
31916	Pro Force Debris Blower	2006/42/EC, 2014/30/EU, 2000/14/EC
31952	Slope Sensor Kit	2006/42/EC
31953	CE Kit	2006/42/EC
31966	Auxiliary Hydraulic Kit	2006/42/EC
31970 with 31957	60in Side Discharge Deck, GM with CE Kit	2006/42/EC, 2000/14/EC
31971 with 31959	60in Rear Discharge Deck, GM with CE Kit	2006/42/EC, 2000/14/EC
31972 with 31958	72in Side Discharge Deck, GM with CE Kit	2006/42/EC, 2000/14/EC
31973 with 31960	72in Rear Discharge Deck, GM with CE Kit	2006/42/EC, 2000/14/EC
31974	152cm/60in Rear Discharge Deck - Tier 2	2006/42/EC, 2000/14/EC
31975	183cm/72in Rear Discharge Deck - Tier 2	2006/42/EC, 2000/14/EC
31976	60in/152cm Side Discharge Recycler Kit	2006/42/EC, 2000/14/EC
31977	60in/152cm Rear Discharge Recycler Kit	2006/42/EC, 2000/14/EC
31978	72in/183cm Side Discharge Recycler Kit	2006/42/EC, 2000/14/EC
31979	72in/183cm Rear Discharge Recycler Kit	2006/42/EC, 2000/14/EC
32301	Seat Asm - Std	2006/42/EC
32302	Seat Asm - Mech Suspension	2006/42/EC
32303	Seat Asm - Air Suspension	2006/42/EC

Model	Description	Directive
31985	60 inch Recycler Kit RD T2	2006/42/EC
31986	72 inch Recycler Kit RD T2	2006/42/EC
31990	GM3200/3300 Winter Cab	2006/42/EC
31992	Road Light Kit	2006/42/EC
31993	LED Work-Light Kit	2006/42/EC, 2014/30/EU
31994	Accessory Control Kit	2006/42/EC
31996	LED Beacon Kit	2006/42/EC, 2014/30/EU
112-7059	Weight, 7 kg (15 lb)	2006/42/EC
114-4096	Weight, 19 kg (42 lb)	2006/42/EC
138-2699	Beacon Sunshade Kit	2006/42/EC
138-2699	Beacon Sunshade Kit, Cab	2006/42/EC, 2014/30/EU
138-2700	LED Work Lights for Sunshade	2006/42/EC, 2014/30/EU
140-1559	Power Harness Kit	2006/42/EC, 2014/30/EU
140-3059	Rotary Blade 20.5	2006/42/EC
140-3057	Rotary Blade 24.5	2006/42/EC
140-4854	Blade 20.5	2006/42/EC
140-4851	Blade 24.5	2006/42/EC
144-0480	Weight Kit	2006/42/EC
144-0484-03	Weight, 11 kg (25 lb)	2006/42/EC
161-9001	Telematics Gateway	2014/53/EU
MSC23345	BOSS Straight Blade Plow	2006/42/EC
STB13567B	BOSS Blade Crate, 5ft ATV Poly Straight Blade Plow	2006/42/EC



Data for Noise Directive (2000/14/EC):

Model	Deck	Deck CE Kit	Blade	Classification	Cutting Width (cm)	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
31900A or 31901A with 31953	31970	31957	140-3059	Lawn Mower	152	105	105	3100
	31971	31959	140-3059	Lawn Mower	152	103	104	
	31972	31958	140-3057	Lawn Mower	183	104	105	
	31973	31960	140-3057	Lawn Mower	183	103	104	
	31974	N/A	140-4854	Lawn Mower	152	101	102	
	31975	N/A	140-4851	Lawn Mower	183	103	104	
31902A or 31903A with 31953	31970	31957	140-3059	Lawn Mower	152	105	105	2900
	31971	31959	140-3059	Lawn Mower	152	104	104	
	31972	31958	140-3057	Lawn Mower	183	104	105	
	31973	31960	140-3057	Lawn Mower	183	104	104	
	31974	N/A	140-4854	Lawn Mower	152	102	103	
	31975	N/A	140-4851	Lawn Mower	183	103	104	

Determined in accordance with ISO 11094:1991.

Conformity Assessment: Annex VIII

Notified Body: TÜV SÜD Industrie Service GmbH,

Notifizierte Stelle 0036 nach 2000/14/EG, Notified Body 0036 according 2000/14/EC

Westendstraße 199, 80686 München / Munich, Deutschland / Germany

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.

Certified:



Tom Langworthy
Engineering Director
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
January 21, 2025

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro Europe NV
Nijverheidsstraat 5
2260 Oevel
Belgium

EU Specifications

Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass [‡] (kg)
31900A	18.4	747
31901A	18.4	767
31902A	27.5	848
31903A	27.5	1232

Model	with Deck	Hand/Arm Vibration (m/s ²) Level*			Whole Body Vibration (m/s ²)*	
		Left Hand	Right Hand	Uncertainty	Level	Uncertainty
31900A and 31901A	31970	1.8	1.2	0.2	0.43	0.9
	31971	1.8	1.3	0.2	0.43	0.12
	31972	1.6	1	0.2	0.41	0.14
	31973	1.5	1.2	0.1	0.43	0.09
	31974	1.5	1.2	0.1	0.33	0.07
	31975	1.8	1.3	0.2	0.39	0.09
31902A and 31903A	31970	1.1	2	0.1	0.28	0.07
	31971	1.4	1.1	0.1	0.31	0.10
	31972	1	1.3	0.1	0.31	0.10
	31973	2.1	1.7	0.2	0.26	0.05
	31974	1.4	1.2	0.1	0.24	0.08
	31975	1.3	1.3	0.2	0.29	0.06
31900A, 31901A, 31902A, or 31903A	02835	1.2	1.4	0.7	0.33	0.17
31903A with 31916	n/a	3.1	1.9	0.4	0.3	0.03
31902A with 31916	n/a	1.6	2.2	0.6	0.36	0.02
31901A or 31900A with 31916	n/a	1.8	2.3	0.5	0.34	0.05

[‡] With empty tanks in the normal operating configuration.

* Determined in accordance with the following standards:

EN ISO 5395-1:2013+A1:2018

EN ISO 5395-3:2013+A1:2017+A2:2018

EN 1032:2003+A1:2008

Model	with Deck	Sound Pressure (dBA) ¹		Sound Power (dBA) ¹	
		Level	Uncertainty	Level	Uncertainty
31900A and 31901A	31970	88	1		
	31971	87	1		
	31972	88	1		
	31973	87	1		
	31974	85	1		
	31975	87	1		
31902A	31970	88	1		
	31971	88	1		
	31972	88	1		
	31973	88	1		
	31974	88	1		
	31975	88	1		
31903A	31970	84	1		
	31971	84	1		
	31972	84	1		
	31973	83	1		
	31974	84	1		
	31975	83	1		
31900A, 31901A, 31902A, or 31903A	02835	88	1		
31903A with 31916	n/a	86	3	114	3
31902A with 31916	n/a	94	3	113	3
31901A or 31900A with 31916	n/a	94	3	114	3


¹ A-weighted levels, as measured at the operator position, determined in accordance with the following standards:


EN ISO 5395-1:2013+A1:2018


EN ISO 5395-3:2013+A1:2017+A2:2018

ISO 3744:2010

ISO 11201:2010







BG: За да получите копие от този документ на вашия език, отидете на www.toro.com/en/parts.

CS: Kopii tohoto dokumentu ve svém jazyce získáte na adrese www.toro.com/en/parts.

DA: For at indhente en kopi af dette dokument på dit sprog skal du besøge www.toro.com/en/parts.

DE: Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter www.toro.com/en/parts.

EL: Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση www.toro.com/en/parts.

EN: To obtain a copy of this document in your language, go to www.toro.com/en/parts.

ES: Puede obtener una copia de este documento en su idioma en www.toro.com/en/parts.

ET: Dokumendist enda keeles koopia saamiseks külastage veebilehte www.toro.com/en/parts.

FI: Tästä asiakirjasta saa omakielisen version osoitteesta www.toro.com/en/parts.

FR: Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur www.toro.com/en/parts.

HR: Za primjerak Izjave o sukladnosti na Vašem jeziku idite na www.toro.com/en/parts.

HU: Ha szükséges van a dokumentum egy példányára a saját nyelven, letöltheti azt a www.toro.com/en/parts oldalról.

IT: La copia del presente documento nella vostra lingua è disponibile su www.toro.com/en/parts.

LT: Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite www.toro.com/en/parts.

LV: Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz www.toro.com/en/parts.

NL: Voor een exemplaar van dit document in uw eigen taal, gaat u naar: www.toro.com/en/parts.

NO: For å få en kopi av dette dokumentet på ditt språk, gå til www.toro.com/en/parts.

PL: Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę www.toro.com/en/parts.

PT: Para obter uma cópia deste documento no seu idioma, vá a www.toro.com/en/parts.

RO: Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați www.toro.com/en/parts.

SK: Ak chcete získať kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu www.toro.com/en/parts.

SL: Za izvod tega dokumenta v vašem jeziku obiščite spletno stran www.toro.com/en/parts.

SR: Da biste dobili primerak ovog dokumenta na svom jeziku, posetite www.toro.com/en/parts.

SV: Gå in på www.toro.com/en/parts om du vill ha ett exemplar av det här dokumentet på ditt språk.

UK Declaration of Conformity

The Toro Company ®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
31900A with 31953	418200000 and Up	Groundsmaster 3200 2-Wheel Drive Traction Unit	GROUNDMASTER 3200 24HP 2WD
31901A with 31953	418200000 and Up	Groundsmaster 3200 All-Wheel Drive Traction Unit	GROUNDMASTER 3200 24HP AWD
31902A with 31953	418200000 and Up	Groundsmaster 3300 All-Wheel Drive Traction Unit	GROUNDMASTER 3300 37HP AWD
31903A with 31953	418100000 and Up	Groundsmaster 3310 All-Wheel Drive Traction Unit	GROUNDMASTER 3310 37HP AWD CAB

Conforms to the following legislation(s):

2001 No. 1701 (Noise), 2008 No. 1597 (Machinery Safety), 2016 No. 1091 (EMC), 2017 No. 1206 (Radio Equipment)

Further, the following accessories/attachments conform to the UK national laws indicated below when installed according to instructions on the models listed above:

Model	Description	Regulation
Accessories/Attachments for All Models		
02835	F60 155cm Flail Mower	2008 No. 1597
03247	Operator Cooling Fan	2008 No. 1597, 2016 No. 1091
31916	Pro Force Debris Blower	2008 No. 1597, 2016 No. 1091, 2001 No. 1701
31952	Slope Sensor Kit	2008 No. 1597
31953	CE Kit	2008 No. 1597
31966	Auxiliary Hydraulic Kit	2008 No. 1597
31970 with 31957	60in Side Discharge Deck, GM with CE Kit	2008 No. 1597, 2001 No. 1701
31971 with 31959	60in Rear Discharge Deck, GM with CE Kit	2008 No. 1597, 2001 No. 1701
31972 with 31958	72in Side Discharge Deck, GM with CE Kit	2008 No. 1597, 2001 No. 1701
31973 with 31960	72in Rear Discharge Deck, GM with CE Kit	2008 No. 1597, 2001 No. 1701
31974	152cm/60in Rear Discharge Deck - Tier 2	2008 No. 1597, 2001 No. 1701
31975	183cm/72in Rear Discharge Deck - Tier 2	2008 No. 1597, 2001 No. 1701
31976	60in/152cm Side Discharge Recycler Kit	2008 No. 1597, 2001 No. 1701
31977	60in/152cm Rear Discharge Recycler Kit	2008 No. 1597, 2001 No. 1701
31978	72in/183cm Side Discharge Recycler Kit	2008 No. 1597, 2001 No. 1701
31979	72in/183cm Rear Discharge Recycler Kit	2008 No. 1597, 2001 No. 1701
32301	Seat Asm - Std	2008 No. 1597
32302	Seat Asm - Mech Suspension	2008 No. 1597
32303	Seat Asm - Air Suspension	2008 No. 1597
31985	60 inch Recycler Kit RD T2	2008 No. 1597
31986	72 inch Recycler Kit RD T2	2008 No. 1597
31990	GM3200/3300 Winter Cab	2008 No. 1597
31992	Road Light Kit	2008 No. 1597
31993	LED Work-Light Kit	2008 No. 1597, 2016 No. 1091
31994	Accessory Control Kit	2008 No. 1597

31996	LED Beacon Kit	2008 No. 1597, 2016 No. 1091
112-7059	Weight, 7 kg (15 lb)	2008 No. 1597
114-4096	Weight, 19 kg (42 lb)	2008 No. 1597
138-2699	Beacon Sunshade Kit	2008 No. 1597
138-2699	Beacon Sunshade Kit, Cab	2008 No. 1597, 2016 No. 1091
138-2700	LED Work Lights for Sunshade	2008 No. 1597, 2016 No. 1091
140-1559	Power Harness Kit	2008 No. 1597, 2016 No. 1091
140-3059	Rotary Blade 20.5	2008 No. 1597
140-3057	Rotary Blade 24.5	2008 No. 1597
140-4854	Blade 20.5	2008 No. 1597
140-4851	Blade 24.5	2008 No. 1597
144-0480	Weight Kit	2008 No. 1597
144-0484-03	Weight, 11 kg (25 lb)	2008 No. 1597
161-9001	Telematics Gateway	2016 No. 1091
MSC23345	BOSS Straight Blade Plow	2008 No. 1597
STB13567B	BOSS Blade Crate, 5ft ATV Poly Straight Blade Plow	2008 No. 1597

Data for Noise Regulations (S.I. 2001 No. 1701):

Model	Deck	Deck CE Kit	Blade	Classification	Cutting Width (cm)	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
31900A or 31901A with 31953	31970	31957	140-3059	Lawn Mower	152	105	105	3100
	31971	31959	140-3059	Lawn Mower	152	103	104	
	31972	31958	140-3057	Lawn Mower	183	104	105	
	31973	31960	140-3057	Lawn Mower	183	103	104	
	31974	N/A	140-4854	Lawn Mower	152	101	102	
	31975	N/A	140-4851	Lawn Mower	183	103	104	
31902A or 31903A with 31953	31970	31957	140-3059	Lawn Mower	152	105	105	2900
	31971	31959	140-3059	Lawn Mower	152	104	104	
	31972	31958	140-3057	Lawn Mower	183	104	105	
	31973	31960	140-3057	Lawn Mower	183	104	104	
	31974	N/A	140-4854	Lawn Mower	152	102	103	
	31975	N/A	140-4851	Lawn Mower	183	103	104	

Determined in accordance with ISO 11094:1991.

Conformity Assessment: Schedule 10

Notified Body: TÜV SÜD Industrie Service GmbH,

Notifizierte Stelle 0036 nach 2000/14/EG, Notified Body 0036 according 2000/14/EC

Westendstraße 199, 80686 München / Munich, Deutschland / Germany

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant UK legislation.

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro U.K. Limited
Spellbrook Lane West
Bishop's Stortford
CM23 4BU
United Kingdom



Tom Langworthy
Engineering Director
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
January 21, 2025

UK Specifications

Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass [‡] (kg)
31900A	18.4	747
31901A	18.4	767
31902A	27.5	848
31903A	27.5	1232

Model	with Deck	Hand/Arm Vibration (m/s ²)*			Whole Body Vibration (m/s ²)*	
		Left Hand	Right Hand	Uncertainty	Level	Uncertainty
31900A and 31901	31970	1.8	1.2	0.2	0.43	0.9
	31971	1.8	1.3	0.2	0.43	0.12
	31972	1.6	1	0.2	0.41	0.14
	31973	1.5	1.2	0.1	0.43	0.09
	31974	1.5	1.2	0.1	0.33	0.07
31902A and 31903	31975	1.8	1.3	0.2	0.39	0.09
	31970	1.1	2	0.1	0.28	0.07
	31971	1.4	1.1	0.1	0.31	0.10
	31972	1	1.3	0.1	0.31	0.10
	31973	2.1	1.7	0.2	0.26	0.05
31900A, 31901A, 31902A, or 31903A	31974	1.4	1.2	0.1	0.24	0.08
	31975	1.3	1.3	0.2	0.29	0.06
	02835	1.2	1.4	0.7	0.33	0.17
31903A with 31916	n/a	3.1	1.9	0.4	0.3	0.03
31902A with 31916	n/a	1.6	2.2	0.6	0.36	0.02
31901A or 31900A with 31916	n/a	1.8	2.3	0.5	0.34	0.05

[‡] With empty tanks in the normal operating configuration.

* Determined in accordance with the following standards:

EN ISO 5395-1:2013+A1:2018

EN ISO 5395-3:2013+A1:2017+A2:2018

EN 1032:2003+A1:2008

Model	with Deck	Sound Pressure (dBA) ¹		Sound Power (dBA) ¹	
		Level	Uncertainty	Level	Uncertainty
31900A and 31901A	31970	88	1		
	31971	87	1		
	31972	88	1		
	31973	87	1		
	31974	85	1		
	31975	87	1		
31902A	31970	88	1		
	31971	88	1		
	31972	88	1		
	31973	88	1		
	31974	88	1		
	31975	88	1		
31903A	31970	84	1		
	31971	84	1		
	31972	84	1		
	31973	83	1		
	31974	84	1		
	31975	83	1		
31900A, 31901A, 31902A, or 31903A	02835	88	1		
31903A with 31916	n/a	86	3	114	3
31902A with 31916	n/a	94	3	113	3
31901A or 31900A with 31916	n/a	94	3	114	3

¹ A-weighted levels, as measured at the operator position, determined in accordance with the following standards:

EN ISO 5395-1:2013+A1:2018

EN ISO 5395-3:2013+A1:2017+A2:2018

ISO 3744:2010

ISO 11201:2010