

# EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

| Model No. | Serial No.       | Product Description                  | Invoice Description                    |
|-----------|------------------|--------------------------------------|----------------------------------------|
| 76420     | 400000000 and Up | Titan ZX4875 Zero Turn Riding Mower  | TITAN ZX4875 122CM 24HP KOH FAB CE     |
| 76425     | 400000000 and Up | Titan ZXM4875 Zero Turn Riding Mower | TITAN ZXM4875 122CM 24HP KOH FAB MR CE |
| 76530     | 400000000 and Up | Titan ZXM5475 Zero Turn Riding Mower | TITAN ZXM5475 137CM 24HP KOH FAB MR CE |
| 76635     | 400000000 and Up | Titan ZXM6075 Zero Turn Riding Mower | TITAN ZXM6075 152CM 24HP KOH FAB MR CE |

Conform(s) to the following legislation:

2000/14/EC (Noise), 2006/42/EC (Machinery Directive), 2014/30/EU (EMC), 2011/65/EU (ROHS)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN ISO 5395-1:2013+A1:2018

EN ISO 5395-3:2013+A1:2017+A2:2018

EN ISO 14982:2009

EN 55012:2007+A1:2009

Further, the following accessories/attachments conform to the directives indicated below when installed according to instructions on the models listed above:

| Model                                  | Description      | Directive  |
|----------------------------------------|------------------|------------|
| Accessories/Attachments for All Models |                  |            |
| 79348                                  | EZ Vac           | 2006/42/EC |
| 79487                                  | ROPS Kit         | 2006/42/EC |
| 79489                                  | Slope Sensor Kit | 2014/30/EU |

| Model    | Description           | Directive  |
|----------|-----------------------|------------|
| 140-5036 | Steel Cover Kit       | 2006/42/EC |
| 147-8757 | Light Kit             | 2014/30/EU |
| 161-6178 | Bagger Compliance Kit | 2006/42/EC |

Data for Noise Directive (2000/14/EC):

| Model                         | Classification | Cutting Width (cm) | Measured Sound Power (dBA) | Guaranteed Sound Power (dBA) | Engine Speed (rpm) |
|-------------------------------|----------------|--------------------|----------------------------|------------------------------|--------------------|
| 76420                         | Lawn Mower     | 122                | 102                        | 104                          | 3150               |
| 76420 with 79348 and 117-7277 | Lawn Mower     | 122                | 104                        | 105                          | 2400               |
| 76425                         | Lawn Mower     | 122                | 102                        | 104                          | 3150               |
| 76425 with 79348 and 117-7277 | Lawn Mower     | 122                | 104                        | 105                          | 2400               |
| 76530                         | Lawn Mower     | 137                | 101                        | 103                          | 3000               |
| 76530 with 79348 and 115-9650 | Lawn Mower     | 137                | 104                        | 105                          | 2500               |
| 76635                         | Lawn Mower     | 152                | 103                        | 105                          | 3000               |
| 76635 with 79348 and 115-9649 | Lawn Mower     | 152                | 104                        | 105                          | 2600               |



Determined in accordance with ISO 11094:1991.

Conformity Assessment: Annex VI

Notified Body: TÜV SÜD Industrie Service GmbH,

Notifizierte Stelle 0036 nach 2000/14/EG, Notified Body 0036 according 2000/14/EC

Westendstraße 199, 80686 München / Munich, Deutschland / Germany

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.

Certified:

A handwritten signature in black ink, appearing to read 'John Heckel', written in a cursive style.

John Heckel  
Engineering Director  
8111 Lyndale Ave. South  
Bloomington, MN 55420, USA  
January 29, 2025

Authorized Representative:

Marcel Dutrieux  
Manager European Product Integrity  
Toro Europe NV  
Nijverheidsstraat 5  
2260 Oevel  
Belgium

# EU Specifications

## Machine Power, Mass, and Vibration Data

| Model | Nominal Power (kW) | Machine Mass <sup>‡</sup> (kg) | Hand/Arm Vibration (m/s <sup>2</sup> )* Level |            |             | Whole Body Vibration (m/s <sup>2</sup> )* |             |
|-------|--------------------|--------------------------------|-----------------------------------------------|------------|-------------|-------------------------------------------|-------------|
|       |                    |                                | Left Hand                                     | Right Hand | Uncertainty | Level                                     | Uncertainty |
| 76420 | 16.6               | 338                            | 2.7                                           | 2.9        | 0.4         | 0.55                                      | 0.10        |
| 76425 | 16.6               | 354                            | 1.9                                           | 3.4        | 0.3         | 0.37                                      | 0.09        |
| 76530 | 16.6               | 354                            | 3.6                                           | 5.3        | 0.4         | 0.39                                      | 0.04        |
| 76635 | 16.6               | 370                            | 3.3                                           | 3.7        | 0.4         | 0.46                                      | 0.06        |

<sup>‡</sup> With empty tanks in the normal operating configuration

\* Determined in accordance with EN ISO 5395-1:2013+A1: 2018

## Machine Sound Data

| Model | Sound Pressure (dBA) <sup>1</sup> |             |
|-------|-----------------------------------|-------------|
|       | Level                             | Uncertainty |
| 76420 | 92                                | 1           |
| 76425 | 92                                | 1           |
| 76530 | 92                                | 1           |
| 76635 | 92                                | 1           |

<sup>1</sup> A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395-1: 2013+A1: 2018



**BG:** За да получите копие от този документ на вашия език, отидете на [www.toro.com/en/parts](http://www.toro.com/en/parts).

**CS:** Kopii tohoto dokumentu ve svém jazyce získáte na adrese [www.toro.com/en/parts](http://www.toro.com/en/parts).

**DA:** For at indhente en kopi af dette dokument på dit sprog skal du besøge [www.toro.com/en/parts](http://www.toro.com/en/parts).

**DE:** Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter [www.toro.com/en/parts](http://www.toro.com/en/parts).

**EL:** Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση [www.toro.com/en/parts](http://www.toro.com/en/parts).

**EN:** To obtain a copy of this document in your language, go to [www.toro.com/en/parts](http://www.toro.com/en/parts).

**ES:** Puede obtener una copia de este documento en su idioma en [www.toro.com/en/parts](http://www.toro.com/en/parts).

**ET:** Dokumendist enda keeles koopia saamiseks külastage veebilehte [www.toro.com/en/parts](http://www.toro.com/en/parts).

**FI:** Tästä asiakirjasta saa omakielisen version osoitteesta [www.toro.com/en/parts](http://www.toro.com/en/parts).

**FR:** Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur [www.toro.com/en/parts](http://www.toro.com/en/parts).

**HR:** Za primjerak Izjave o sukladnosti na Vašem jeziku idite na [www.toro.com/en/parts](http://www.toro.com/en/parts).

**HU:** Ha szükséges van a dokumentum egy példányára a saját nyelvén, letöltheti azt a [www.toro.com/en/parts](http://www.toro.com/en/parts) oldalról.

**IT:** La copia del presente documento nella vostra lingua è disponibile su [www.toro.com/en/parts](http://www.toro.com/en/parts).

**LT:** Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite [www.toro.com/en/parts](http://www.toro.com/en/parts).

**LV:** Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz [www.toro.com/en/parts](http://www.toro.com/en/parts).

**NL:** Voor een exemplaar van dit document in uw eigen taal, gaat u naar: [www.toro.com/en/parts](http://www.toro.com/en/parts).

**NO:** For å få en kopi av dette dokumentet på ditt språk, gå til [www.toro.com/en/parts](http://www.toro.com/en/parts).

**PL:** Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę [www.toro.com/en/parts](http://www.toro.com/en/parts).

**PT:** Para obter uma cópia deste documento no seu idioma, vá a [www.toro.com/en/parts](http://www.toro.com/en/parts).

**RO:** Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SK:** Ak chcete získať kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SL:** Za izvod tega dokumenta v vašem jeziku obiščite spletno stran [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SR:** Da biste dobili primerak ovog dokumenta na svom jeziku, posetite [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SV:** Gå in på [www.toro.com/en/parts](http://www.toro.com/en/parts) om du vill ha ett exemplar av det här dokumentet på ditt språk.

# UK Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

| Model No. | Serial No.       | Product Description                  | Invoice Description                    |
|-----------|------------------|--------------------------------------|----------------------------------------|
| 76420     | 400000000 and Up | Titan ZX4875 Zero Turn Riding Mower  | TITAN ZX4875 122CM 24HP KOH FAB CE     |
| 76425     | 400000000 and Up | Titan ZXM4875 Zero Turn Riding Mower | TITAN ZXM4875 122CM 24HP KOH FAB MR CE |
| 76530     | 400000000 and Up | Titan ZXM5475 Zero Turn Riding Mower | TITAN ZXM5475 137CM 24HP KOH FAB MR CE |
| 76635     | 400000000 and Up | Titan ZXM6075 Zero Turn Riding Mower | TITAN ZXM6075 152CM 24HP KOH FAB MR CE |

Conform(s) to the following legislation:

S.I. 2001 No. 1701 (Noise), S.I. 2008 No. 1597 (Machinery Safety), S.I. 2016 No. 1091 (EMC), S.I. 2012 No. 3032 (ROHS)

Further, the following accessories/attachments conform to the UK national laws indicated below when installed according to instructions on the models listed above:

| Model                                  | Description      | Regulation    |
|----------------------------------------|------------------|---------------|
| Accessories/Attachments for All Models |                  |               |
| 79348                                  | EZ Vac           | 2008 No. 1597 |
| 79487                                  | ROPS Kit         | 2008 No. 1597 |
| 79489                                  | Slope Sensor Kit | 2016 No. 1091 |

| Model    | Description           | Regulation    |
|----------|-----------------------|---------------|
| 140-5036 | Steel Cover Kit       | 2008 No. 1597 |
| 147-8757 | Light Kit             | 2016 No. 1091 |
| 161-6178 | Bagger Compliance Kit | 2008 No. 1597 |

Data for Noise Regulations (S.I. 2001 No. 1701):

| Model                         | Classification | Cutting Width (cm) | Measured Sound Power (dBA) | Guaranteed Sound Power (dBA) | Engine Speed (rpm) |
|-------------------------------|----------------|--------------------|----------------------------|------------------------------|--------------------|
| 76420                         | Lawn Mower     | 122                | 102                        | 104                          | 3150               |
| 76420 with 79348 and 117-7277 | Lawn Mower     | 122                | 104                        | 105                          | 2400               |
| 76425                         | Lawn Mower     | 122                | 102                        | 104                          | 3150               |
| 76425 with 79348 and 117-7277 | Lawn Mower     | 122                | 104                        | 105                          | 2400               |
| 76530                         | Lawn Mower     | 137                | 101                        | 103                          | 3000               |
| 76530 with 79348 and 115-9650 | Lawn Mower     | 137                | 104                        | 105                          | 2500               |
| 76635                         | Lawn Mower     | 152                | 103                        | 105                          | 3000               |
| 76635 with 79348 and 115-9649 | Lawn Mower     | 152                | 104                        | 105                          | 2600               |

Determined in accordance with ISO 11094:1991.

Conformity Assessment: Schedule 9

Notified Body: TÜV SÜD Industrie Service GmbH,

Notifizierte Stelle 0036 nach 2000/14/EG, Notified Body 0036 according 2000/14/EC

Westendstraße 199, 80686 München / Munich, Deutschland / Germany

This declaration has been issued under the sole responsibility of the manufacturer.  
The object of the declaration is in conformity with relevant UK legislation.



John Heckel  
Engineering Director  
8111 Lyndale Ave. South  
Bloomington, MN 55420, USA  
January 29, 2025

Authorized Representative:

Marcel Dutrieux  
Manager European Product Integrity  
Toro U.K. Limited  
Spellbrook Lane West  
Bishop's Stortford  
CM23 4BU  
United Kingdom

# UK Specifications

## Machine Power, Mass, and Vibration Data

| Model | Nominal Power (kW) | Machine Mass <sup>‡</sup> (kg) | Hand/Arm Vibration (m/s <sup>2</sup> )* Level |            |             | Whole Body Vibration (m/s <sup>2</sup> )* |             |
|-------|--------------------|--------------------------------|-----------------------------------------------|------------|-------------|-------------------------------------------|-------------|
|       |                    |                                | Left Hand                                     | Right Hand | Uncertainty | Level                                     | Uncertainty |
| 76420 | 16.6               | 338                            | 2.7                                           | 2.9        | 0.4         | 0.55                                      | 0.10        |
| 76425 | 16.6               | 354                            | 1.9                                           | 3.4        | 0.3         | 0.37                                      | 0.09        |
| 76530 | 16.6               | 354                            | 3.6                                           | 5.3        | 0.4         | 0.39                                      | 0.04        |
| 76635 | 16.6               | 370                            | 3.3                                           | 3.7        | 0.4         | 0.46                                      | 0.06        |

<sup>‡</sup> With empty tanks in the normal operating configuration

\* Determined in accordance with EN ISO 5395-1:2013+A1: 2018

## Machine Sound Data

| Model | Sound Pressure (dBA) <sup>1</sup> |             |
|-------|-----------------------------------|-------------|
|       | Level                             | Uncertainty |
| 76420 | 92                                | 1           |
| 76425 | 92                                | 1           |
| 76530 | 92                                | 1           |
| 76635 | 92                                | 1           |

<sup>1</sup> A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395-1: 2013+A1: 2018