

EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
30495TC with 30240	417000000 and Up	Groundsmaster 7200 Series Traction Unit with CE Kit 30240 installed	GM7200 W/O DECK, CRATED
30695 with 30240	417000000 and Up	Groundsmaster 7210 Series Traction Unit with CE Kit 30240 installed	GM7210 W/NO DECK T4F

Conform(s) to the following legislation:

2000/14/EC (Noise) and 2005/88/EC (Noise), 2006/42/EC (Machinery Directive), 2014/30/EU (EMC), 2014/53/EU (RE D)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN 55012:2007 + A1:2009

EN ISO 14982:2009

Further, the following accessories/attachments conform to the directives indicated below when installed according to instructions on the models listed above:

Model	Description	Directive
03247	Operator Cooling Fan	2006/42/EC, 2014/30/EU
03248	Switch Panel	2006/42/EC, 2014/30/EU
30304	72in Guardian Completion Kit	2006/42/EC
30306	62in Guardian Completion Kit	2006/42/EC
30346	72in Fine Recycler Completion Kit	2006/42/EC
30353 and 30685	72in Base Deck with CE Kit	2006/42/EC
30359	Universal Sunshade	2006/42/EC
30374	Road Light Kit	2014/30/EU
30377	Rear Quick Attach System	2006/42/EC
30378	V-plow Mounting Kit	2006/42/EC
30380	Aux. Hydraulic Power Kit	2006/42/EC
30382	Power Port/Elec Acc	2014/30/EU
30456 and 30658	60in Side Discharge Deck with CE Kit	2006/42/EC
30457 and 30683	62in Base Deck with CE Kit	2006/42/EC
30469	62in Rear Discharge Completion Kit	2006/42/EC
30472	72in Rear Discharge Completion Kit	2006/42/EC
30481 and 30679	72in Side Discharge Deck with CE Kit	2006/42/EC
30483	Jack Stand Kit	2006/42/EC
30669	Universal Sunshade, White	2006/42/EC
30671	Universal Sunshade, Red	2006/42/EC
31101 with 30687	100in Deck with CE Kit	2006/42/EC
31211 with 31213	Triple bag grass collection kit with blower (for deck 30456)	2006/42/EC

Model	Description	Directive
31211 with 31212	Triple bag grass collection kit with blower (for deck 30481)	2006/42/EC
31251	Slope Sensor Kit	2006/42/EC, 2014/30/EU
105-7273	Striping Kit	2006/42/EC
108-5273	Leaf Mulching Kit—72in SDD	2006/42/EC
114-4090	Weight Bracket Kit	2006/42/EC
138-2700	Work Light Kit	2006/42/EC, 2014/30/EU
138-2699	Beacon Kit	2006/42/EC, 2014/30/EU
114-4096	Weight (42 lb)	2006/42/EC
122-3876	Telematics Gateway Lite	2014/53/EU



Data for Noise Directive (2000/14/EC):

Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)*	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
30495TC with 30240, 30481, and 30679	Lawn Mower	183	103	104	3150
30495TC with 30240, 30456, and 30658	Lawn Mower	153	104	105	3150
30495TC with 30240, 30456, 30658, 31211, and 31213	Lawn Mower	153	104	105	2920
30495TC with 30240, 30353, 30685, and 30304	Lawn Mower	183	100	101	3150
30495TC with 30240, 30353, 30685, and 30346	Lawn Mower	183	103	104	3150
30495TC with 30240, 30353, 30685, and 30472	Lawn Mower	183	101	102	3150
30495TC with 30240, 30457, 30683, and 30306	Lawn Mower	158	101	102	3150
30495TC with 30240, 30457, 30683, and 30469	Lawn Mower	158	101	102	3150
30695 with 30240, 30481, and 30679	Lawn Mower	183	103	103	3060
30695 with 30240, 30456, and 30658	Lawn Mower	153	103	104	3060
30695 with 30240, 30353, 30685, and 30304	Lawn Mower	183	102	103	3060
30695 with 30240, 30353, 30685, and 30346	Lawn Mower	183	103	103	3060
30695 with 30240, 30353, 30685, and 30472	Lawn Mower	183	102	102	3060
30695 with 30240, 30457, 30683, and 30306	Lawn Mower	158	101	102	3060
30695 with 30240, 30457, 30683, and 30469	Lawn Mower	158	101	101	3060
30695 with 30240, 31101, and 30687	Lawn Mower	254	102	103	3060

Determined in accordance with ISO 11094: 1991

Conformity Assessment: Annex VIII

Notified Body: TÜV SÜD Industrie Service GmbH, Notifizierte Stelle 0036 nach 2000/14/EG, Notified Body 0036 according 2000/14/EC, Westendstraße 199, 80686 München / Munich, Deutschland / Germany

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.

Certified:

A handwritten signature in black ink, reading "Tom Langworthy". The signature is fluid and cursive, with a long horizontal stroke extending to the left.

Tom Langworthy
Engineering Director
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
March 20, 2025

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro Europe NV
Nijverheidsstraat 5
2260 Oevel
Belgium

EU Specifications

Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass† (kg)	Hand/Arm Vibration (m/s²)* Level			Whole Body Vibration (m/s²)*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
30495TC with 30240, 30481, and 30679	18.5	949	1.0	3.4	1.7	0.23	0.12
30495TC with 30240, 30456, and 30658	18.5	915	1.0	3.4	1.7	0.23	0.12
30495TC with 30240, 30353, 30685, and 30304	18.5	889	1.0	3.4	1.7	0.23	0.12
30495TC with 30240, 30353, 30685, and 30346	18.5	889	1.0	3.4	1.7	0.23	0.12
30495TC with 30240, 30353, 30685, and 30472	18.5	889	1.0	3.4	1.7	0.23	0.12
30495TC with 30240, 30457, 30683, and 30306	18.5	866	1.0	3.4	1.7	0.23	0.12
30495TC with 30240, 30457, 30683, and 30469	18.5	866	1.0	3.4	1.7	0.23	0.12
30695 with 30240, 30481, and 30679	26.5	1048	1.3	3.9	0.4	0.28	0.11
30695 with 30240, 30456, and 30658	26.5	1024	1.2	1.6	0.2	0.41	0.09
30695 with 30240, 30353, 30685, and 30304	26.5	1035	2.2	2.8	0.3	0.27	0.09
30695 with 30240, 30353, 30685, and 30346	26.5	1035	1.1	2.8	0.8	0.24	0.06
30695 with 30240, 30353, 30685, and 30472	26.5	1049	1.8	1.3	1.0	0.34	0.09
30695 with 30240, 30457, 30683, and 30306	26.5	1016	1.8	2.5	0.6	0.37	0.06
30695 with 30240, 30457, 30683, and 30469	26.5	1030	2.7	2.4	0.7	0.31	0.05
30695 with 30240, 31101, and 30687	26.5	1200	1.6	1.3	0.6	0.41	0.14

† With empty tanks in the normal operating configuration

* Determined in accordance with EN ISO 5395-1:2013 + A1:2018

Machine Sound Data

Model	Sound Pressure (dBA) ¹	
	Level	Uncertainty
30495TC with 30353	87	1
30495TC with 30481	90	1
30495TC with 30356	90	1
30495TC with 30457	89	1
30695 with 30481	88	1
30695 with 30456	89	1
30695 with 30353	89	1
30695 with 30457	88	1
30695 with 31101	89	1

¹ A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395-1:2013 + A1:2018



BG: За да получите копие от този документ на вашия език, отидете на www.toro.com/en/parts.

CS: Kopii tohoto dokumentu ve svém jazyce získáte na adrese www.toro.com/en/parts.

DA: For at indhente en kopi af dette dokument på dit sprog skal du besøge www.toro.com/en/parts.

DE: Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter www.toro.com/en/parts.

EL: Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση www.toro.com/en/parts.

EN: To obtain a copy of this document in your language, go to www.toro.com/en/parts.

ES: Puede obtener una copia de este documento en su idioma en www.toro.com/en/parts.

ET: Dokumendist enda keeles koopia saamiseks külastage veebilehte www.toro.com/en/parts.

FI: Tästä asiakirjasta saa omakielisen version osoitteesta www.toro.com/en/parts.

FR: Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur www.toro.com/en/parts.

HR: Za primjerak Izjave o sukladnosti na Vašem jeziku idite na www.toro.com/en/parts.

HU: Ha szükséges van a dokumentum egy példányára a saját nyelvén, letöltheti azt a www.toro.com/en/parts oldalról.

IT: La copia del presente documento nella vostra lingua è disponibile su www.toro.com/en/parts.

LT: Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite www.toro.com/en/parts.

LV: Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz www.toro.com/en/parts.

NL: Voor een exemplaar van dit document in uw eigen taal, gaat u naar: www.toro.com/en/parts.

NO: For å få en kopi av dette dokumentet på ditt språk, gå til www.toro.com/en/parts.

PL: Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę www.toro.com/en/parts.

PT: Para obter uma cópia deste documento no seu idioma, vá a www.toro.com/en/parts.

RO: Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați www.toro.com/en/parts.

SK: Ak chcete získať kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu www.toro.com/en/parts.

SL: Za izvod tega dokumenta v vašem jeziku obiščite spletno stran www.toro.com/en/parts.

SR: Da biste dobili primerak ovog dokumenta na svom jeziku, posetite www.toro.com/en/parts.

SV: Gå in på www.toro.com/en/parts om du vill ha ett exemplar av det här dokumentet på ditt språk.

UK Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
30495TC with 30240	417000000 and Up	Groundsmaster 7200 Series Traction Unit with CE Kit 30240 installed	GM7200 W/O DECK, CRATED
30695 with 30240	417000000 and Up	Groundsmaster 7210 Series Traction Unit with CE Kit 30240 installed	GM7210 W/NO DECK T4F

Conform(s) to the following legislation:

S.I. 2001 No. 1701 (Noise), S.I. 2008 No. 1597 (Machinery Safety), S.I. 2016 No. 1091 (EMC), S.I. 2017 No. 1206 (Radio Equipment)

Further, the following accessories/attachments conform to the UK national laws indicated below when installed according to instructions on the models listed above:

Model	Description	Regulation
03247	Operator Cooling Fan	2001 No. 1701, 2016 No. 1091
03248	Switch Panel	2001 No. 1701, 2016 No. 1091
30304	72in Guardian Completion Kit	2008 No 1597
30306	62in Guardian Completion Kit	2008 No 1597
30346	72in Fine Recycler Completion Kit	2008 No 1597
30353 and 30685	72in Base Deck with CE Kit	2008 No 1597
30359	Universal Sunshade	2008 No 1597
30374	Road Light Kit	2008 No 1597
30377	Rear Quick Attach System	2008 No 1597
30378	V-plow Mounting Kit	2008 No 1597
30380	Aux. Hydraulic Power Kit	2008 No 1597
30382	Power Port/Elec Acc	2008 No 1597
30456 and 30658	60in Side Discharge Deck with CE Kit	2008 No 1597
30457 and 30683	62in Base Deck with CE Kit	2008 No 1597
30469	62in Rear Discharge Completion Kit	2008 No 1597
30472	72in Rear Discharge Completion Kit	2008 No 1597
30481 and 30679	72in Side Discharge Deck with CE Kit	2008 No 1597
30483	Jack Stand Kit	2008 No 1597
30669	Universal Sunshade, White	2008 No 1597
30671	Universal Sunshade, Red	2008 No 1597
31101 with 30687	100in Deck with CE Kit	2008 No 1597
31211 with 31213	Triple bag grass collection kit with blower (for deck 30456)	2008 No 1597
31211 with 31212	Triple bag grass collection kit with blower (for deck 30481)	2008 No 1597
31251	Slope Sensor Kit	2001 No. 1701, 2016 No. 1091

Model	Description	Regulation
105-7273	Striping Kit	2008 No 1597
108-5273	Leaf Mulching Kit—72in SDD	2008 No 1597
114-4090	Weight Bracket Kit	2008 No 1597
138-2700	Work Light Kit	2001 No. 1701, 2016 No. 1091
138-2699	Beacon Kit	2001 No. 1701, 2016 No. 1091
114-4096	Weight (42 lb)	2008 No 1597

Data for Noise Regulations (S.I. 2001 No. 1701):

Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)*	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
30495TC with 30240, 30481, and 30679	Lawn Mower	183	103	104	3150
30495TC with 30240, 30456, and 30658	Lawn Mower	153	104	105	3150
30495TC with 30240, 30456, 30658, 31211, and 31213	Lawn Mower	153	104	105	2920
30495TC with 30240, 30353, 30685, and 30304	Lawn Mower	183	100	101	3150
30495TC with 30240, 30353, 30685, and 30346	Lawn Mower	183	103	104	3150
30495TC with 30240, 30353, 30685, and 30472	Lawn Mower	183	101	102	3150
30495TC with 30240, 30457, 30683, and 30306	Lawn Mower	158	101	102	3150
30495TC with 30240, 30457, 30683, and 30469	Lawn Mower	158	101	102	3150
30695 with 30240, 30481, and 30679	Lawn Mower	183	103	103	3060
30695 with 30240, 30456, and 30658	Lawn Mower	153	103	104	3060
30695 with 30240, 30353, 30685, and 30304	Lawn Mower	183	102	103	3060
30695 with 30240, 30353, 30685, and 30346	Lawn Mower	183	103	103	3060
30695 with 30240, 30353, 30685, and 30472	Lawn Mower	183	102	102	3060
30695 with 30240, 30457, 30683, and 30306	Lawn Mower	158	101	102	3060
30695 with 30240, 30457, 30683, and 30469	Lawn Mower	158	101	101	3060
30695 with 30240, 31101, and 30687	Lawn Mower	254	102	103	3060

Determined in accordance with ISO 11094: 1991

Conformity Assessment: Schedule 11

Notified Body: TÜV SÜD Industrie Service GmbH, Notifizierte Stelle 0036 nach 2000/14/EG, Notified Body 0036 according 2000/14/EC, Westendstraße 199, 80686 München / Munich, Deutschland / Germany

This declaration has been issued under the sole responsibility of the manufacturer.
The object of the declaration is in conformity with relevant UK legislation.

A handwritten signature in black ink, reading "Tom Langworthy". The signature is fluid and cursive, with a long horizontal stroke extending to the left.

Tom Langworthy
Engineering Director
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
March 20, 2025

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro U.K. Limited
Spellbrook Lane West
Bishop's Stortford
CM23 4BU
United Kingdom

UK Specifications

Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass [‡] (kg)	Hand/Arm Vibration (m/s ²)* Level			Whole Body Vibration (m/s ²)*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
30495TC with 30240, 30481, and 30679	18.5	949	1.0	3.4	1.7	0.23	0.12
30495TC with 30240, 30456, and 30658	18.5	915	1.0	3.4	1.7	0.23	0.12
30495TC with 30240, 30353, 30685, and 30304	18.5	889	1.0	3.4	1.7	0.23	0.12
30495TC with 30240, 30353, 30685, and 30346	18.5	889	1.0	3.4	1.7	0.23	0.12
30495TC with 30240, 30353, 30685, and 30472	18.5	889	1.0	3.4	1.7	0.23	0.12
30495TC with 30240, 30457, 30683, and 30306	18.5	866	1.0	3.4	1.7	0.23	0.12
30495TC with 30240, 30457, 30683, and 30469	18.5	866	1.0	3.4	1.7	0.23	0.12
30695 with 30240, 30481, and 30679	26.5	1048	1.3	3.9	0.4	0.28	0.11
30695 with 30240, 30456, and 30658	26.5	1024	1.2	1.6	0.2	0.41	0.09
30695 with 30240, 30353, 30685, and 30304	26.5	1035	2.2	2.8	0.3	0.27	0.09
30695 with 30240, 30353, 30685, and 30346	26.5	1035	1.1	2.8	0.8	0.24	0.06
30695 with 30240, 30353, 30685, and 30472	26.5	1049	1.8	1.3	1.0	0.34	0.09
30695 with 30240, 30457, 30683, and 30306	26.5	1016	1.8	2.5	0.6	0.37	0.06
30695 with 30240, 30457, 30683, and 30469	26.5	1030	2.7	2.4	0.7	0.31	0.05
30695 with 30240, 31101, and 30687	26.5	1200	1.6	1.3	0.6	0.41	0.14

[‡] With empty tanks in the normal operating configuration

* Determined in accordance with EN ISO 5395-1:2013 + A1:2018

Machine Sound Data

Model	Sound Pressure (dBA) ¹	
	Level	Uncertainty
30495TC with 30353	87	1
30495TC with 30481	90	1
30495TC with 30356	90	1
30495TC with 30457	89	1
30695 with 30481	88	1
30695 with 30456	89	1
30695 with 30353	89	1
30695 with 30457	88	1
30695 with 31101	89	1

¹ A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395-1:2013 + A1:2018