


MODEL NO. 51645-7000001 & Up

PARTS CATALOG

TC 5000 GAS TRIMMER




TRIMMER HEAD & GEAR BOX ASSEMBLY

| Ref. No. | Part No. | Description | No. Used |
|-----------------------|----------|---------------------------------------|--|
| 1 | 57-5580 | Knob — L.H. | 1 |
| 2 | 57-5620 | Spring | 1 |
| 3 | 57-5600 | Housing — Spool | 1 |
| 2 3 4 | 43-5000 | .080 Line (38 Ft.) (Optional) | 1 |
| * | 46-2710 | .080 Line (1 Lb400 Ft.) (Optional) | 1 |
| * | 41-6820 | .095 Line (1 Lb285 Ft.) (Optional) | 1 |
| * | 46-2730 | .105 Line (1 Lb235 Ft.) (Optional) | 1 |
| * | 52-5070 | .105 Line (20 Ft.) (Optional) | 1 |
| * | 46-2740 | .130 Line (3 Lb450 Ft.) | 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1 |
| | 15 75 15 | (Optional) | 1 |
| 5 | 57-5590 | Spool — Inner | 1 |
| 6 | 57-5610 | Shaft | 1 |
| 5 6 7 8 9 | 48-2080 | Dust Cap | 1 |
| 8 | 57-5540 | Guard — Grass Wrap | 1 |
| 9 | 47-2800 | Support — Shield | 1 |

| Ref. No. | Part No. | Description | No. Used |
|-------------|--------------------|--|-----------------------|
| 10 | 48-2090 | Seal — Oil | 1 |
| 11 | 48-2100 | Sleeve — Spline | 1 |
| 11 12 | 52-5720 | Gear Box Assembly (Incl. Ref. #10, 11, & 13-15) | 1 |
| 13 | 53-7410 | Fitting — Grease | 1 |
| 14 | 48-2150 | Hex Hd. Machine Screw | 1 |
| 15 | 48-2130 | Hex Hd. Machine Screw | 2 |
| 16 | 48-2140 | Washer | 2 |
| 17 | 32105-8 | Hex Hd. Machine Screw | 6 |
| 18 | 53-7230 | Bracket — Shield | 2 2 6 1 6 |
| 19 | 3296-2 | Locknut | |
| 20 | 52-5960 | Shield — Grass Lockwasher | 2 |
| 21 | 55-8050 57-5550 | Screw — Guard | 1 3 3 2 |
| 22 | 57-5630 | Evelet | 2 |
| * | 57-5670 | Head Assembly (Incl. | - |
| | 37-3070 | Ref. #1-6, 23) | 1 |

^{*} Not Illustrated




HANDLE ASSEMBLY

| 1 | | Description | No. Used |
|----|----------|----------------------|-------------|
| | 32105-13 | Hex Washer Hd. Screw | 1 |
| 2 | 32105-12 | Hex Washer Hd. Screw | 1 |
| 3 | 53-7251 | Housing — R.H. | 1 |
| 4 | 42-6000 | Switch | 1 |
| 5 | 218-507 | Cap — Switch | 1 |
| 6 | 53-7261 | Housing — L.H. | 1 |
| 7 | 3296-12 | Locknut | 3 |
| 8 | 53-7370 | Wire Assembly | 2 |
| 9 | 55-8413 | Cover — Cable | |
| 10 | 2412-48 | Clip | 1 2 1 |
| 11 | 53-7330 | Tube — Handle R.H. | |
| 12 | 46-9480 | Decal — Warning | 1 |
| 13 | 46-2961 | Harness — Shoulder | 1 |
| 14 | 53-7070 | Clamp — Bull Horn | 2 |
| 15 | 3229-27 | Carriage Bolt | 4 |
| 16 | 3290-378 | Cable Tie | 2 |

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|--------------------------|-------------|
| 17 | 3251-4 | Rd. Hd. Mach. Screw | 1 |
| 18 | 44-2430 | Clamp — Harness | 1 |
| 19 | 44-7540 | Ring — Harness | 1 |
| 20 | 2410-60 | Plug Button | 2 |
| 21 | 235-27 | Grip — L.H. Handle | 1 |
| 22 | 53-7320 | Tube — Handle L.H. | 1 |
| 23 | 3296-42 | Locknut | 4 |
| 24 | 53-7180 | Decal — Model No. | 1 |
| 25 | 53-7510 | Tube Assembly | 1 |
| 26 | 53-7210 | Spline Shaft — Drive | 1 |
| 27 | 53-7280 | Trough | 1 |
| 28 | 53-7270 | Lever — Throttle | 1 |
| 29 | 53-7110 | Grip — R.H. Handle | 1 |
| * | 46-2690 | Clamp & Ring Kit | |
| | | (Incl. Ref. #7, & 17-19) | 1 |
| | | | |
| | | | |


^{*} Not Illustrated



ENGINE ASSEMBLY

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|-----------------------------|-------------|
| 1 | 54-5760 | Screw & Washer | 4 |
| 2 | 54-6540 | Crankcase (Incl. Ref. | |
| | | #1, & 61) | 1 |
| 3 | 54-6650 | Ring — Piston | 1 |
| 4 | 54-6580 | Gasket — Case | 1 |
| 5 | 54-5820 | Bearing | 2 |
| 6 | 54-4660 | Key — Woodruff | 1 |
| 7 | 54-6640 | Ring — Piston | 1 |
| 8 | 54-6660 | Piston Set (Incl. Ref. #10) | 1 |
| 9 | 54-6690 | Bearing — Needle | 1 |
| 10 | 54-6670 | Pin — Piston | 1 |
| 11 | 54-6680 | Clip — Piston Pin | 2 |
| 12 | 54-4380 | Seal — Oil | 1 |
| 13 | 54-6290 | Pulley — Starter | 1 |
| 14 | 54-6980 | Gasket — Starter | 1 |
| 15 | 54-4670 | Nut — Conical | 2 |
| 16 | 54-6340 | Screw | 1 |
| 17 | 54-6350 | Plate — Friction | 1 |
| 18 | 54-6330 | Spring — Return | 1 |
| 19 | 54-6360 | Ratchet | 1 |
| 20 | 54-6320 | Spring — Friction | 1 |
| 21 | 54-7000 | Reel | 1 |

| Ref. No. | Part No. | Description | No. Used |
|-------------|-----------------|--------------------------------|-------------|
| 22 | 54-6800 | Tube — Fuel | 1 |
| 23 | 54-6990 | Recoil — Starter (Incl. Ref. # | |
| | 300000 00000000 | 13, 16-21, 24, 25, 28, 29, | |
| | | & 49) | 1 |
| 24 | 53-7190 | Decal — Hot | 2 |
| 25 | 53-7380 | Decal — Toro | 1 |
| 26 | 54-6260 | Screw & Washer | 3 |
| 27 | 54-5340 | Clamp | 1 |
| 28 | 54-7010 | Spring — Spiral | 1 |
| 29 | 54-7030 | Rope — Starter | 1 |
| 30 | 54-6700 | Crankshaft (Incl. Ref. | |
| | | #6 & 9) | 1 |
| 31 | 54-6570 | Clamp | 1 |
| 32 | 54-5790 | Screw & Washer | 1 |
| 33 | 54-4440 | Bolt & Washer | 4 |
| 34 | 54-6550 | Case — Clutch | 1 |
| 35 | 54-5690 | Snap Ring | |
| 36 | 54-5680 | Bearing | 2 |
| 37 | 54-5670 | Snap Ring | 1 |
| 38 | 54-6920 | Drum — Clutch | 1 |
| 39 | 54-6000 | Grommet | 1 |
| 40 | 54-6770 | Wire — Lead | 1 |




ENGINE ASSEMBLY (Continued)

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|-------------------|-------------|
| 41 | 54-6750 | Unit — Transistor | |
| | | (Incl. Ref. #40) | 1 |
| 42 | 54-6760 | Screw & Washer | 2 |
| 43 | 54-6710 | Coil — Ignition | 1 |
| 44 | 54-4790 | Bolt & Washer | 2 |
| 45 | 54-6930 | Bolt — Clutch | 2 |
| 46 | 54-6960 | Shoe — Clutch | 2 |
| 47 | 54-6950 | Washer | 2 |
| 48 | 54-7020 | Washer | 1 |
| 49 | 54-5440 | Knob — Starter | 1 |
| 50 | 54-6780 | Flywheel | 1 |
| 51 | 54-5800 | Seal — Oil | 1 |
| 52 | 54-4490 | Snap Ring | 1 |
| 53 | 54-6970 | Spring | 1 |
| 54 | 54-4730 | Cap — Plug | 1 |
| 55 | 54-6730 | Grommet | 1 |
| 56 | 54-6740 | Wire — Lead | 1 |

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|----------------------------|-------------|
| 57 | 53-7130 | Guard — Gas Tank | 1 |
| 58 | 54-6720 | Clamp | 1 |
| 59 | 54-5840 | Nut | 2 |
| 60 | 54-5830 | Bolt | 2 |
| 61 | 54-5770 | Screw | 3 |
| 62 | 54-4330 | Screw | 1 |
| 63 | 54-6560 | Holder | 1 |
| 64 | 54-6500 | Bolt | 2 |
| 65 | 54-6490 | Washer — Spring | 2 |
| 66 | 54-5730 | Screw & Washer | 1 |
| 67 | 54-5740 | Bolt & Washer | 2 |
| 68 | 54-6460 | Rubber — Cushion | 1 |
| 69 | 54-6470 | Rubber — Cushion | 1 |
| * | 54-6940 | Clutch Assembly | |
| | | (Incl. Ref. #46 & 53) | 1 |
| * | 52-5770 | Engine Assembly (Complete) | 1 |
| | | | |

^{*} Not Illustrated




CARBURETOR & AIR CLEANER ASSEMBLY

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|--------------------------|-------------|
| 1 | 54-5150 | Screw & Washer | 2 |
| 2 | 54-4870 | Screw & Washer | 2 |
| 3 | 54-5040 | Screw & Washer | 4 |
| 4 | 54-6120 | Cover — Pump | 1 |
| 5 | 54-6110 | Diaphragm — Pump | 1 |
| 6 | 54-5010 | Gasket — Pump Cover | 1 |
| 7 | 54-6840 | Valve — Throttle | 1 |
| 8 | 54-6830 | Jet Needle Assembly | 1 |
| 9 | 54-4930 | Retainer — Spring | 1 |
| 10 | 54-7090 | Clip — Needle | 1 |
| 11 | 54-6820 | Spring — Throttle | 1 |
| 12 | 54-4910 | Cap — Mixing Chamber | 1 |
| 13 | 54-4900 | Cap — Rubber | 1 |
| 14 | 54-6850 | Wire — Throttle | 1 |
| 15 | 54-6790 | Gasket — Insulator | 1 |
| 16 | 54-6040 | Insulator | 1 |
| 17 | 54-6050 | Screw & Washer | 2 |
| 18 | 54-4850 | Gasket — Carburetor | 1 |
| 19 | 54-4960 | Spring — Adjusting Screw | 1 |
| 20 | 54-6090 | Screw — Adjusting | 1 |
| | | | |
| | 1 | | |

| 54-4980 54-6810 54-6810 54-5060 54-5000 54-6130 54-5100 54-5110 | Main Jet Needle Assembly Carburetor Assembly (Incl. Ref. #3-13, 19-21, & 23-31) Spring — Inlet Valve Arm — Float Gasket — Main Diaphragm Main Diaphragm Assembly Cover — Main Diaphragm | 1 1 1 1 1 1 1 |
|--|---|---|
| 54-4990 54-5060 54-5000 54-6130 54-5100 | #3-13, 19-21, & 23-31) Spring — Inlet Valve Arm — Float Gasket — Main Diaphragm Main Diaphragm Assembly | 1 1 1 1 |
| 54-5060 54-5000 54-6130 54-5100 | Spring — Inlet Valve Arm — Float Gasket — Main Diaphragm Main Diaphragm Assembly | 1 1 1 1 |
| 54-5060 54-5000 54-6130 54-5100 | Arm — Float Gasket — Main Diaphragm Main Diaphragm Assembly | 1 1 1 |
| 54-5000 54-6130 54-5100 | Gasket — Main Diaphragm Main Diaphragm Assembly | 1 |
| 54-6130 54-5100 | Main Diaphragm Assembly | 1 |
| 54-5100 | [12] S. M. | |
| | Cover — Main Diaphragm | 4 |
| 54-5110 | | 1 |
| | Screw & Washer | 4 |
| 54-5080 | Screw — Float Pin | 1 |
| 54-5070 | Pin — Float | 170 |
| 54-5050 | Valve — Float | 1 |
| 54-5200 | Grid | 1 |
| 54-5190 | Element | 1 |
| 54-5180 | Screen | 1 |
| 54-6870 | Cover — Cleaner | 1 |
| 54-5170 | Label — Choke | 1 |
| 54-6860 | Air Cleaner Complete (Incl. | |
| | Ref. #32-36) | 1 |
| | | |
| | 54-5050 54-5200 54-5190 54-5180 54-6870 54-5170 | 54-5050 Valve — Float 54-5200 Grid 54-5190 Element 54-5180 Screen 54-6870 Cover — Cleaner 54-5170 Label — Choke 54-6860 Air Cleaner Complete (Incl. |


^{*} Not Illustrated



CYLINDER & MUFFLER ASSEMBLY

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|------------------|-----------------------|
| 1 | 54-5850 | Screw & Washer | 1 |
| 2 | 54-6590 | Cover — Cylinder | 1 |
| 3 | 54-6150 | Screw & Washer | 2 |
| 4 | 54-6630 | Bolt — Stud | 2 2 1 1 2 |
| 5 | 54-6910 | Gasket — Muffler | 1 |
| 6 | 54-6900 | Muffler | 1 |
| 7 | 54-6170 | Flange Nut | 2 |
| | | | |
| | | | |
| | | | |

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|--------------------------|-------------|
| 8 | 54-6880 | Cover — Muffler | 1 |
| 9 | 54-6210 | Screw & Washer | 1 |
| 10 | 54-6890 | Screw & Washer | 1 |
| 11 | 54-6620 | Gasket — Cylinder | 1 |
| 12 | 54-6610 | Cylinder (Incl. Ref. #4) | 1 |
| 13 | 45-0320 | Spark Plug | 1 |
| 14 | 54-6600 | Bolt | 4 |
| | | | |




FUEL TANK ASSEMBLY

| Ref. No. | Part No. | Description | No. Used |
|-------------|-----------------|----------------------|-------------|
| 1 | 54-5510 | Cap — Pump | 1 |
| 2 | 54-5520 | Сар | 1 |
| 3 | 54-5530 | Seat — Valve | 1 |
| 4 | 54-5460 | Gasket | 1 |
| 5 | 54-5480 | Ball | 2 |
| 6 | 54-5470 | Sponge | 2 |
| 7 | 54-5490 | Seat — Valve | 1 1 |
| 8 | 54-5500 | Gasket | 1 |
| 9 | 54-5570 | Pump — Primer (Incl. | |
| | Securio servici | Ref. #2-8) | 1 |
| 10 | 54-7050 | Hose — Suction | 1 |
| 11 | 54-7040 | Tube — Fuel | 1 |
| 12 | 54-5550 | Clip | 2 |
| 13 | 54-5540 | Filter — Fuel | 1 |
| 14 | 54-6400 | Pad | 4 |
| | | | |

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|--|-------------|
| 15 | 54-7070 | Fuel Tank Assembly (Incl. Ref. #1-10, 13, 21-24) | 1 |
| 16 | 54-7080 | Hanger — Tank | 1 |
| 17 | 54-5840 | Nut | 1 |
| 18 | 54-6430 | Bar | 1 1 1 |
| 19 | 54-4330 | Screw | 1 |
| 20 | 54-7060 | Band — Tank | |
| 21 | 56-6150 | Screw | 1 |
| 22 | 54-5630 | Gasket | 1 |
| 23 | 54-5620 | Holder | 1 |
| 24 | 54-5610 | Valve — Breather | 1 |
| 25 | 54-5600 | Cap — Tank | 1 |
| * | 54-5590 | Tank Cap Assembly (Incl. Ref. #22-25) | 1 |


^{*} Not Illustrated



SHOULDER HARNESS (Optional)

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|--------------------|-------------|
| 1 | 46-2951 | Harness — Shoulder | 1 |
| | | | |
| | | | |
| | | | |
| | | | |

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|-------------|-------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |




SAW BLADE AND BRUSH BLADE (Optional)

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|-------------------------|-------------|
| 1 | 51-1230 | 8" Dia. Saw Blade | |
| | | (80 Tooth) | 1 |
| 2 | 51-1240 | 8" Dia. Blade (8 Tooth) | 1 |
| 2 | | Adapter — Blade | 1 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|--------------------------|-------------|
| 4 | 41-5410 | Nut | 1 |
| 5 | 3272-3 | Cotter Pin | 1 |
| * | 41-4440 | Blade Adapter Kit (Incl. | |
| | | Ref. #3-5) | 1 |
| | | | |
| | | | |
| | | | |

^{*} Not Illustrated




SINGLE LINE TAP & TRIM HEAD NO. 41-6220 (Optional)

| Ref. No. | Part No. | Description | No. Used |
|-----------------------|----------|---------------|-------------|
| 1 | 41-6230 | Drum w/Eyelet | 1 |
| 2 | 33-6460 | Spring | 1 |
| 1 2 3 4 5 | 3256-42 | Washer | 1 |
| 4 | 33-6230 | Spool Core | 1 |
| 5 | 33-6470 | Driver | 1 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| Re No | Part No. | Description | No. Used |
|----------|----------|------------------------------------|-------------|
| 6 | 41-6820 | 1 Lb. Filament Line Pack (.095) | 1 |
| 7 | 46-2830 | Prewound Spool | 1 |
| * | 29-7380 | Empty Spool | 1 |
| * | 41-6830 | 3 Lb. Line Bulk (.095) | 1 |
| 8 | 33-8940 | Saddle Clip | 1 |
| | | | |

^{*} Not Illustrated




DUAL LINE TAP & TRIM HEAD NO. 46-2800 (Optional)

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|------------------------|-------------|
| 1 | 46-2650 | Drum Assembly w/Eyelet | 1 |
| 2 | 33-6460 | Spring | 1 |
| 3 | 3256-42 | Washer | 1 |
| 4 | 33-6230 | Spool Core | 1 1 1 |
| 5 | 33-6470 | Driver L.H. | 1 |
| | | | |
| | | | |
| | | | |
| | | | |

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|---|-------------|
| 6 | 43-5000 | .080 Filament Line in Coil (38 Ft.) | 1 |
| * | 46-2710 | .080 Filament Line in 1 Lb. Pkg. (400 Ft.) | 1 |
| 7 | 46-2820 | Prewound Spool | |
| 7 8 | 33-8940 | Saddle — Spool Cap | 1 1 |
| | | | |

^{*} Not Illustrated




FIXED LINE HEAD (Optional)

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|----------------------------|-------------|
| 1 | 47-2260 | .105 (100 Pcs.) (Optional) | 1 |
| * | 46-2730 | .105 Line (1 Lb235 Ft.) | |
| | | (Optional) | 1 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|---------------|-------------|
| 2 | 41-5410 | Hex Nut | 1 |
| 3 | 3272-1 | Cotter Pin | 1 |
| 4 | 51-2760 | Head Assembly | 1 |
| | | | |

^{*} Not Illustrated




FIXED LINE HEAD (Optional)

| Ref. No. | Part No. | Description | No. Used | |
|-------------|----------|---------------------------------|-------------|--|
| 1 | 47-2260 | .105 (100 Pcs.) (Optional) | 1 | |
| * | 46-2730 | .105 Line (1 Lb235 Ft.) | | |
| | | (Optional) | 1 | |
| * | 42-0580 | .130 Line (100 Pcs.) (Optional) | 1 | |
| * | 46-2740 | .130 Line (3 Lb450 Ft.) | | |
| | | (Optional) | 1 | |
| | | | | |

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|-------------------------------|-------------|
| 2 | | Spacer | 1 |
| 3 | 46-2810 | Head Assembly (Incl. Ref. #2) | 1 |
| 4 | 41-4430 | Washer — Plate | 1 |
| 5 | 41-5410 | Hex Nut | 1 |
| 6 | 3272-3 | Cotter Pin | 1 |
| | | | |

^{*} Not Illustrated



SPARK ARRESTOR MUFFLER KIT NO. 55-7400

| Ref. No. | Part No. | Description | No. Used |
|-------------|----------|-----------------|-------------|
| 1 | 61-9280 | Muffler | 1 |
| 2 | 61-9320 | Cover — Muffler | 1 |
| 3 | 61-9300 | Gasket | 1 1 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | 10 |
| | | | |
| | | | |
| | | | |
| | | | |

| Ref. No. | | | No. Used | |
|-------------|---------|----------------------------------|-------------|--|
| 4 5 | 61-9290 | Spark Arrestor Screw & Washer | 1 2 | |
| | | | | |

PRODUCT CHANGES

In an effort to make improvements available to TORO owners as quickly as possible, minor changes are incorporated into Toro's products from time to time that do not become immediately shown in the Parts Catalog. If such a change apparently has been made in your unit, which is not reflected in your manual, see your TORO Distributor or his Authorized TORO Service Dealer for information and part numbers.

IDENTIFICATION AND ORDERING

MODEL AND SERIAL NUMBERS

The Trimmer has two identification numbers: a model number and a serial number. The two numbers are stamped on a decal which is located in front of throttle lever on bottom side of drive shaft tube. In any correspondence concerning the trimmer, supply model and serial numbers to assure that correct information and replacement parts are obtained.

To order replacement parts from an Authorized TORO Service Dealer, supply the following information:

- 1. Model and serial numbers of the trimmer.
- 2. Part number, description, and quantity of part(s) desired.

Note: Do not order by reference number if a parts catalog is being used; use the PART NUMBER.

NAYAYA AYAYAYAYAYA XAYAYAYA

COUNTRIES OTHER THAN THE UNITED STATES OR CANADA

Customers who have purchased TORO products exported from the United States or Canada should contact their TORO Distributor (Dealer) to obtain guarantee policies for your country, province or state. If for any reason you are dissatisfied with your Distributor's service or have difficulty obtaining guarantee information, contact the TORO importer. If all other remedies fail, you may contact us at The Toro Company.

| MAINTENANCE RECORD | | | | | |
|--------------------|--|--|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |
| 6 | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |