


MODEL NO. 38165-0000001 & UP

PARTS CATALOG

#### **TORO S-620 RECOIL**




C-0064-90

## **SHROUD & HANDLE ASSEMBLY**

Ref. No.	Part No.	Description	No. Used
1	39-0890	Upper Shroud	1
2	52-7070	Decal — Toro	1
3	39-0560	Control Assembly — Choke	1
4	32104-76	Self-Tapping Screw	2
5	23-7470	Guide — Starter Rope	1
6	40-5940	Switch	1
7	63-8360	Key	1
8	56-2660	Decal — Control Panel	1
9	49-1380	Upper Handle	1
10	32149-2	Locknut	1

Ref. No.	Part No.	Description	No. Used
11	49-1490	Nut	2
12	3290-225	Nut — Retained	4
13	32105-11	Hex Head Machine Screw	4
14	49-1610	Lower Shroud	1
15	3290-453	Nut — Push In	3
16	32144-34	Self-Tapping Screw	6
17	3256-61	Washer	1
18	39-8180	Control Wire	1
19	52-3300	Nut	3




## **LOWER MAIN FRAME ASSEMBLY**

Ref. No.	Part No.	Description	No. Used
1	52-7080	Vane — Outside	2
1 2 3 4	52-9100	Side Plate — Right	1
3	32144-4	Screw	6
4	52-7170	Housing	6 1 3 1 2 1 1 1 1 1 2 1 1 1 1 1
5 6 7	32144-89	Self-Tapping Screw	3
6	52-7090	Linkage — Vane Adjustment	1
7	32104-76	Self-Tapping Screw	2
8	32128-25	Flange Nut	1
9	51-2950	Spacer	1
10	66-6520	Moulding — Warning	1
11	66-6530	Vane Mount	1
12	25-6400	Engine Pulley	1
13	3257-3	Woodruff Key	1
14	3245-41	Set Screw	2
15	26-9730	Idler Spring	1
16	25-5880	Idler Pulley	1
17	323-9	Capscrew	1
18	25-5640	Washer	1
19	27-0410	Shoulder Screw	
20	321-4	Capscrew	5 1 1
21	54-9940	Drive Cover	1
22	32117-3	Grommet	1
23	3256-22	Washer	6
24	32104-10	Screw — Self Threading	1
25	32105-2	Machine Screw	6
26	49-1530	Rotor Pulley	1
27	25-6430	Belt	1

Ref. No.	Part No.	Description	No. Used
28	26-0970	Washer	1
29	33-2130	Side Plate Left	1
30	38-7820	Ball Bearing	2
31	52-7280	Thrust Washer	1 2 2 1 1 2 3 6
32	38-8620	Bearing Flange	1
33	52-9120	Drive Shaft & End Cap	1
34	23-3190	Shell — Rotor	2
35	3292-8	Rivet	3
36	3296-2	Locknut	6
37	3256-61	Washer — Control Pivot	4
38	5-4460	Washer	1 1
39	26-8990	Idler Arm	1
40	3256-24	Washer	2
41	3296-39	Locknut	1
42	29-7430	Eyelet	
43	32152-4	Locknut	1 5 7 2
44	52-7060	Vane	7
45	23-3730	Rotor Blade	2
46	37-0370	Screw	14
47	52-9110	Bearing Flange	1
48	3234-25	Screw — Cap Hex Hd. Flange	1
49	52-7270	Washer — Rubber	
50	52-7290	Retainer Bearing	1 1 3
51	32111-14	Nut — Cap	3
*	13-1689	Vane Mount Assembly (Incl. Ref. #7, 10, & 11)	1


<sup>\*</sup> Not Illustrated



Ref. No.	Part No.	Description	No. Used
1	3290-244	Washer	2
2	32152-4	Locknut	3
3	7-3315	Washer	1
4	32128-30	Flange Nut	2
5	49-1570	Support — Engine	1 1 1 2
6	38-8710	Stud	1
7	32111-7	Cap Nut	1
8	3-7501	Washer	2
9	52-7120	Eye Bolt	1
10	49-1600	Rod — Vane Adjustment	1
11	49-2480	Gas Line	1
12	2412-86	Clamp	2
13	49-1390	Lower Handle	2 1 1 1 1 4
14		Engine	1
15	23-3810	Gasket — Exhaust Pipe	1
16	52-7200	Exhaust Pipe	1
17	4-2390	Spacer	4
18	3256-23	Washer	4
19	3296-29	Locknut	10
	3296-29		

Ref. No.	Part No.	Description	No. Used
20	49-1540	Muffler Assembly	1
21	27-0060	Axle	1
22	3256-24	Washer	2
23	23-3250	Wheel	2
24	3290-320	Retainer — Push On	2
25	322-3	Capscrew	6
26	3296-56	Locknut	3
27	3256-22	Washer — Flat	3
28	3250-32	Button Hd. Capscrew	3
29	23-3170	Scraper	1
30	3234-23	Screw — Flange	2
31	39-0840	Bracket — Vane Adjustment	1
32	32144-1	Screw — Thread Forming	1
33	32144-4	Screw	3
34	49-1550	Support — Gas Tank	1
35	25-1610	Foam Pad	1
36	39-8670	Gas Tank	1
37	20-4620	Gasket	1
38	42-0680	Gas Cap (Incl. Ref. #36)	1
		7)	


# **ENGINE TECUMSEH MODEL NO. AH-600 TYPE 1622-N**



## **ENGINE TECUMSEH MODEL NO. AH-600 TYPE 1622-N**

Ref. No.	Part No.	Description	No. Used
1	290607	Crankshaft	1
2	310235B	Rod Assy. — Connecting	
		(Incl. Ref. #3, 3A & 3B)	1
3	650633	Screw — Connecting Rod	2
3A	530104A	Bearing — Cartridge	1
3B	530150	Bearing & Liner Set — Needle	
-		(37 needles)	1
4	310283	Piston	1
5	310264	Pin — Piston	1
6	310167	Ring — Piston Pin Retaining	2
7	310190	Ring Set — Piston	1
8		Block Assy. — Cylinder (Order	
Ŭ		short block if replacement	
		is required.)	1
9	530105	Bearing — Needle	1
9A	530110	Bearing — Ball	1
10	510319	Seal — Crankshaft	
11	650883	Stud — Exhaust	2 2
13	650796	Stud — Mounting	4
14	*510323	Gasket — Cover	1
15	570644	Plate — Cover	1
16	650579	Screw — Pan Flex Hd.	4
	490291A	Vane Assy. — Air	1
18	490291A 490294	Link — Governor	1
20	*510274	Gasket — Cylinder Head	1
21		Head — Cylinder	1
22	250240A	Screw — Pan Flex Hd.	5
23	650477		5
24	611049	Plug — Spark	1
	044004	(RCJ-8Y or equivalent)	1
25	611034	Clip — Speed ("U" type)	'
26	350396	Base Assy. — Blower Housing	1
12722		(Incl. Ref. #10)	1
27	650911	Screw — Torx Pan Hd.	4
29	590551	Cup — Starter	
30	650815	Washer — Spring	1

Ref. No.	Part No.	Description	No. Used
31	650390	Nut — Flywheel	1
32	350425	Housing — Blower	1
34	610118	Cover — Spark Plug	1
36	570645	Lever — Adjusting	1
37	570646	Spring — Adjusting Lever	1
39	650527	Stud — Carburetor	2
40	*510326	Gasket — Carburetor	2
41	650457	Nut — Hex	2
42	*510292	Gasket — Housing Base	1
43	570438A	Spacer	1
44	29443	Clip — Spring	1
45	611131	Harness — Wire	1
46	650356	Screw — Hex Washer Hd.	
10	000000	Powerlok Thread	4
47	*510325	Gasket — Cover	1
48	570647	Cover Assy. — Compression	1 .
40	370047	Release	1
49	650838	Washer — Flat No. 10	1
50	650579	Screw — Pan Flex Hd.	1
51	510206	( ) TO SECURE TO	1
		Gasket	1
52	570434	Baffle — Air	2
53	650229	Screw — Rd. Hd. Sems	
54	32180C	Line — Primer	1
55	570629A	Primer Assy.	1
84	611112	Flywheel	1
85	611032	Sleeve — Flywheel	1
86	34443A	Solid State Assembly	1
87	650814	Screw — Hex Hd. Sems	2
88		Rivet — Pop (3/16" Dia.)	
		(Can be purchased locally)	4
89	632142A	Carburetor (Incl. Ref. #40)	1
90	590537	Starter Assy. — Rewind	1
91	510324A	Gasket Set	
		(Incl. Items Marked *)	1




## **CARBURETOR NO. 632142A**

Ref. No.	Part No.	Description	No. Used
1	632130	Shaft & Lever Assy. — Throttle	1
3	631036	Shutter — Throttle	1
4	650506	Screw — Throttle &	
		Choke Shutter	1
7	631888	Shaft & Lever Assy. — Choke	1
8	630735	Spring — Choke Positioning	1
9	31837	Shutter — Choke	1
10	631562	Screw — Idle Adjustment	1
11	630738	Spring — Adjustment Screw	1
12	630739	Washer — Adjustment Screw	1
13	*630740	"O" Ring — Adjustment Screw	1
14	630898	Screw — Main Adjustment	1
15	*630748	Plug — Welch	1

Ref. No.	Part No.	Description	No. Used
17	*630746	Plug — Welch	1
18	631049	Spring — Valve	1
19	630742	Gasket — Valve Seat	1
20	*630932A	Inlet Needle — Seat, Spring & Gasket Assy.	
21	630750	(Incl. #18 & 19)	1
22	*630978	Gasket — Diaphragm	1
23	632127	Diaphragm Assy. (Incl. Ref. #21)	1
24	650817	Cover — Diaphragm	1 1 1
25	632163	Screw — Diaphragm Cover Disk	1
26	632164	Fitting — Fuel Inlet	1
31	631893	Repair Kit (Incl. Items Marked *)	1

<sup>\*</sup>Indicates Parts Included in Repair Kit Ref. #31.



# **REWIND STARTER NO. 590537**

Ref. No.	Part No.	Description	No. Used
1	590409A	Screw — Retainer	1
	590410	Retainer — R.H.	1
2	590411	Spring — Brake	1 1 1 1
4	590148	Dog — Starter	1
5	590412	Spring — R.H. Dog	1

Ref. No.	Part No.	Description	No. Used
6	590413A	Pulley	1
7	590414	Spring & Keeper Assy.	1
8	590536	Housing Assy. — Starter	1 1 1 1
9	590535	Rope — Starter	1
10	590452	Handle Assy. — Starter	1

#### **IDENTIFICATION AND ORDERING**

#### MODEL AND SERIAL NUMBERS

The S-620 has two identification numbers. A model number and a serial number. The two numbers are stamped on a decal which is located on right side of rotor housing, just ahead of the right wheel. In any correspondence concerning the S-620, supply model and serial numbers to assure that correct information and replacement parts are obtained.

To order replacement parts from an Authorized TORO Service Dealer, supply the following information:

- Model and serial numbers of the S-620
- 2. Part number, description, and quantity of part(s)

Note: Do not order by reference number if a parts catalog is being used; use the PART NUMBER.

# TO THE TOTAL STATES OF THE TOTAL STATES OF THE STATES OF T

# The Toro Promise

A TWO YEAR LIMITED WARRANTY

The Toro Company promises to repair your TORO Product if defective in materials or workmanship. The following time periods from the date of purchase apply:

> Residential Product . . . . . . . . . . 2 Years Residential Products Used Commercially . . . . . 45 Days

The costs of parts and labor are included, but the customer pays the transportation costs. Just return any residential product to an Authorized TORO Service Dealer or TORO Distributor.

Should you feel your TORO Product is defective and wish to rely on The Toro Promise, the following procedure is recommended:

- 1. Contact any Authorized TORO Service Dealer, TORO Master Service Dealer, or TORO Distributor (the Yellow Pages of your telephone directory is a good reference source).
- 2. He will either instruct you to return the product to him or recommend another Authorized TORO Service outlet which might be more convenient.
- 3. Bring the product along with your original sales slip, or other evidence of purchase date, to the service dealer.
- 4. The servicing dealer will inspect the unit, advise you whether the product is defective and, if so, make all repairs necessary to correct the defect without extra charge to you.

If for any reason you are dissatisfied with the dealer's analysis of the defect or the service performed, you may contact us.

Write:

TORO Consumer Service Department 8111 Lyndale Avenue South Minneapolis, Minnesota 55420

The above remedy of product defects through repair by an Authorized TORO Service Dealer is the purchaser's sole remedy for any defect.

THERE IS NO OTHER EXPRESS WARRANTY. ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR USE ARE LIMITED TO THE DURATION OF THE EXPRESS WARRANTY.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

This warranty applies only to parts or components which are defective and does not cover repairs necessary due to normal wear, misuse, accidents, or lack of proper maintenance. Regular, routine maintenance of the unit to keep it in proper operating condition is the responsibility of the owner.

All warranty repairs reimbursable under The Toro Promise must be performed by an Authorized TORO Service Dealer using Toro approved replacement parts.

Repairs or attempted repairs by anyone other than an Authorized TORO Service Account are not reimbursable under The Toro Promise. In addition, these unauthorized repair attempts may result in additional malfunctions, the correction of which is not covered by warranty.

THE TORO COMPANY IS NOT LIABLE FOR INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CON-NECTION WITH THE USE OF THE PRODUCT INCLUDING ANY COST OR EXPENSE OF PROVIDING SUBSTITUTE EQUIPMENT OR SERVICE DURING PERIODS OF MAL-FUNCTION OR NON-USE.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

#### COUNTRIES OTHER THAN THE UNITED STATES OR CANADA

Customers who have purchased TORO products exported from the United States or Canada should contact their TORO Distributor (Dealer) to obtain guarantee policies for your country, province or state. If for any reason

you are dissatisfied with your Distributor's service or have difficulty obtaining guarantee information, contact the TORO importer. If all other remedies fail, you may contact us at The Toro Company.