


For Serial Nos.
70,000 & Higher



Turf Ranger



Parts Manual

CONGRATULATIONS on the purchase of your new Exmark mower. This product has been carefully designed and manufactured to give you a maximum amount of dependability and years of trouble-free operation.

If additional information is needed, or should you require trained mechanic service, contact your authorized Exmark equipment dealer or distributor.

If you need to order replacement parts from your dealer, always give the model number and serial number of your mower as well as the quantity, part number and description of the part needed.

The serial number plate of the tractor unit is located on the top right hand side of the engine frame. The serial number plate for the deck is located on the front support pin gusset on the right hand side of the deck. We suggest you record numbers for ready reference.

Tractor Model No. _____

Tractor Unit Serial No. _____

Deck Model No. _____

Deck Serial No. _____

Date Purchased _____

Purchased From _____

TABLE OF CONTENTS

MODEL TR-17K, TR-18KO & TR-20KO PARTS LIST

Description	Page
Safety First	1, 17
Axle & Hydraulics	2
Motion Controls	3
Parking Brake	4
Engine Deck Group	5, 6
Rider Frame & Steering	7, 8
52" Mower Deck	9, 10
60" Mower Deck	11, 12
Kohler & 17 Kawasaki Electric	13, 14
Seat Assembly & Lift Actuator	15
Decals	16

Safety Recommendations For All Exmark Mower Users

Recommended practices from the International Safety Organizations Specifications for power lawn mowers.

Training


1. Regard the Exmark mower as a piece of power equipment and teach this regard to all who operate this unit.
2. Read the instructions carefully. Be familiar with the controls and the proper use of the equipment.
3. Never allow children, young teenagers, or people unfamiliar with these instructions to use the mower.
4. Avoid mowing while people, especially children or pets, are nearby. Keep in mind that the operator or user is responsible for accidents or hazards occurring to other people or their property.

Preparation

1. The use of personal protective equipment, such as (but not limited to) protection for the eyes, ears, feet and head is recommended.
2. While mowing, always wear substantial footwear and long trousers. Do not operate the equipment when barefoot or wearing open sandals.
3. Thoroughly inspect the area where the equipment is to be used and remove all stones, sticks, wires, bones and other foreign objects.
4. Always place the mower in the neutral lock position before starting the engine.
5. DANGER: Fuel is highly flammable.
 - a) Store fuel in containers specifically designed for this purpose.
 - b) Refuel outdoors only. Do not smoke while refueling.
 - c) Add fuel before starting the engine. Never remove the cap of the fuel tank or add fuel while engine is running or when engine is hot.
 - d) If fuel is spilled, do not attempt to start the engine. Move away from the area of the spill and avoid creating any source of ignition until fuel vapors have dissipated.

Operation

1. Give complete, undivided attention to the job at hand.
2. Do not operate the engine in a confined space where dangerous carbon monoxide fumes can collect.
3. Mow only in daylight or good artificial light.
4. Avoid operating the equipment in wet grass, when feasible. Always be sure of your footing on slopes. Walk, never run.
5. Mow across the face of slopes, never up and down. Exercise extreme caution when changing direction on slopes. Do not mow excessively steep slopes.
6. Use extreme caution when backing up or pulling the mower towards you.
7. Stop the blade(s) if mower has to be tilted for transportation, when crossing surfaces other than grass, and when transporting the mower to and from the area to be mowed.
8. Never operate the mower with defective guards, shields, or without safety devices in place, for example, deflectors.
9. Do not change the engine governor settings or overspeed the engine. Operating an engine at excessive speed may increase the hazard of personal injury.
10. Disengage all blade and drive clutches before starting.
11. Start the engine or switch on the motor carefully with feet well away from the blade(s).
12. Do not put hands or feet near rotating parts while the mower is being operated.
13. Never pick up or carry a mower while the engine is running.
14. Stop the engine and disconnect the spark plug wire:
 - a) Before checking, cleaning or working on the mower
 - b) After striking a foreign object (inspect the mower for damage and make repairs before restarting and operating the mower).




AXLE AND HYDRAULICS

KEY PART # QTY. DESCRIPTION

1.....800293.....	2.....3/8-16 x 1-1/4 Capscrew
2.....805006.....	4.....3/8 Heavy Spring Lockwasher
3.....543216.....	2.....Washer, Axle Plated
4.....803045.....	4.....Bolt, Whizlock 3/8-16 x 3/4
5.....543208.....	1.....Spacer, Outer Hub
6.....802002.....	6.....#10-32 x 1/2 Thd. Ctnng. Screw
7.....543358.....	2.....Hub, 4 Bolt
8.....543807.....	8.....Hub Bolt
8.....543396.....	2.....T/W Assy - 20.0 x 10.0-B
9.....513011.....	8.....1/2-20 Wheel Nut
10.....373021.....	2.....1" Clamp Collar
11.....543485.....	2.....Bearing - Tpd Bse Plw
12.....807261.....	2.....Key - 1/4 x 1/4 x 2 Ht. Machine
13.....800290.....	2.....3/8-16 x 3/4 Capscrew
14.....513211.....	1.....Element - Oil Filter
15.....800301.....	2.....3/8-16 x 3-1/2 HH Capscrew
16.....809007.....	4.....Nut - 3/8-16 Fing Hex
17.....303327.....	2.....3/8 Disc Spring Washer
18.....800298.....	2.....3/8-16 x 2-1/2 HH Capscrew
19.....800292.....	2.....3/8-16 x 1 HH Capscrew
20.....543996.....	1.....Stabilizer, Axle Upper
21.....542612.....	1.....Stabilizer, Axle Low
22.....805260.....	2.....3/8 Std Flat Washer

KEY PART # QTY. DESCRIPTION

23.....804007.....	2.....3/8-16 Square Nut
24.....807006.....	1.....#61 Woodruff Key
25.....513042.....	2.....Rim
26.....543928.....	1.....Pulley, Cast Iron 4"0 x .67(17 mm)
27.....806328.....	1.....Rollpin - 7/32 x 7/8
28.....543317.....	1.....Spacer, Fan
29.....543359.....	1.....Fan 7" OD/10 Blade
30.....503033.....	1.....Pulley Retainer Washer
31.....805004.....	1.....1/4 Heavy Spring Lockwasher
32.....800256.....	1.....1/4-20 x 1-1/2 HH Capscrew
33.....543888.....	1.....Elbow - 45 Deg. O.R./Hose Barb
34.....803321.....	4.....3/8-16 x 3/8 Setscrew
35.....543887.....	1.....Elbow - 90 Deg. O.R./Hose Barb
36.....543746.....	1.....Hydra Transaxle, 851 Series
37.....543892.....	4.....Clamp Hose
38.....543889.....	2.....Elbow, Male 90
39.....543864.....	1.....Suction, Strainer
40.....543930.....	1.....Hose - 17.25 Push-Lok
41.....543931.....	1.....Hose - 8.0 Push-Lok
42.....542913.....	1.....Tank, Hyd Widmt Ptd
43.....543894.....	1.....Oil Eye - Hyd. Tank
44.....543541.....	1.....Breather, Fillr & Cap
45.....800271.....	4.....5/16-18 x 3/4 HH Capscrew
46.....809001.....	4.....5/16-18 Whizlock Nut
47.....543680.....	2.....Tire - 20 x 10.00-8




MOTION CONTROLS

KEY PART # QTY. DESCRIPTION

1.....807522.....	2.....5/16-18 x 2 Carr. Bolt
2.....804506.....	2.....5/16-18 Reg Hex Nut
3.....542916.....	1.....Arm Widmt - Transaxle
4.....503033.....	1.....Pulley Retainer Washer
5.....805004.....	1.....1/4 Heavy Spring Lockwasher
6.....800256.....	1.....1/4-20 x 1-1/2 HH Capscrew
7.....544722.....	1.....Linkage - Motion Control
8.....513132.....	3.....Joint, Ball
9.....543710.....	1.....Rod End Plttd.
10.....513479.....	2.....Bushings, Spring Guide
11.....542724.....	1.....Centering Spring Weldment
12.....543148.....	1.....Rod - End
13.....804256.....	1.....5/16-18 Nyloc Hex Nut
14.....805258.....	1.....5/16 Std Flat washer
15.....804758.....	14.....Jam Nut RH 5/16-24
16.....544711.....	1.....Idler - Linkage S/A
17.....542144.....	1.....Idler Widmt - Linkage

KEY PART # QTY. DESCRIPTION

18.....513140.....	2.....Bearing, Control
19.....543486.....	1.....Bushings
20.....800279.....	1.....5/16-18 x 2-1/2 HH Capscrew
21.....808280.....	1.....5/16 x 1 Clevis Pin
22.....806753.....	1.....3/32 x 1/2 Cotter Pin
23.....303105.....	1.....Adjustable Yoke
24.....543520.....	1.....Rod - Linkage, Plated
25.....543518.....	1.....Adapter, Threaded
26.....512136.....	1.....Housing Widmt, Override
27.....543790.....	1.....Linkage - Clevis .31
28.....807002.....	1.....Key - 1/8 x 1/2 Wdrf #3
29.....542725.....	1.....Center Spring Assy - P
30.....542698.....	1.....Override - Pedal Spring
31.....809057.....	1.....Hx Socket Hd Shoulder Screw
32.....804255.....	1.....1/4-20 Nyloc Nut
33.....800513.....	1.....5/16-24 x 1 Hex Head Cpscrw
34.....543017.....	1.....Ball Joint




PARKING BRAKE

KEY PART # QTY. DESCRIPTION

1.....	800278.....	1.....	5/16-18 x 2-1/4 HH Cap
2.....	809001.....	13.....	5/16-18 Whizlock Nut
3.....	543115.....	2.....	Link - Brake
4.....	808278.....	2.....	5/16 x 3/4 Clevis Pin
5.....	806761.....	2.....	1/8 x 3/4 Cotter Pin
6.....	542123.....	1.....	Arm Widmt - Btrfly Ctr
7.....	806328.....	3.....	Roll Pin - 7/32 x 7/8
8.....	542190.....	1.....	Pivot Widmt - Brake Lever
9.....	542924.....	1.....	Supt. Widmt - Trans LH
10.....	542926.....	1.....	Supt. Widmt - Trans RH
11.....	542192.....	1.....	Handle Widmt - Brake
12.....	303020.....	1.....	Grip (Adj. Lever)
13.....	542719.....	1.....	Trigger Widmt - Brake
14.....	805257.....	2.....	5/16 SAE Washer
15.....	808512.....	1.....	E Ring
16.....	513468.....	1.....	Spring - Brake Handle
17.....	543798.....	1.....	Pushnut - .312 Fit Rnd
18.....	513140.....	4.....	Bearing Control
19.....	542125.....	1.....	Butterfly Widmnt
20.....	542900.....	1.....	Quadrant Widmt - Brake


KEY PART # QTY. DESCRIPTION

21.....	303334.....	2.....	5/16 Disc Washer
22.....	800271.....	9.....	5/16-18 x 3/4 HH Capscrew
23.....	803032.....	4.....	Bolt, Whizlock 5/16-18 x 3/4
24.....	543721.....	1.....	Linkage - Brake
25.....	804760.....	4.....	Jam Nut 3/8-24 Pltd.
26.....	805260.....	2.....	Washer, Flat - 3/8
27.....	543132.....	1.....	Spring, Brk Protect
28.....	543129.....	1.....	Pin - Trunion
29.....	800273.....	2.....	5/16-18 x 1 HH Capscrew
30.....	543514.....	2.....	Flange Mtg, Side
31.....	543543.....	1.....	3 x 1/2 Spring
32.....	543745.....	1.....	Link Connector #60
33.....	542748.....	1.....	Jackshaft Widmt - Brk
34.....	543138.....	1.....	Mount - Jackshaft Brg.
35.....	542121.....	1.....	Arm Widmt - Brk Control
36.....	808280.....	1.....	5/16 x 1 Clevis Pin
37.....	543892.....	1.....	Hose Clamp
38.....	806753.....	1.....	3/32 x 1/2 Cotter Pin
39.....	213148.....	1.....	Clamp
40.....	543007.....	1.....	Spacer




ENGINE DECK GROUP

KEY	PART #	QTY.	DESCRIPTION	KEY	PART #	QTY.	DESCRIPTION
1		1	Engine - 18 hp Kohler	29	800292	3	3/8-16 x 1 HH Capscrew (Kohler)
2		1	Engine - 20 hp Kohler	30	800271	2	5/16-18 x 3/4 HH Capscrew (Kohler)
3		1	Engine - 17 hp Kaw.	31	543882	2	5/16-18 x 3/4 HH Capscrew (Kaw.)
4		1	Air Filter - Kohler #45-083-02	32	800297	1	Bolt - Hold Down
5		1	Air Filter - Kohler #45-083-01	33	543792	4	3/8-16 x 2-1/4 Hex Hd Capscrew
6		1	Foam Precleaner, Kohler #45-083-01	34	543296	1	Wingnut - Nyloc 1/4
7		1	Foam Precleaner, Kohler #45-083-02	35	542948	1	Grommet - Fuel Line
8		1	Foam Precleaner, Kohler #45-083-03	36	543935	1	Lever - Drive Release
9		1	Foam Precleaner, Kohler #45-083-04	37	543007	2	Spacer - Clutch Anchor
10		1	Foam Precleaner, Kohler #45-083-05	38	543933	1	Spacer - Clutch Anchor
11		1	Foam Precleaner, Kohler #45-083-06	39	801056	1	Brkt - Nut Lever
12		1	Foam Precleaner, Kohler #45-083-07	40	804254	1	Screw - 12-24 x 1.38 Slt
13		1	Foam Precleaner, Kohler #45-083-08	41	543286	1	Nut - 12-24 Nyloc Hex
14		1	Foam Precleaner, Kohler #45-083-09	42	543286	1	Grommet
15		1	Foam Precleaner, Kohler #45-083-10	43	303160	2	Compression Spring
16		1	Foam Precleaner, Kohler #45-083-11	44	800275	3	5/16-18 x 1-1/2 HH Capscrew (Kohler)
17		1	Foam Precleaner, Kohler #45-083-12	45	809018	3	M8 x 1.25 x 33 mm HH Capscrew (Kaw.)
18		1	Foam Precleaner, Kohler #45-083-13	46	303335	1	Plastic Tie - Large
19		1	Foam Precleaner, Kohler #45-083-14	47	543891	1	Battery Cover
20		1	Foam Precleaner, Kohler #45-083-15	48	807264	1	Key - 1/4 x 1/4 x 2-5/8 Mach (17 Kaw.)
21		1	Foam Precleaner, Kohler #45-083-16	49	807010	1	3/4 x 1/4 #91 Woodruff Key (20 hp Kohler)
22		1	Foam Precleaner, Kohler #45-083-17	50	543929	1	Pulley - Engine (18 Kohler & 17 Kaw.)
23		1	Foam Precleaner, Kohler #45-083-18	51	543959	1	Pulley - Engine (20 hp Kohler)
24		1	Foam Precleaner, Kohler #45-083-19	52	543860	1	Clutch, Electric (Ogura)
25		1	Foam Precleaner, Kohler #45-083-20	53	323037	1	Slide Spacer
26		1	Foam Precleaner, Kohler #45-083-21	54	543865	1	Bushing - Clutch Keeper
27		1	Foam Precleaner, Kohler #45-083-22	55	803610	2	7/16 Spring Disc Washer
28		1	Foam Precleaner, Kohler #45-083-23	56	800820	1	Capscrew - 7/16-20 x 3 HH (Kohler)
29		1	Foam Precleaner, Kohler #45-083-24	57	809055	1	M10 x 1.5 x 80 mm HH Capscrew (Kaw.)
30		1	Foam Precleaner, Kohler #45-083-25	58	543521	1	Belt - Deck Drive (60" Deck) (Kaw.)
31		1	Foam Precleaner, Kohler #45-083-26	59	543898	1	Belt - Deck Drive (52" Deck) (Kaw.)
32		1	Foam Precleaner, Kohler #45-083-27	60	800295	1	3/8-16 x 1-3/4 HH Capscrew
33		1	Foam Precleaner, Kohler #45-083-28	61	303021	2	Grip (Drive Lever)
34		1	Foam Precleaner, Kohler #45-083-29	62	543959	1	Pulley - Engine (20 hp Kohler)
35		1	Foam Precleaner, Kohler #45-083-30	63	543860	1	Clutch, Electric (Ogura)
36		1	Foam Precleaner, Kohler #45-083-31	64	323037	1	Slide Spacer
37		1	Foam Precleaner, Kohler #45-083-32	65	543865	1	Bushing - Clutch Keeper
38		1	Foam Precleaner, Kohler #45-083-33	66	803610	2	7/16 Spring Disc Washer
39		1	Foam Precleaner, Kohler #45-083-34	67	800820	1	Capscrew - 7/16-20 x 3 HH (Kohler)
40		1	Foam Precleaner, Kohler #45-083-35	68	809055	1	M10 x 1.5 x 80 mm HH Capscrew (Kaw.)
41		1	Foam Precleaner, Kohler #45-083-36	69	543521	1	Belt - Deck Drive (60" Deck) (Kaw.)
42		1	Foam Precleaner, Kohler #45-083-37	70	543898	1	Belt - Deck Drive (52" Deck) (Kaw.)
43		1	Foam Precleaner, Kohler #45-083-38	71	800295	1	3/8-16 x 1-3/4 HH Capscrew
44		1	Foam Precleaner, Kohler #45-083-39	72	303021	2	Grip (Drive Lever)
45		1	Foam Precleaner, Kohler #45-083-40	73	543959	1	Pulley - Engine (20 hp Kohler)
46		1	Foam Precleaner, Kohler #45-083-41	74	543860	1	Clutch, Electric (Ogura)
47		1	Foam Precleaner, Kohler #45-083-42	75	323037	1	Slide Spacer
48		1	Foam Precleaner, Kohler #45-083-43	76	543865	1	Bushing - Clutch Keeper
49		1	Foam Precleaner, Kohler #45-083-44	77	803610	2	7/16 Spring Disc Washer
50		1	Foam Precleaner, Kohler #45-083-45	78	800820	1	Capscrew - 7/16-20 x 3 HH (Kohler)
51		1	Foam Precleaner, Kohler #45-083-46	79	809055	1	M10 x 1.5 x 80 mm HH Capscrew (Kaw.)
52		1	Foam Precleaner, Kohler #45-083-47	80	543521	1	Belt - Deck Drive (60" Deck) (Kaw.)
53		1	Foam Precleaner, Kohler #45-083-48	81	543898	1	Belt - Deck Drive (52" Deck) (Kaw.)
54		1	Foam Precleaner, Kohler #45-083-49	82	800295	1	3/8-16 x 1-3/4 HH Capscrew
55		1	Foam Precleaner, Kohler #45-083-50	83	303021	2	Grip (Drive Lever)
56		1	Foam Precleaner, Kohler #45-083-51	84	543959	1	Pulley - Engine (20 hp Kohler)
57		1	Foam Precleaner, Kohler #45-083-52	85	543860	1	Clutch, Electric (Ogura)
58		1	Foam Precleaner, Kohler #45-083-53	86	323037	1	Slide Spacer
59		1	Foam Precleaner, Kohler #45-083-54	87	543865	1	Bushing - Clutch Keeper
60		1	Foam Precleaner, Kohler #45-083-55	88	803610	2	7/16 Spring Disc Washer
61		1	Foam Precleaner, Kohler #45-083-56	89	800820	1	Capscrew - 7/16-20 x 3 HH (Kohler)
62		1	Foam Precleaner, Kohler #45-083-57	90	809055	1	M10 x 1.5 x 80 mm HH Capscrew (Kaw.)
63		1	Foam Precleaner, Kohler #45-083-58	91	543521	1	Belt - Deck Drive (60" Deck) (Kaw.)
64		1	Foam Precleaner, Kohler #45-083-59	92	543898	1	Belt - Deck Drive (52" Deck) (Kaw.)
65		1	Foam Precleaner, Kohler #45-083-60	93	800295	1	3/8-16 x 1-3/4 HH Capscrew
66		1	Foam Precleaner, Kohler #45-083-61	94	303021	2	Grip (Drive Lever)
67		1	Foam Precleaner, Kohler #45-083-62	95	543959	1	Pulley - Engine (20 hp Kohler)
68		1	Foam Precleaner, Kohler #45-083-63	96	543860	1	Clutch, Electric (Ogura)
69		1	Foam Precleaner, Kohler #45-083-64	97	323037	1	Slide Spacer
70		1	Foam Precleaner, Kohler #45-083-65	98	543865	1	Bushing - Clutch Keeper
71		1	Foam Precleaner, Kohler #45-083-66	99	803610	2	7/16 Spring Disc Washer
72		1	Foam Precleaner, Kohler #45-083-67	100	800820	1	Capscrew - 7/16-20 x 3 HH (Kohler)
73		1	Foam Precleaner, Kohler #45-083-68	101	809055	1	M10 x 1.5 x 80 mm HH Capscrew (Kaw.)
74		1	Foam Precleaner, Kohler #45-083-69	102	543521	1	Belt - Deck Drive (60" Deck) (Kaw.)
75		1	Foam Precleaner, Kohler #45-083-70	103	543898	1	Belt - Deck Drive (52" Deck) (Kaw.)
76		1	Foam Precleaner, Kohler #45-083-71	104	800295	1	3/8-16 x 1-3/4 HH Capscrew
77		1	Foam Precleaner, Kohler #45-083-72	105	303021	2	Grip (Drive Lever)
78		1	Foam Precleaner, Kohler #45-083-73	106	543959	1	Pulley - Engine (20 hp Kohler)
79		1	Foam Precleaner, Kohler #45-083-74	107	543860	1	Clutch, Electric (Ogura)
80		1	Foam Precleaner, Kohler #45-083-75	108	323037	1	Slide Spacer
81		1	Foam Precleaner, Kohler #45-083-76	109	543865	1	Bushing - Clutch Keeper
82		1	Foam Precleaner, Kohler #45-083-77	110	803610	2	7/16 Spring Disc Washer
83		1	Foam Precleaner, Kohler #45-083-78	111	800820	1	Capscrew - 7/16-20 x 3 HH (Kohler)
84		1	Foam Precleaner, Kohler #45-083-79	112	809055	1	M10 x 1.5 x 80 mm HH Capscrew (Kaw.)
85		1	Foam Precleaner, Kohler #45-083-80	113	543521	1	Belt - Deck Drive (60" Deck) (Kaw.)
86		1	Foam Precleaner, Kohler #45-083-81	114	543898	1	Belt - Deck Drive (52" Deck) (Kaw.)
87		1	Foam Precleaner, Kohler #45-083-82	115	800295	1	3/8-16 x 1-3/4 HH Capscrew
88		1	Foam Precleaner, Kohler #45-083-83	116	303021	2	Grip (Drive Lever)
89		1	Foam Precleaner, Kohler #45-083-84	117	543959	1	Pulley - Engine (20 hp Kohler)
90		1	Foam Precleaner, Kohler #45-083-85	118	543860	1	Clutch, Electric (Ogura)
91		1	Foam Precleaner, Kohler #45-083-86	119	323037	1	Slide Spacer
92		1	Foam Precleaner, Kohler #45-083-87	120	543865	1	Bushing - Clutch Keeper
93		1	Foam Precleaner, Kohler #45-083-88	121	803610	2	7/16 Spring Disc Washer
94		1	Foam Precleaner, Kohler #45-083-89	122	800820	1	Capscrew - 7/16-20 x 3 HH (Kohler)
95		1	Foam Precleaner, Kohler #45-083-90	123	809055	1	M10 x 1.5 x 80 mm HH Capscrew (Kaw.)
96		1	Foam Precleaner, Kohler #45-083-91	124	543521	1	Belt - Deck Drive (60" Deck) (Kaw.)
97		1	Foam Precleaner, Kohler #45-083-92	125	543898	1	Belt - Deck Drive (52" Deck) (Kaw.)
98		1	Foam Precleaner, Kohler #45-083-93	126	800295	1	3/8-16 x 1-3/4 HH Capscrew
99		1	Foam Precleaner, Kohler #45-083-94	127	303021	2	Grip (Drive Lever)
100		1	Foam Precleaner, Kohler #45-083-95	128	543959	1	Pulley - Engine (20 hp Kohler)
101		1	Foam Precleaner, Kohler #45-083-96	129	543860	1	Clutch, Electric (Ogura)
102		1	Foam Precleaner, Kohler #45-083-97	130	323037	1	Slide Spacer
103		1	Foam Precleaner, Kohler #45-083-98	131	543865	1	Bushing - Clutch Keeper
104		1	Foam Precleaner, Kohler #45-083-99	132	803610	2	7/16 Spring Disc Washer
105		1	Foam Precleaner, Kohler #45-083-100	133	800820	1	Capscrew - 7/16-20 x 3 HH (Kohler)
106		1	Foam Precleaner, Kohler #45-083-101	134	809055	1	M10 x 1.5 x 80 mm HH Capscrew (Kaw.)
107		1	Foam Precleaner, Kohler #45-083-102	135	543521	1	Belt - Deck Drive (60" Deck) (Kaw.)
108		1	Foam Precleaner, Kohler #45-083-103	136	543898	1	Belt - Deck Drive (52" Deck) (Kaw.)
109		1	Foam Precleaner, Kohler #45-083-104	137	800295	1	3/8-16 x 1-3/4 HH Capscrew
110		1	Foam Precleaner, Kohler #45-083-105	138	303021	2	Grip (Drive Lever)
111		1	Foam Precleaner, Kohler #45-083-106	139	543959	1	Pulley - Engine (20 hp Kohler)
112		1	Foam Precleaner, Kohler #45-083-107	140	543860	1	Clutch, Electric (Ogura)
113		1	Foam Precleaner, Kohler #45-083-108	141	323037	1	Slide Spacer
114		1	Foam Precleaner, Kohler #45-083-109	142	543865	1	Bushing - Clutch Keeper
115		1	Foam Precleaner, Kohler #45-083-110	143	803610	2	7/16 Spring Disc Washer
116		1	Foam Precleaner, Kohler #45-083-111	144	800820	1	Capscrew - 7/16-20 x 3 HH (Kohler)
117		1	Foam Precleaner, Kohler #45-083-112	145	809055	1	M10 x 1.5 x 80 mm HH Capscrew (Kaw.)
118		1	Foam Precleaner, Kohler #45-083-113	146	543521	1	Belt - Deck Drive (60" Deck) (Kaw.)
119		1	Foam Precleaner, Kohler #45-083-114	147	543898	1	Belt - Deck Drive (52" Deck) (Kaw.)
120		1	Foam Precleaner, Kohler #45-083-115	148	800295	1	3/8-16 x 1-3/4 HH Capscrew
121		1	Foam Precleaner, Kohler #45-083-116	149	303021	2	Grip (Drive Lever)
122		1	Foam Precleaner, Kohler #45-083-117	150	543959	1	Pulley - Engine (20 hp Kohler)
123		1	Foam Precleaner, Kohler #45-083-118	151	543860	1	Clutch, Electric (Ogura)
124		1	Foam Precleaner, Kohler #45-083-119	152	323037	1	Slide Spacer
125		1	Foam Precleaner, Kohler #45-083-120	153	543865	1	Bushing - Clutch Keeper
126		1	Foam Precleaner, Kohler #45-083-121	154	803610	2	7/16 Spring Disc Washer
127		1	Foam Precleaner, Kohler #45-083-122	155	800820	1	Capscrew - 7/16-20 x 3 HH (Kohler)
128		1	Foam Precleaner, Kohler #45-083-123	156	809055	1	M10 x 1.5 x 80 mm HH Capscrew (Kaw.)
129		1	Foam Precleaner, Kohler #45-083-124	157	543521	1	Belt - Deck Drive (60" Deck) (Kaw.)
130		1	Foam Precleaner, Kohler #45-083-125	158	543898	1	Belt - Deck Drive (52" Deck) (Kaw.)
131		1	Foam Precleaner, Kohler #45-083-126	159	800295	1	3/8-16 x 1-3/4 HH Capscrew
132		1	Foam Precleaner, Kohler #45-083-127	160	303021	2	Grip (Drive Lever)
133		1	Foam Precleaner, Kohler #45-083-128	161	543959	1	Pulley - Engine (20 hp Kohler)
134		1	Foam Precleaner, Kohler #45-083-129	162	543860	1	Clutch, Electric (Ogura)
135		1	Foam Precleaner, Kohler #45-083-130	163	323037	1	Slide Spacer
136		1	Foam Precleaner, Kohler #45-083-131	164	543865	1	Bushing - Clutch Keeper
137		1	Foam Precleaner, Kohler #45-083-132	165	803610	2	7/16 Spring Disc Washer
138		1	Foam Precleaner, Kohler #45-083-133	166	800820	1	Capscrew - 7/16-20 x 3 HH (Kohler)
139		1	Foam Precleaner, Kohler #45-083-134	167</			



RIDER FRAME AND STEERING

KEY	PART #	QTY.	DESCRIPTION	KEY	PART #	QTY.	DESCRIPTION
1	542920	1	Frame Widmt - Rider	30	542194	1	Bracket, Pivot LH (Not Shown)
2	543509	4	Bearing, Taprd Roller	31	800273	5	5/16-18 x 1 HH Capscrew
3	543511	3	Seal, Grease	32	800293	2	3/8-16 x 1-1/4 Capscrew
4	811006	3	Zerk, 1/4-28 Sirt	33	800251	4	1/4-20 x 5/8 HH Capscrew
5	805269	2	3/4 S.A.E. Flat Washer	34	806332	2	Rollpin - 1/4 x 1-1/2
6	806770	1	Cotter Pin - 5/32 x 1.25	35	805255	4	1/4 SAE Flatwasher
7	803040	1	Nut Hex Sltd 3/4-16	36	513588	2	Bearing, DU
8	543513	1	Cap - Grease	37	543172	1	Shaft - Foot Pedal
9	543498	1	Seat Spring	38	542140	1	Lever Widmt - Foot Pedal
10	805259	1	Washer, Flat 3/8	39	543159	1	R Pad, Rider Anti-Sk
11	800294	1	3/8-16 x 1-1/2 Capscrew	40	543158	1	L Pad, Rider Anti-Sk (Not Shown)
12	303327	2	3/8 Disc Spring Washer	41	542850	1	Shaft, Steer Widmt
13	809007	13	Nut - 3/8-16 Flng Hex	42	543573	4	Link - Connector, #40
14	303007	5	Washer - 6" Caster Pivot	43	543579	2	Eyebolt
15	543428	1	Handle Bar - Painted	44	543885	1	Chain - #40-29 Pitch
16	543575	2	Grip, handle Bar	45	543886	1	Chain - #40-33 Pitch
17	542939	1	Console	46	542870	2	Link
18	543716	1	Cover - Console Painted	47	804751	4	Jam Nut - 5/16-18
19	542854	1	Steering Post	48	800292	6	3/8-16 x 1 HH Capscrew
20	802006	6	#10-24 x 10-24 x 1/2 Slt. Hd.	49	553007	1	Stop - Actuator
21	800290	4	Hx. Thrd. Cut Screw	50	542872	1	Steering Wheel Mnt.
22	303199	4	3/8-16 x 3/4 Capscrew	51	803042	1	Nut - 5/8-11 Torq Pltd
23	303200	2	6" Caster Flange	52	800346	1	HHCS 5/8-11 x 10-1/2
24	806331	2	6" Caster Sleeve	53	543552	1	Bushing, Wheel Plt
25	542183	1	Roll Pin - 1/4 x 1-1/4	54	543556	2	Spacer - Wheel Short Plt
26	543161	1	Pedal Widmt - Foot, Plt	55	543508	2	Bearing Cup
27	543160	1	Pad - Rev Cntrl Pedal	56	543674	1	Rim
28	809001	9	Pad - Forwd Control Pedal	57	543397	1	T/W Assy 18.0 x 6.50-8
29	542196	1	5/16-18 Whizlock Nut	58	543679	1	Tire - 18 x 6.50-8
			Brkt Widmt Pivot RH	59	804257	1	3/8-16 Nyloc Nut
				60	543296	1	Grommet




52" MOWER DECK

KEY	PART #	QTY.	DESCRIPTION
1.....	602573.....	1.....	Support Weldment - Deck
2.....	800292.....	12.....	3/8-16 x 1 HH Capscrew
	14.....		Kawasaki
3.....	303327.....	13.....	3/8 Disc Spring Washer
	14.....		Kawasaki
4.....	809007.....	28.....	Nut - 3/8-16 Whizlock
5.....	806006.....	2.....	5/8 Hairpin
6.....	303164.....	2.....	Spacer - Blade Driver
7.....	806007.....	2.....	7/8 Hairpin
8.....	513338.....	2.....	Washer
9.....	513336.....	2.....	Bushing - Deck Support
10.....	808507.....	2.....	Ring - Ext. Retaining
11.....	805006.....	2.....	3/8 Hvy. Spring Lockwasher
12.....	373034.....	9.....	Washer - Pivot
13.....	811001.....	2.....	1/8 NPT Straight Zerk
14.....	303044.....	4.....	Flange Thrust Bearing
15.....	512894.....	2.....	Weld Assy - Caster Fork
16.....	800334.....	2.....	1/2-13 x 6 HH Capscrew
17.....	805008.....	2.....	1/2 Reg Spring Lockwasher
18.....	804509.....	2.....	1/2-13 Reg Hex Nut
19.....	513547.....	2.....	Spacer - Front Caster
20.....	513648.....	2.....	Wheel & Tire Assy - 9 x 3.50-4
	513807.....	2.....	Wheel
	513808.....	2.....	Tire 9 x 3.50-4
	513809.....	2.....	Bearing
	513810.....	4.....	Bushing
21.....	603547.....	1.....	Cover - Deck Drive Belt
22.....	602545.....	2.....	Cover - Deck Weldment
23.....	603576.....	1.....	Belt - Blade Drive
24.....	811006.....	3.....	Zerk - 1/4-28 Straight
25.....	804510.....	3.....	5/8-18 UNF Hex Nut
26.....	513208.....	3.....	Spring - Disc
27.....	513207.....	3.....	Sheave - Blade Drive
28.....	303057.....	6.....	Bearing - Ball 305K
29.....	513186.....	3.....	Housing - Bearing
30.....	513188.....	3.....	Spacer - Bearing
31.....	513193.....	3.....	Seal - Mech. Dust
32.....	808506.....	3.....	Snap Ring - 2.59 x 08 TK
33.....	807006.....	4.....	#61 Woodruff Key
34.....	603031.....	2.....	Spindle - Outer Blade
	604262.....	1.....	Drive Assy - Outer Blade
35.....	603022.....	1.....	Spindle - Center Blade
	604621.....	1.....	Drive Assy - Center Blade

KEY	PART #	QTY.	DESCRIPTION
36.....	603637.....	3.....	Blade - 18.0 Diameter
	603844.....	3.....	Blade - Low Lift
	603873.....	3.....	Blade - Mulching *
37.....	513435.....	3.....	1/2 Disc Spring Washer
38.....	800531.....	3.....	1/2-20 x 1 HH Capscrew RH
39.....	809035.....	18.....	3/8-16 x 1.0 TT Tex Washer Hd Bolt
40.....	602575.....	1.....	Deck Weldment - 52" SD
41.....	602571.....	1.....	Chute Weldment - Discharge
42.....	800273.....	2.....	5/16-18 x 1 HH Capscrew
43.....	804256.....	2.....	5/16-18 Nyloc Hex Nut
44.....	603050.....	1.....	Bushing - Spacer
45.....	513787.....	1.....	Pulley - V Idler
46.....	603805.....	1.....	Idler
47.....	603504.....	1.....	Spacer - Tube
48.....	603581.....	1.....	Sheave - Mower Drive
49.....	603413.....	2.....	Spring - Extension
50.....	603497.....	2.....	Idler Pulley
51.....	803016.....	2.....	3/8-16 x 1 Whizlock Bolt G5
52.....	804257.....	2.....	3/8-16 Hex Nyloc Nut Flated
53.....	805260.....	6.....	3/8 Std. Flatwasher
54.....	513034.....	4.....	Bearing - Pivot
55.....	602604.....	1.....	Idler Arm Assy w/Bearings
	602591.....	1.....	Arm Weldment - Deck Idler
56.....	603384.....	2.....	Bushing - Idler Pivot
57.....	602865.....	1.....	Idler Arm Assy Deck Drive w/Bearings
	602867.....	1.....	Arm Weldment Deck Drive Idler
58.....	811008.....	2.....	Zerk - 1/4-28 x 90°
59.....	800297.....	2.....	3/8-16 x 2-1/4 Hx Hd Cpscrew G5
60.....	603540.....	2.....	Link - Rear Deck Support
61.....	803031.....	2.....	3/8-24 Torque Nut
62.....	603299.....	6.....	Roller - Anti Scalp
63.....	800806.....	6.....	3/8-16 x 3.75 HHCS Gr. 8
64.....	603602.....	6.....	Bushing - Roller
65.....	603620.....	1.....	Bracket - Spring Anchor
66.....	800805.....	2.....	3/8-16 x 3.5 Gr. 8 HH Cpscrew
67.....	603496.....	1.....	Bushing - Idler
68.....	543678.....	4.....	Wingnut - Nylon Insert
69.....	513791.....	1.....	Bushing
70.....	603494.....	1.....	Spacer
71.....	800302.....	1.....	3/8-16 x 4 HHCS

* Requires installation of MK-52R mulching kit
for proper mulching.





60" MOWER DECK

KEY	PART #	QTY.	DESCRIPTION
1.....	602593.....	1.....	Support Widmt, Dk. Pltd.
2.....	800292.....	10.....	3/8-16 x 1 HH Capscrew
3.....	303327.....	12.....	3/8 Disc Spring Washer
4.....	809007.....	20.....	3/8-16 Flange Hex Nut
5.....	806006.....	2.....	5/8" Hairpin
6.....	303164.....	2.....	Blade Driver Spacer
7.....	806007.....	2.....	7/8" Hairpin
8.....	513338.....	2.....	Washer
9.....	513336.....	2.....	Bshing, Deck Support
10.....	808507.....	2.....	Ring, Ext. Retaining
11.....	373034.....	9.....	Washer, Pivot
12.....	303044.....	4.....	Flange Thrust Bearing
13.....	811001.....	2.....	1/8 NPT Straight Zerk
14.....	512894.....	2.....	Weld Assy - Caster Front
15.....	800334.....	2.....	Screw - 1/2-13 x 6 HHC-5
16.....	805008.....	2.....	1/2 Reg Spring Lockwasher
17.....	804509.....	2.....	1/2-13 Reg Hex Nut
18.....	513547.....	2.....	Spacer, Front Caster
19.....	513648.....	2.....	9 x 3.50-4 W & T Assy.
	513807.....	2.....	Wheel
	513808.....	2.....	Tire 9 x 3.50-4
	513809.....	2.....	Bearing
	513810.....	4.....	Bushing
20.....	543584.....	1.....	Cover, Deck Drive Belt
21.....	805259.....	10.....	Washer, Flat - 3/8
22.....	543678.....	10.....	Wingnut - Nylon Insert
23.....	513291.....	2.....	Bumper, Seat
24.....	542588.....	2.....	Cover, Decfk Widmt. - Pltd.
25.....	603045.....	1.....	Belt - Blade Drive
26.....	811006.....	3.....	Zerk, 1/4-28 Strt.
27.....	804510.....	3.....	5/8-18 UNF Hex Nut
28.....	513208.....	3.....	Spring, Disc
29.....	513207.....	3.....	Sheave, Blade Drive
30.....	303057.....	6.....	Bearing, Ball 305K
31.....	513186.....	3.....	Housing, Bearing
32.....	513188.....	3.....	Spacer, Bearing
33.....	513193.....	3.....	Seal, Mech. Dust
34.....	808506.....	3.....	Snap Ring, 2.59 x 08 TK
35.....	807006.....	4.....	#61 Woodruff Key
36.....	603031.....	2.....	Spindle - Outer Blade
	604262.....	2.....	Outer Housing - Complete
37.....	603022.....	1.....	Spindle - Center Blade
	604261.....	1.....	Center Housing - Complete

KEY	PART #	QTY.	DESCRIPTION
38.....	603283.....	3.....	Blade - 20.5 Diameter
	603661.....	3.....	Blade - Low Lift
	603874.....	3.....	Blade - Mulching*
39.....	513435.....	3.....	Washer, Spring Disc 1/2
40.....	800531.....	3.....	1/2-20 x 1 HHCS RH
41.....	809035.....	18.....	Bolt - 3/8-16 x 1.0 Tap
42.....	811008.....	2.....	Zerk - 1/4-28 x 90°
43.....	800805.....	2.....	3/8-16 x 3.5 Hx Hd Capscrew
44.....	800297.....	1.....	3/8-16 x 2-1/4 Hx Hd Capscrew
45.....	513787.....	1.....	Pulley - V-Idler
46.....	513034.....	4.....	Bearing Pivot
47.....	805260.....	2.....	3/8 Standard Flat Washer
48.....	803016.....	2.....	Bolt - 3/8-16 x 1 Whizlock
49.....	603496.....	1.....	Bushing - Idler
50.....	602867.....	1.....	Arm Weld - Dk. Dr. Idler
	602865.....	1.....	Idler Arm Assy w/Bearings
51.....	602591.....	1.....	Arm Weld - Dk. Idler Arm
	602604.....	1.....	Idler Arm Assy w/Bearings
52.....	603384.....	2.....	Bushing - Idler Pivot
53.....	603504.....	1.....	Spacer - Tuber
54.....	603050.....	1.....	Bushing - Spacer Pltd.
55.....	603413.....	2.....	Spring
56.....	805006.....	2.....	3/8 Heavy Spring Lockwasher
57.....	603540.....	2.....	Link, Rear Deck Support
58.....	803031.....	2.....	3/8-24 Torque Nut
59.....	804257.....	2.....	3/8-16 Hex Nyloc Nut
60.....	602585.....	1.....	Weld Assy - 60" Deck
61.....	603602.....	6.....	Bushing - Roller
62.....	603299.....	6.....	Roller - Anti Scalp
63.....	800806.....	6.....	Capscrew 3/8-16 x 3.75 G8
64.....	542606.....	1.....	Chute Widmt., Discharge
65.....	800273.....	2.....	5/16-18 x 1 HH Capscrew
66.....	804256.....	2.....	5/16-18 Nyloc Hex Nut
67.....	800031.....	2.....	3/8-16 x 2-3/4 HHTB
68.....	603805.....	1.....	Idler
69.....	800297.....	1.....	3/8-16 x 2-1/4 HH Capscrew
70.....	603497.....	2.....	Idler - 4" Flat
71.....	603410.....	1.....	Sheave - Mower Drive
72.....	513791.....	1.....	Bushing
73.....	603494.....	1.....	Spacer
74.....	800302.....	1.....	3/8-16 x 4 HHCS

* Requires installation of MK-60R mulching kit for proper mulching.





KOHLER & 17 HP KAW. ELECTRICAL

KEY PART # QTY. DESCRIPTION

1.....	603479.....	1.....	12 Volt Battery
2.....	800271.....	2.....	5/16-18 x 3/4 HH Capscrew
3.....	809001.....	2.....	5/16-18 Whizlock Nut
4.....	543766.....	1.....	Wire - (+) Battery (Kohler)
5.....	513056.....	1.....	Wire - Ground (Kohler)
6.....	513582.....	1.....	Starter Wire (Kohler)
7.....	543393.....	3.....	Insulator, Solenoid +
8.....	543392.....	1.....	Insulator, Solenoid -
9.....	804256.....	1.....	5/16-18 Nyloc Nut
10.....	809012.....	10.....	1/4-20 Whizlock Nut (Kohler)
		12.....	1/4-20 Whizlock Nut (Kaw.)
11.....	800251.....	10.....	1/4-20 x 5/8 HH Capscrew
12.....	513075.....	1.....	Switch 12 V Solenoid
13.....	816001.....	2.....	Fuse - Blade 20 AMP
14.....	543769.....	1.....	Harness - Wire Engine
15.....	303287.....	12.....	Plastic Tie 5.5 x .0044 x .1
16.....	543697.....	1.....	Cable Throttle (Kohler)
	323139.....	1.....	Cable Throttle (Kaw.) w/Choke
17.....	543696.....	1.....	Cable Choke (Kohler)
18.....	543793.....	5.....	Clip - .38" Loom
19.....	323128.....	1.....	Brkt - Safety Switch
20.....	513051.....	2.....	Switch, Neutral Lockout
21.....	513592.....	1.....	Knob - Red Ball
22.....	803017.....	2.....	Machine Screw - 10-24 x .63 Ctr.
23.....	804252.....	8.....	#10-24 Nyloc Hex Nut
24.....	543296.....	1.....	Grommet
25.....	809040.....	23"	Hose-Battery Mnfld.
26.....	513762.....	1.....	Clip - .50" Loom
27.....	543768.....	1.....	Harness - Wire Rider

KEY PART # QTY. DESCRIPTION

28.....	805252.....	2.....	Standard Flat Washer .219
29.....	801039.....	6.....	#10-24 x 5/8 Std. Machine
30.....	513374.....	1.....	Meter, Engine Hours
31.....	513579.....	1.....	Module - Safety Interlock (Kohler)
	603625.....	1.....	Module - Safety Interlock (Kaw.)
32.....	543387.....	1.....	Switch, Toggle
33.....	543388.....	1.....	Guard, Switch Toggle
34.....	543386.....	2.....	Boot, Toggle Switch
35.....	543385.....	1.....	Switch, Toggle DPDT
36.....	513194.....	1.....	Ignition Switch
37.....	805506.....	1.....	5/16 Internal Tooth Lockwasher
38.....	816003.....	1.....	Fuse - Blade 30 AMP
39.....	543974.....	1.....	Plate - Throttle (Kohler)
40.....	543391.....	1.....	Insulator - Battery Positive
41.....	543390.....	1.....	Insulator - Battery Negative
42.....	543994.....	1.....	Wire - (+) Battery (Kaw.)
43.....	543767.....	1.....	Wire - Ground (Kawasaki)
44.....	603645.....	1.....	Switch - Oil Pressure (Kaw.)
45.....	603626.....	1.....	Adapter - 1/8 NPT Ma/Fe (Kaw.)
46.....	603635.....	1.....	Adapter - Oil Switch (Kaw.)
47.....	809026.....	1.....	M8 x 1.25 x 16 mm HH Capscrew (Kawasaki)
48.....	543971.....	1.....	Harness - Starter (Kaw.)
49.....	542992-P.....	1.....	Harness - 17 HP Kawasaki
50.....		1.....	Voltage Regulator - Kaw. No. 21066-2056
51.....	800254.....	2.....	1/4-20 x 1 HH Capscrew (Kaw.)
52.....	513593.....	1.....	Knob - Black Ball




SEAT ASSEMBLY AND LIFT ACTUATOR

KEY PART # QTY. DESCRIPTION

1.....	513147.....	1.....	Seat
2.....	513149.....	1.....	Kit - Armrest (Optional)
3.....	543368.....	1.....	Slide, Seat Fore/Aft
4.....	807503.....	4.....	5/16-18 x 3/4 Carr. SSN
5.....	809001.....	8.....	5/16-18 Whizlock Nut
6.....	542494.....	1.....	Plate Widmt - Seat Mnt
7.....	804257.....	2.....	3/8-16 Nyloc Hex Nut
8.....	800296.....	3.....	3/8-16 x 2 HH Capscrew
9.....	542951.....	1.....	Plate Widmt - Seat
10.....	809007.....	6.....	Nut - 3/8-16 Flng Hex
11.....	513479.....	2.....	Bushing, Spring Guide
12.....	513296.....	2.....	Spring, Reverse Indicator
13.....	809012.....	6.....	1/4-20 Whizlock Nut
14.....	805264.....	2.....	1/2 Std Flat Washer

KEY PART # QTY. DESCRIPTION

15.....	213069.....	2.....	Strut - Adjustment Spacer
16.....	800278.....	2.....	5/16-18 x 2-1/4 HH Capscrew
17.....	800294.....	2.....	3/8-16 x 1-1/2 Capscrew
18.....	303327.....	2.....	3/8 Disc Spring Washer
19.....	543500.....	1.....	Support, Seat Plate
20.....	800007.....	2.....	1/4-20 x 1-1/4 HH Tap Screw
21.....	543953.....	1.....	Strap - Switch Engagement
22.....	543963.....	2.....	Bumper - Rubber
23.....	800290.....	2.....	3/8-16 x 3/4 HH Capscrew
24.....	542868.....	1.....	Pivot Weldment - Actuator
25.....	543186.....	1.....	Spacer - Electric Lift
26.....	800298.....	1.....	3/8-15 x 2-1/2 Capscrew
27.....	543361.....	1.....	Actuator, Linear
28.....	543708.....	1.....	Spacer - Rear



DECALS

KEY PART # QTY. DESCRIPTION

1.....	513747.....	1.....	Decal - Battery
2.....	543782.....	1.....	Center Exmark Stripe
3.....	543781.....	1.....	RH Exmark Stripe
4.....	543780.....	1.....	LH Exmark Stripe
5.....	543949.....	1.....	Decal - Hydro Tank
6.....	543622.....	1.....	Decal - Brake Lever
7.....	543628.....	1.....	Decal - Instructional
8.....	513746.....	1.....	Decal - Muffler
9.....	543629.....	1.....	Decal - Fuel
10.....	543620.....	1.....	Decal - Intake
11.....	543663.....	1.....	Decal - Commercial
12.....	543659.....	1.....	Decal - Discharge Warning
13.....	303293.....	1.....	Decal - 2 Minute Warning
14.....	543624.....	1.....	Decal - Foot Pedal
15.....	603646.....	1.....	Decal - Throttle (Kawasaki)

KEY PART # QTY. DESCRIPTION

16.....	513739.....	1.....	Ignition Decal
17.....	513743.....	1.....	Decal - Release
18.....	543630.....	1.....	Decal - Choke (Kohler)
19.....	543631.....	1.....	Decal - Throttle (Kohler)
20.....	543627.....	1.....	Decal - Deck Lift
21.....	543626.....	1.....	Decal - Mower Switch
22.....	543664.....	1.....	Decal - 60
	603622.....	1.....	Decal - 52
23.....	403005.....	2.....	Danger Label
24.....	543788.....	1.....	Decal - Exmark Large
25.....	513756.....	1.....	Decal - Steering Column
26.....	543774.....	1.....	Decal - Danger
27.....	543660.....	1.....	Decal - Mower Deck
28.....	543632.....	1.....	Decal - LH Console
29.....	543633.....	1.....	Decal - RH Console
30.....	543975.....	1.....	Decal - Choke Cover (Kaw.)
31.....	303481.....	1.....	Decal - Carbon Monoxide

15. Stop the engine:
 - a) Whenever you leave the mower
 - b) Before removing the grasscatcher
 - c) Before refueling
 - d) Before making height adjustments
 - e) Before clearing blockages.
16. Reduce the throttle setting during engine run-out and, if the engine is provided with shut-off valve, turn the fuel off at the conclusion of mowing.

CAUTION

Although hazard control and accident prevention partially are dependent upon the design and configuration of the equipment, these factors are also dependent upon the awareness, concern, prudence, and proper training of the personnel involved in the operation, transport, maintenance and storage of the equipment. It is essential that all operator safety mechanisms be connected and in operating condition prior to use for mowing.

Maintenance and Storage

1. Precisely follow the engine manufacturer's recommendations for maintenance.
2. If carburetor adjustment is necessary, stand to one side and keep feet and hands clear while making adjustments.
3. Keep engine free from accumulation of grass, leaves or excessive grease. An accumulation of these combustible materials may result in a fire.
4. Store gasoline in a safe container in a cool, dry place.
5. Keep the mower and fuel container in locked storage to prevent children from playing or tampering with them.
6. Maximum mowing results and safety can only be achieved if the mower is maintained and operated correctly.
7. Gasoline powered equipment or fuel containers should not be stored in a basement or any closed area, where heat appliances or open pilot lights are present, unless completely drained of fuel.
8. Check mower cutter blade and engine mounting bolts frequently to maintain proper tightness.

9. Check grass catcher bag frequently for wear or deterioration. Replace worn bags. Check that replacement bags comply with original manufacturer's recommendations or specifications.
10. Pro Lock (retaining 1, maximum strength) is used on both pulleys on engine shaft and on blade spindle pulleys. Pro Lock (nut type, medium strength) is used on all set screws on Exmark Mowers.

CAUTION

**FAILURE TO FOLLOW CAUTIOUS
OPERATING PRACTICES CAN RESULT IN
SERIOUS OPERATOR INJURY.**

BE CAREFUL

1. Keep all shields in place, especially grass discharge guard.
2. Stop engine and remove spark plug wire to adjust or service.
3. When mower mechanism becomes clogged, stop engine before cleaning.
4. Keep hands, feet, and clothing away from power-driven parts.
5. Keep off mower unless seat or platform is provided.
6. Keep others off mower.

Exmark reserves the right to make changes or add improvements to its products at any time without incurring any obligation to make such changes to products manufactured previously. Exmark, or its distributors and dealers, accept no responsibility for variations which may be evident in the actual specifications of its products and the statements and descriptions contained in this publication.

**SEE EXMARK'S COMPLETE
LINE OF PRODUCTS FOR TURF CARE**

EXPLORER

TURF RANGER

TURF TRACER

TURF TRACER HYDRO

INTERMEDIATES

STEERABLE SULKY

SULKY

TURF RAKE

BAGGERS

EXMARK MFG. CO., INC. PART #850153
INDUSTRIAL PARK BOX 808 BEATRICE, NE 68310
402/223-4010 FAX 402/223-4154

ALL RIGHTS RESERVED

PRINTED IN U.S.A.

