
For Serial Nos.
370,000 & Higher

eXmark® MFG. CO. INC.



PARTS MANUAL

VIKING HYDRO

CONGRATULATIONS on the purchase of your new Exmark mower. This product has been carefully designed and manufactured to give you a maximum amount of dependability and years of trouble-free operation. If additional information is needed, or should you require trained mechanic service, contact your authorized Exmark equipment dealer or distributor. If you need to order replacement parts from your dealer, always give the model number and serial number of your mower as well as the part number, description and quantity of the part needed.

The Serial No. plate is located on the top front engine frame on the right hand side of the machine. For ease of ordering and reference, we suggest that you record the information requested in the following identification table.

Place Model No. and Serial No. Label Here
(Included in Literature Pack)
or Fill in Below

Model No. _____

Serial No. _____

Engine Model No. and Spec. No. (Code) _____

Engine Serial No. (E/No) _____

Date Purchased _____


Part No. 103-3636

EXMARK PARTS PLUS® PROGRAM

EFFECTIVE DATE: September 1, 1995

Program

If your Exmark dealer does not have the Exmark part in stock, Exmark will get the parts to the dealer the next business day or the part will be FREE* Guaranteed!!



How the Program Works

1. If dealer does not have part in stock for a "down" unit at the time of request by customer, the dealer contacts his distributor by 1:00 p.m., local time, and requests Exmark Parts Plus® shipment of six (6) line items or less.
2. Distributor ships part(s) to dealer or customer, as requested by dealer, same day, overnight UPS Distributor bills dealer for part and freight charges where applicable.
3. If distributor does not have the part(s) in stock to satisfy Exmark Parts Plus® order, he contacts Exmark by 3:00 p.m., central time, with an Exmark Parts Plus® order of six (6) line items or less.
4. If order is received by 3:00 p.m. central time, Exmark ships part(s) direct to dealer or customer, as requested by distributor, same day, overnight UPS Exmark bills the distributor for parts and shipping charges, where applicable.
5. The customer pays for the part and freight if it is shipped under the Exmark Parts Plus® and if it arrive in accordance to the program.
6. Who pays for the part and freight if it fails to arrive overnight in accordance to the program?
   A. Under any circumstance the customer does not pay.
   B. If the part does not arrive overnight due to:
      1. The dealer not submitting the Exmark Parts Plus® order to his Exmark distributor by 1:00 p.m., the dealer pays for the part and freight.
      2. The Distributor being unable to ship the part the same day or not submitting the Exmark Parts Plus® order to Exmark by 3:00 p.m., central time, the Distributor pays for the part and freight.
      3. Exmark being unable to ship the part and the Exmark parts order is received by 3:00 p.m., central time, Exmark pays for the part and freight.
      4. If the part does not arrive overnight due to the shipper (UPS), the shipper pays for the freight and Exmark pays for the part.

The following restrictions apply -- The Exmark Parts Plus® Program is available only through participating Exmark Dealers and applies only to orders submitted on this program Monday through Thursday. Parts Plus service is available only in the 48 contiguous United States. UPS has initiated a Saturday delivery program to many areas of the continental United States and can be requested for an overnight shipment on Friday to be delivered Saturday. The next day air charge, plus the Saturday delivery fee will be the responsibility of the purchaser. Exmark Mfg. will assume no responsibility for Saturday delivery shipments. To qualify, all Exmark Parts Plus® orders must be received by Exmark by 3:00 p.m., central time. Orders must be six (6) line items or less. Exclusions from the Exmark Parts Plus® Program are: Any wholegood or accessory in its entirety, engines and engine replacement parts, 5-speed Peerless transmissions and 5-speed transaxles, hydraulic or hydrostatic wheel motors, cutter decks and engine decks or any item exceeding United Parcel Service size and weight restrictions.

Due to UPS restrictions, aerosol spray paint is considered a hazardous material and cannot be shipped via UPS next day or Second Day Air.

Exmark Manufacturing stocks a limited supply of parts for transaxles, pumps and wheel motors. These parts can be ordered for Next Day Air shipment but will not be guaranteed per the Parts Plus Program.

⚠ WARNING

READ OPERATOR'S MANUAL BEFORE OPERATING OR SERVICING EXMARK EQUIPMENT.

TABLE OF CONTENTS

Description	Page
Decals	11
Electrical Group	14
Engine Deck Group	6-9
48" Mower Deck	4-5
Hydraulics Group	10
32" & 36" Mower Deck	2-3
ECS Upper Handles & Controls	12-13
Wiring Diagrams	15

32” & 36” MOWER DECK

Ref. No.	Part No.	Description	Qty. Req'd.
1	103-2312	Deck(103-2307-01)w/decals & dogleg (36")	1
	103-2313	Deck(103-2301-01)w/decals & dogleg (32")	1
2	1-302189-01	Baffle wldmnt, dogleg	1
3	322-2	Screw, 5/16-18 x 5/8	7
4	32128-20	5/16-18 Whizlock nut	22
5	103-3600	Engagement arm w/bushing	1
6	302-52	Grease Zerk, 1/8 NPT straight	2
7	302-19	Grease Zerk, 1/4-28 straight	1
8	1-323385	Knob, belt cover	4
9	1-809020	Quick pin, 10" caster	2
10	3296-29	5/16-18 Nyloc hex nut	3
11	323-6	3/8-16 x 1 HH capscrew	6
12	3290-357	3/8-16 whizlock nut	14
13	1-323748	Ring, push-on 7/16	1
14	98-5975	3/8 Disc spring washer	7
15	1-808280	5/16 x 1 Clevis pin	1
16	1-303105	Yoke	1
17	1-806003	Cotter hairpin	2
18	32151-103	E-Ring for .875 rd.	1
19	702809	3/8-16 x 1 7/8 capscrew	1
20	103-2528	Blade, Notched (36")	2
•	103-2518	Blade, Mulching (36")	2
	103-2508	Blade, Low Lift (36") optional	2
	103-1578	Blade, Solid (36")	2
	103-2527	Blade, Notched (32")	2
•	103-2517	Blade, Mulching (32")	2
	103-2507	Blade, Low Lift (32”) optional	2
	103-1577	Blade, Solid (32")	2
21	1-513338	Washer, special	2
22	3253-7	1/2 spring lockwasher	2
23	3217-9	1/2-13 Hex nut	2
24	325-20	1/2-13 x 6 HH capscrew	2
25	1-303352	Washer, spindle	1
26	103-1224	Tire & Wheel Asm	2
	1-513809	Roller bearing	1
	103-2170	Bushing	2
27	1-323735	Drive belt (to blades) 36" Model	1
	1-323733	Drive belt, (to blades) 32" Model	1
28♦	1-803310	Setscrew, 5/16-18 x 3/8	2
29	322-6	5/16-18 x 1 1/4 HH capscrew	9
30	103-2169	Spacer, front caster	2
31	1-303537	Stud, belt shield (short)	2
32	1-303536	Stud, belt shield (long)	2
33	1-302218	Shield (1-302213-01) w/decals, (36")	1
	103-2589	Shield (1-322149-01) w/decals, (32")	1
34	1-323417	Washer, belt cover mount	4
35	1-322145-01	Fork wldmnt, caster	2
36	103-1236	Caster wheel assembly	2
37	1-302233-01	Chute	1
38	3296-56	Nut,nyloc ¼-20 thin	1
39	1-323729	Powder metal bearing	2
40	323-4	3/8-16 x 3/4 HH capscrew	8
41	1-603843	Idler pulley (heavy duty)	1
42	103-2555	Cutter Housing Complete	2
43	322-5	5/16-18 x 1 HH capscrew	2
44	103-2547	Cutter housing assembly	2
45	32120-8	Retaining ring	2
46	103-2535	Spacer	2
47	1-323532	Cutter housing	2
48	1-303314	Spacer, 10” caster	8
49✚	1-323529	Tube, spindle	2
50	103-2534	Spacer	2
51	1-303514	Flange , thrust bearing	4
52	1-323339	Retaining washer, sheave	2
53✚	1-403183	Pulley	2
54	3219-6	5/8-18 UNF hex nut	2
55	1-800861	5/8-18 x 8 HH Capscrw (Gr 5)	2
56	1-807267	Key, 1/4 x 3/16 x 1 1/4	2
57	1-323539	Spacer, blade drive	8
58	1-513208	5/8 Spring disc washer	2
59	1-303434	Engagement bushing	1
60	1-303348	Eye bolt (left hand thread)	1
61	1-303236	Turnbuckle body	1
62	1-303238	Eye bolt (right hand thread)	1
63	1-322235	Assist arm	1
64	322-10	Screw, 5/16-18 X 2	1
65	1-323174	Assist arm linkage	1
66	103-2281	Caster/mount, complete	2
67	103-2296	Caster wheel support w/brgs, weighted	2
68	103-2297-01	Caster wheel support wldmnt, weighted	2
69	1-303334	5/16 Spring disc washer	9
70✚	103-2477	Bearing	4
71	3219-2	5/16-24 Hex nut	1
72	3256-3	Wshr, flat std 5/16	1
73	1-323715	Rod, brake 36”	1
	1-323718	Rod, brake 32”	1
74	1-323071	Spring	1
75	1-323747	Spring, compression	1
76	1-323746	Spacer, flanged	1
77	3296-42	Nut, nyloc ¼ - 20	2
78	1-324372	Pad/spring assy	1
79	321-4	Screw, HHCap ¼-20 X 3/4	2
81	1-403179	Tube, pivot	1
82	3256-23	Wshr, flt SAE 5/16	1
83	32120-35	E-ring	1
84✚	103-1330	Guard,Bearing top	2
85	3272-5	Cotter pin 3/32 x 1/2	1
86▲	103-2171	Kit,semi-pneumatic wheel replacement	2

Exmark red touch up spray paint - P/N 1-850337


♦ Use Pro-lock Nut Type (p/n 1-840022 .5 ml tube) on the setscrews

• Requires installation of Micro-Mulch accessory for proper mulching. Mulch kit P/N’s MK322(32”) or MK362(36”)

▲ Kit 103-2171 used to install semi-pneumatic casters on machines originally fitted with pneumatic casters. Includes 103-1224 & 103-2169. Order 2 per machine.

✚ Apply Mobil HTS grease (or a food-grade antisieze) between the spindles & bearings, spindles & sheaves, and under top bearing guard. DO NOT use copper or nickel based anitisieze.

32” & 36” MOWER DECK



48” MOWER DECK

Ref. No.	Part No.	Description	Qty. Req'd.
1	1-404257	Deck (1-402108-01) w/decals & dogleg	1
2	1-402107-01	Baffle, dogleg	1
3	322-2	5/16-18 x 5/8 HH capscrew	4
4	32128-20	5/16-18 Whizlock nut	12
5	3296-29	5/16-18 Nyloc hex nut	3
6	323-7	3/8-16 x 1 1/4 HH capscrew	18
7	3290-357	3/8-16 whizlock nut	17
8	98-5975	3/8 disc spring washer	10
9	1-808280	5/16 x 1 Clevis pin	1
10	1-303105	Yoke	1
11	1-613098	Idler pulley "V"	1
12	32151-103	E-Ring for .875 rd.	1
13	103-2527	Blade, Notched	3
•	103-2517	Blade, mulching	3
	103-2507	Blade, Low Lift (optional)	3
	103-1577	Blade, Solid	3
14	1-323174	Assist arm linkage	1
15♦	1-803310	Setscrew, 5/16-18 x 3/8	3
16	323-13	3/8-16 x 2 3/4 HH capscrew	2
17	3296-42	Nut, nyloc ¼ - 20	2
18	1-403186	Idler pulley	1
19	103-2555	Cutter Housing Complete	3
20	103-2547	Cutter housing assembly	3
21	32120-8	Retaining ring	3
22	103-2535	Spacer	3
23	1-323532	Cutter housing	3
24	702809	3/8-16 x 1 7/8 HH Capscrew	1
25✚	1-323529	Cutter spindle tube	3
26	103-2534	Spacer	3
27	3296-39	Nut, nylock 3/8-16	18
28	1-807267	Key, 1/4 x 3/16 x 1 1/4	3
29✚	1-403183	Pulley	3
30	1-513208	5/8 Spring disc washer	3
31	1-800861	5/8-18x8 HH Capscrew(Gr5)	3
32	1-323539	Spacer, blade drive	12
33	1-323339	Washer, retainer (sheave)	3
34▽	1-322230	Assist arm	1
☆	1-322235	Assist arm	1
35	3219-6	5/8-18 UNF hex nut	3
36	1-303434	Engagement bushing	1
37	1-303348	Eye bolt (left hand thread)	1
38	1-303236	Turnbuckle body	1
39	1-303238	Eye bolt (right hand thread)	1
40	1-323747	Spring, compression	1
41	1-806003	Cotter hairpin	2
42	1-303352	Washer, spindle	1
43	322-10	Screw, 5/16-18 X 2	1
44	1-323729	Powder metal bearing	2
45	1-303334	Washer, Sprg Disc 5/16	1
46▽	1-402109	Engagement arm w/bushings	1
☆	103-3600	Engagement arm w/bushings	1
47	322-6	5/16-18 1 1/4 HH capscrew	1
48	302-19	Zerk 1/4-28 strt	1
49	3256-24	3/8 Flatwasher	2
50	323-20	3/8-16 x 3 1/4 HH capscrew	1
51	3296-56	Nut, nyloc ¼-20 thin	1
52	1-402106-01	Chute wldmt	1
53	1-403179	Tube, pivot	1
54	3256-3	Washer, Flat Std 5/16	1
55	1-323714	Rod brake 48” LH	1
56	1-324372	Pad/spring assy	1
57	3256-23	5/16 SAE flat washer	1
58	1-603843	Pulley, idler (heavy duty)	1
59	1-403174	Drive belt (main deck)	1
60	1-323746	Spacer, flanged	1
61	1-403184	Bushing	2
62	322-5	5/16-18 x 1 HH capscrew	2
63✚	103-2477	Bearing	6
64	3219-2	5/16-24 Hex nut	1
65	103-2281	Caster/mount, complete	2
66	103-2296	Caster wheel support w/brgs, weighted	2
67	103-2297-01	Caster wheel support wldmnt, weighted	2
68	302-52	Grease zerk, 1/8 N.P.T.	2
69	1-303514	Flange, thrust bearing	4
70	1-303314	Spacer, 10" caster	8
71	103-1236	Caster wheel assembly	2
72	1-322145-01	Fork wldmnt, caster	2
73	103-2169	Spacer, front caster	2
74	103-1224	Tire & Wheel Asm	2
	1-513809	Roller bearing	2
	103-2170	Bushing	4
75	1-323417	Washer, belt cover mount	5
76	323-4	3/8-16 x 3/4 HH capscrew	8
77	325-20	1/2-13 x 6 HH capscrew	2
78	3217-9	1/2-13 Hex nut	2
79	3253-7	1/2 spring lockwasher	2
80	1-513338	Washer, special	2
81	1-809020	Quick pin, 10" caster	2
82	1-303537	Stud, belt shield (short)	2
83	1-303536	Stud, belt shield (long)	3
84	1-323385	Knob, belt cover	5
85	1-404237	Shield (1-402100-01) w/decals	1
86	1-403188	Spacer, belt guide	1
87	323-6	3/8-16 x 1 HH capscrew	6
88	1-323071	Spring 5sp/dr idler	1
89	32120-35	E – ring	1
90	321-4	1/4-20 X 3/4 HH capscrew	2
91	1-323748	Ring, push-on 7/16	1
92✚	103-1330	Guard,Bearing top	3
93	3272-5	Cotter pin 3/32 x 1/2	1
94▲	103-2171	Kit,semi-pneumatic whl replacement	1

Exmark red touch up spray paint - P/N 1-850337

♦ Use Pro-lock Nut Type (p/n 1-840022 .5 ml tube) on the setscrews

• Requires installation of Micro-Mulch accessory for proper mulching. Mulch kit P/N’s MK483


▲ Kit 103-2171 used to install semi-pneumatic casters on machines originally fitted with pneumatic casters. Includes 103-1224 & 103-2169. Order 2 per machine.

✚ Apply Mobil HTS grease (or a food-grade antisieze) between the spindles & bearings, spindles & sheaves, and under top bearing guard. DO NOT use copper or nickel based antisieze.

▽ This component is required for units with S/N 378,077 and lower.

☆ This component is required for units with S/N 378,078 and higher.

48” MOWER DECK



ENGINE DECK GROUP


Ref. No.	Part No.	Description	Qty. Req'd.
1	1-807019	Key, woodruff 1 x 1/4	2
2	32136-5	Nut, slotted 3/4-16	2
3	1-806800	Pin, cotter 9/64 x 1-1/2	2
4	242-50	Nut, wheel 1/2-20	8
5	1-413473	Tire & Wheel Assembly (36"&48")	2
	1-413474	Tire 16 x 6.50-8 (36"&48")	1
	1-603715	Wheel (36"&48")	1
	103-2292	Tire & Wheel Assembly (32")	2
	103-2305	Tire 16 x 4.80-8 (32")	1
	103-2306	Wheel (32")	1
6	1-602997	Hub,tapered(4 bolt)w/stds	2
	1-633926	Stud, wheel 1/2-20	8
7	3234-12	Screw, whizlock 3/8-16x3/4	8
8	323-6	Screw, 3/8-16 x 1	8
9	98-5975	Washer, 3/8 spring disc	8
10	103-2289-01	Mount, motor (32" & 36")	2
	1-402062-01	Mount, motor (48")	2
11	1-523157	Washer, spacer	2
12	1-373034	Washer, swivel	2
13	1-303334	Washer, 5/16 spring disc	4
14	1-603610	Washer, 7/16 spring disc	2
15♦	103-1667	Sheave, blade drive 7.33 OD (32" & 48")	1
♦	103-1668	Sheave, blade drive 6.71 OD (36")	1
16	1-322110	Guide,Belt	1
17	1-807259	Key, 1/4 sq. x 1	2
18	322-9	Screw, 5/16-18 x 1 3/4 (Kaw)	1
	33114-030	Screw, M8-1.25 x 30mm (Koh)	1
19	323-13	Screw, 3/8-16 x 2 3/4	3
20	1-603843	Idler, pulley	1
21	1-603496	Bushing, idler	1
22	3231-29	Screw, 3/8-16x1-3/4 Carr.	1
23	3253-5	Lockwasher, 3/8	1
24	323-12	Screw, 3/8-16 x 2-1/2	1
25	1-373034	Washer, swivel	1
26	1-513034	Bearing, pivot	2
27	1-602521	Arm, assy idler (w/brgs)	1
	1-602458-01	Arm, assy idler (w/o brgs)	1
28	1-603402	Spring, extension	1
29	322-5	Screw, 5/16-18 x 1	1
30	1-603801	Anchor, spring	1
31	32128-20	Nut, whizlock 5/16-18(Kaw)	6
	32128-20	Nut, whizlock 5/16-18(Koh)	2
32	1-653163	Belt, pump drive	1
33▽	1-803050	Setscrew, 5/16-18 x 3/4	4
34	1-413010	Sheave - pump	2
35	1-807272	Key, 5mm sq. x 25mm	2
36	322-7	Screw, 5/16-18 x 1 1/2 (Kaw)	3
	33114-025	Screw, M8-1.25 x25mm (Koh)	3
37	1-603044	Bushing - Idler pivot	1
38	3290-357	Nut, whizlock 3/8-16	20
39♦	1-653035	Pulley, pump drive	1
40	103-3500	Deck, eng(103-2908-01)w/decals	1
41	1-809062	Bolt, .500 x 1.75(shoulder)	1
42	302-40	Zerk	1
43	1-322108	Bellcrank assy. w/zerk	1
	1-322086-01	Bellcrank weldmt	1
44	1-806003	Hairpin	2
45	1-323172	Linkage, blade engmnt.	1
46	3296-29	Nut, nyloc 5/16-18	3
47	3256-14	Washer, #10	1
48	1-322090-01	Bellcrank	1
49	322-6	Screw, 5/16-18 x 1 1/4	1
50	1-513051	Switch, blade engagement	1
51	3296-2	Nut nyloc 10-24	1
52	1-323213	Bracket, switch	1
53	3290-500	Screw, 10-24 x 5/8	2
54	321-3	Screw, 1/4-20 x 5/8	2
55▽	3212-6	Screw, 7/16-20 x 1 1/2	1
56	3256-24	Washer, 3/8 (SAE)	2
57	32128-33	Nut, whizlock 1/4-20	2
58	3256-23	Washer, 5/16 SAE flat	2
59	322-3	Screw, 5/16-18 x 3/4	2
60	1-809069	Screw, 10-24x7/8HxSktHd	1
61	1-413510	Clip, loom 1/2	2
62	103-2056	Shield, Trailing	1
63	302-19	Zerk, 1/4-28 STRT	1
64	323-11	Screw, 3/8-16 x 2 1/4	1
65	1-323366	Split ring	1
66	3296-39	Nut, 3/8-16 nyloc	1
67	323-23	Screw, 3/8-16 x 4 1/2	1
68	1-323365	Chain, twist link	1
69	323-7	Screw, 3/8-16x 1 1/4	1
70	1-633181	Plate, tapped	1

Exmark red touch up spray paint - P/N 1-850337

♦ Use anti-seize compound on pulley bore.

▽ Use Pro-Lock (nut type, Part no. 1-840022, 5 ml tube) on setscrew threads and on sheave retaining bolt in engine crankshaft.

ENGINE DECK GROUP




Ref. No.	Part No.	Description	Qty. Req'd.
1	1-413151	Knob, tracking	1
2	1-412203-01	Crank weldmt	1
3*	1-809056	Bolt, .375 x .375 (shoulder)	2
4	3256-24	Washer, 3/8 SAE flat	4
5	1-603735	Bushing, nylon flanged	2
6	103-0265	Spring, neutral return	2
7	1-603737	Bolt, neutral return	2
8	3256-2	Washer, 1/4(std)	6
9	3219-2	Nut, 5/16-24	7
10	1-413350	Rod, control arm	2
11	1-603903	Spacer	1
12	1-303105	Yoke, adjustable	2
13	1-808280	Pin, clevis 5/16-1	2
14	3220-2	Nut, jam 5/16-24	2
15	3272-5	Pin, cotter 3/32 x 1/2	2
16	1-603676	Swivel	2
17	1-403180	Screw, 5/16-18x1 3/8 special	2
18	103-1190-01	Arm weldmt, LH	1
19	103-1964	Hose, 24" oil drain	1
20∇	103-1965	Valve, oil drain	1
21	103-1966	Adapter, M20-2.5 / 3/8 NPT (Kaw)	1
22	322-6	Screw, 5/16-18 x 1-1/4	3
23	1-603693	Spring, extension	2
24	1-323197-01	Spacer, short	4
25	323-16	Screw, 3/8-16 x 4	7
26	322-3	5/16-18 x 3/4	4
27	1-413201-01	Shield, hydro control	2
28	1-323195-01	Spacer, long	4
29	1-633102	Bearing, flange	2
30	302-19	Zerk, 1/4-28	2
31	3256-23	Washer, 5/16 (SAE)	7
32	1-805005	Lockwasher, 5/16 (heavy)	4
33	103-1191-01	Arm weldmt, RH	1
34	32128-20	Nut, whizlock 5/16	20
35	1-613089	Anchor, spring	2
36	1-806003	Hairpin	5
37	3296-29	Nut, nyloc 5/16-18	4
38*	1-803022	Setscrew, 5/16-18 x 5/8	2
39	1-413489	Linkage, lower brake	1
40	3290-357	Nut, whizlock 3/8-16	16
41	103-2399	Pin, clevis spring 3/8	1
42	1-323245	Spring	1
43	103-1734	Linkage, drive	2
44	1-800016	Tapbolt, 5/16-18 x 1 1/4	2
45	323-8	Screw, 3/8-16 x 1 1/2	2
46	3220-16	Nut, jam 3/8-24 LH	2
47	103-1167	Joint, .375 LH ball end	2
48	103-1166	Tube, pump link spacer	2
49	103-2299-03	Brake wldmt, 32"	1
	103-2085-03	Brake wldmt, 36"	1
	103-2004-03	Brake wldmt, 48"	1
50	323-9	Screw, 3/8-16 x 1 3/4	2
51	3218-3	Nut, jam 3/8-16	1
52	1-323161	Spring	1
53	323-4	Screw, 3/8-16 x 3/4	5
54	3296-39	Nut, 3/8-16 nyloc	1
55	103-3495	Lever, brake (1-412501-03) w/decal & grip	1
56	1-414504	Wldmt, bracket w/ bushings	1
57	1-413347	Sleeve, bushing	2
58	1-303020	Grip, lever	1
59	1-413344	Bushing, pivot	1
60	323-10	Screw, 3/8-16 x 2	1
61	1-413496	Linkage, upper brake	1
62	1-413497	Bracket, bellcrank	1
63	32128-21	Nut, hex flange lock 3/8-16	1
64	1-414508	Bellcrank, w/ bushings	1
65	1-303548	Bushing, plastic	1
66	1-633131	Yoke, brake linkage	1

Exmark red touch up spray paint - PN 1-850337


* Use Pro-Lock nut type, Part No. 1-840022 (.5 ml tube) on shoulder bolts & setscrew threads.

∇ Use a Teflon Pipe Sealant or equivalent on pipe threads.


ENGINE DECK GROUP (cont.)




OIL DRAIN - KAWASAKI



OIL DRAIN - KOHLER



HYDRAULIC GROUP




Ref. No.	Part No.	Description	Qty. Req'd.
1	1-603991	Fitting, straight connector ..	4
	1-603919	Boss O-Ring	1
	1-603992	Flare O-Ring	1
2	1-603718	Wheel motor	2
	1-000138	Kit, Bearing	1
	1-000119	Kit, seal	1
3	103-2191	Spacer, hydraulic tank	2
4	32128-33	Nut, whizlock 1/4-20.....	2
5	1-603990	Adapter, straight thread	4
	1-603920	Boss O-Ring	1
	1-603992	Flare O-Ring	1
6	1-603989	Elbow, 90°.....	2
	1-603923	O-Ring.....	1
7	1-513840	Elbow - 90°.....	2
	1-603921	O-Ring.....	1
8	1-613042	Pump, hydro.....	2
	2513018	Kit, seal overhaul	1
9	3290-357	Nut, whizlock 3/8-16.....	4
10	3256-3	Washer, 5/16 std	8
11	323-7	Screw, 3/8-16 x 1-1/4.....	4
12	1-801063	Screw, 1/4-20x2 pan head.	2
13	3296-42	Nut, nylock 1/4-20	2
14	1-613073	Grip, dump valve.....	2

Ref. No.	Part No.	Description	Qty. Req'd.
15	1-403102	Hose, high pressure	4
16	1-513211	Element, oil filter.....	1
∇	1-523541	Element, oil filter(winter)....	1
17	103-2889	Asm, filter head	1
	103-1912	Adapter, straight	2
	1-603921	O-Ring	1
18	321-3	Screw, 1/4-20 x 5/8.....	2
19	1-805004	Lockwasher	2
20	103-2073	Asm, case drain hose.....	1
21	103-2057	Asm, charge hose	1
22	103-2959	Hose, charge	1
23	103-1807	Elbow, 45°	1
	1-603921	O-Ring	1
24	3256-22	Washer, ¼ SAE flat.....	2
25	103-1988	Clamp, hose (11/16).....	5
26	103-1716	Clamp, hose (17/32).....	1
27	103-1801	Adapter, straight	1
	1-603921	O-Ring	1
28	103-1948	Cap, hydraulic reservoir.....	1
29	103-1949	Gasket, reservoir cap	1
30	103-1947	Asm, reservoir w/decal	1
31	321-15	Screw, 1/4-20 x 2 1/2.....	2

Emark black touch up spray paint - gloss black

∇ Use only for operation below 32°F(0°C)

DECAL GROUP



Ref. No.	Part No.	Description	Qty. Req'd.
1	1-523552	Decal, Hydraulic Tank	1
2	103-2943	Decal, VH Model	1
3	1-323410	Decal, Commercial “32”	1
4	1-323411	Decal, Commercial “36”	1
5	1-403131	Decal, Commercial “48”	1
6	1-303517	Decal, Belt Drive	1
7	1-303520	Decal, TriVantage	1
8	103-1798	Decal, Throttle (Kaw)	1
9	1-323689	Decal, Throttle/Choke/Stop(Koh)	1
10	103-2103	Decal, Park Brake	1
11	1-303508	Decal, Discharge Warning	1
12	103-2882	Decal, Exmark Logo	1
13	1-413214	Decal, Tracking	1
14	1-403143	Decal, Sulky Warning	1
15	1-403005	Decal, Danger (32”&36”)	1
	1-403005	Decal, Danger (48”)	2
16	1-603845	Decal, Drive Wheel Release	1
17	98-5954	Decal, Missing Cover	1
18	1-323427	Decal, Belt routing (32”&36”)	1
19	1-403170	Decal, Belt routing (48”)	1
20	103-2196	Decal, Console (Kaw)	1
21	103-2295	Decal, Console (Koh)	1
22	1-513746	Decal, Muffler	1
23	103-2242	Decal, LH ECS Instruction	1
24	103-2243	Decal, RH ECS Instruction	1
	103-2588	Decal Kit, Viking Hydro	

ECS UPPER HANDLE and CONTROLS

Ref. No.	Part No.	Description	Qty. Req'd.
1	1-323134	Knob, (push/pull)	1
2	3218-2	Nut, jam 5/16-18	1
3	1-323143	Bushing, nylon .38 I.D.	1
4	1-323142	Push Nut (.50 shaft)	1
5	322-9	Screw, 5/16-18 x 1 3/4	2
6	3296-29	Nut, 5/16-18 nylock	4
7	1-806003	Hairpin cotter	3
8	103-2193	Link, blade engagement	1
9∗	103-1796	Cable, choke (Kaw)	1
10∗	103-1797-01	Bracket, choke cable (Kaw)	1
11▽	103-1566-03	Lever weldmt opc LH	1
12♦	1-803322	Setscrew, 5/16-24 x 5/16	2
13	1-303365	Bushing, nylon	2
14	103-0769-03	Lever axle weldmt, opc	1
15	1-303363	Spring, opc extension	1
16▽	103-1567-03	Lever weldmt, opc RH	1
17	1-807513	Bolt, #10-24 x 1/2 carriage	2
18	1-513592	Knob, red throttle	1
19∗	1-633696	Cable, throttle (Kaw)	1
▲	1-323322	Cable, throttle/choke (Koh)	1
20	3296-2	Nut, #10-24 nylock	2
21	103-2194-03	Handle wld, upper ECS	1
22	103-0815	Grip, handle bar	2
23	1-413152	Bearing	4
24	103-2466-03	Lever, drive LH	1
25	103-0027	Bushing, drive lever	2
26	321-14	Screw,1/4-20 x 2 3/4	2
27∗	32128-33	Nut, 1/4-20 whizlock (Kaw)	14
▲	32128-33	Nut, 1/4-20 whizlock (Koh)	12
28	103-0464	Pin,1/8 x 1/2 spring	2
29	3256-22	Washer 1/4 SAE flat	10
30	1-303435	Washer, 1/4 disc spring	6
31	103-1371	Thumb latch asm RH(shown)	1
	103-1372	Thumb latch asm LH	1
32♦	103-0235	Screw, 1/4-20 x 1-1/8 w/nylon	2
33	103-2465-03	Lever,drive RH	1
34	3290-357	Nut, 3/8-16 whizlock	4
35	98-5975	Washer, 3/8 disc spring	4
36	323-6	Screw, 3/8-16 x 1	4
37	3220-3	Nut, jam 3/8-24	4
38	322-10	Screw, 5/16-18 x 2	2
39	1-603716	Washer, friction disc	1
40	1-323244	Washer, friction	2
41	103-0546-03	Wld,upper handle console	1
▲	103-2911	Asm,console w/decals	1
∗	103-2912	Asm,console w/decals	1
42	103-0773	Speed shift weldmt	1
43	103-0423	Knob .38-16 nyloc	1
44	3219-3	Nut,reg hex 3/8-24	2
45	1-323245	Spring, compression	2
46	3256-23	Washer 5/16 SAE flat	5
47∗	321-3	Screw, 1/4-20 x 5/8 (Kaw)	12
▲	321-3	Screw, 1/4-20 x 5/8 (Koh)	10
48	1-323522	Rod, speed control	1
49	3220-2	Nut, 5/16-24 jam	1
50	1-303105	Yoke	1
51	1-808280	Clevis pin 5/16 x 1	1
52	103-2107	Cap, fuel	1
53	103-2893	Asm, fuel tank	1
54▽	1-633023	Stud, fuel tank	2
55	1-633349	Spring, fuel tank	2
56	1-805005	Washer, 5/16 hvy lock	2
57	322-3	Screw, 5/16-18 x 3/4	2
58♦	103-2605	Fitting,fuel blkhd w/screen	1
59	1-303197	Filter, fuel	1
60	1-303077	Clamp, fuel line (Kaw)	4
	1-303077	Clamp, fuel line (Koh)	6
61	1-603955	Hose, fuel line 6"	1
62	1-603770	Valve, fuel	1
63	1-303022	Hose, fuel line 8.5"	1
64	Kawasaki PN 41019-1055	filter w/6" fuel line	1
65	3296-47	Nut, nyloc thin 5/16-18	2
66	1-603954	Hose, fuel line 13.75"	1
67	103-2513	Asm, Drive Lever RH	1
	103-2514	Asm, Drive Lever LH	1
68	103-2463	Joint,.31 ball end	2
69	103-0503	Bracket,shifter slide	1
70	103-0489-03	Bracket,opc axle	1
71	1-603776	Hose, fuel line 2.5"	1

Exmark black touch up spray paint - Gloss black


♦ Use Pro-Lock nut type, Part no. 1-840022 (.5cc tube) on setscrew threads, on thumblatch screws, and on fuel fittings.

▽ Use Pro-Lock retaining type, Part no. 1-840023 (.5cc tube) on inside of bore of OPC hub and on fuel tank studs going into tank.


∗ For 15 HP Kawasaki units.

▲ For 15 HP Kohler units.

ECS UPPER HANDLE and CONTROLS




ELECTRICAL GROUP



Ref. No.	Part No.	Description	Qty. Req'd.	Ref. No.	Part No.	Description	Qty. Req'd.
1	1-633181	Plate, tapped	3	9	33114-016	Screw,M8-1.25x16mm (Kaw)	1
2	3256-14	Washer, flat #10	1	10	321-4	Screw, 1/4-20 x 3/4	1
3	3290-500	Screw, #10-24 x 5/8	6	11	3256-22	Washer, 1/4 SAE flat	1
4	1-513051	Switch, N.O.	3	12	3296-42	Nut, nyloc ¼-20	1
5	1-403121	Switch, on/off w/ keys (Kaw)	1	13	1-323430	Module, interlock.	1
	1-603511	Key, on/off (Kaw)	1	14	1-543296	Grommet	1
	103-2106	Key, Exmark logo (Kaw)	1	16	1-303287	Tie, plastic (small)	10
6	103-0498	Nut, ignition switch (Kaw)	1	17	1-413510	Clip, loom 1/2 (Kaw)	1
7	1-603727	Clip, loom .56	1	18	321-3	Screw, 1/4-20 x 5/8	1
8*	103-2007	Harness, wire (Kaw)	1	19	32128-33	Nut, whizlock 1/4-20	1
*	103-2286	Harness, wire (Koh)	1	20			


* Use dielectric grease on all wiring harness connectors.

KAWASAKI



CONNECTORS ARE VIEWED FROM WIRE END
N.C. = NORMALLY CLOSED
N.O. = NORMALLY OPEN

KOHLER



CONNECTORS ARE VIEWED FROM WIRE END
N.C. = NORMALLY CLOSED
N.O. = NORMALLY OPEN

NOTES

SERVICE RECORD

Date	Description of Work Done	Service Done By

SEE EXMARK'S COMPLETE LINE OF PRODUCTS FOR TURF CARE

LAZER Z®

LAZER Z® HP

LAZER Z® XP

TURF RANGER®

TURF TRACER®

TURF TRACER® HP

VIKING HYDRO

METRO®

METRO® HP

SELF STEERING SULKY

ULTRA VAC™

ULTRA VAC™ QDS

GRASS CATCHER

MICRO-MULCH ™ ACCESSORY

©1997 – 2002
EXMARK MFG. CO. INC.
ALL RIGHTS RESERVED

PART NO. 103-3636

INDUSTRIAL PARK BOX 808
BEATRICE, NE 68310
(402) 223-6300
FAX (402) 223-5489

PRINTED IN U.S.A.

eXmark® MFG. CO. INC.