

# Count on it.

# Parts Catalog

### **252 Valve Series**

Model No. 252 Series

Register at www.Toro.com. Original Instructions (EN)

### **Ordering Replacement Parts**

To order replacement parts, please supply the part number, the quantity, and the description of each part desired.

### **Understanding Reference Numbers**

Each identified part in an illustration has a reference number. The reference number for a part also appears in the parts list, along with other information about the part.

This catalog uses two special reference number formats, one to indicate parts in a service assembly and another to indicate the quantity of a given part in an illustration.

### **Service Assembly Reference Numbers**

Parts in service assemblies have reference numbers in the form a:b. The a represents the reference number of the entire service assembly and the b represents a sequential number unique to each part within the service assembly.

For example, a wheel assembly might be identified by reference number 6, the tire by 6:1, the valve by 6:2, and the wheel by 6:3. When you order the assembly identified by reference number 6, you receive all parts identified by reference numbers 6:1,6:2, and 6:3. However, you may also order any part individually. Reference numbers of this type appear in illustration and in parts lists.

### **Reference Numbers Indicating Quantity**

In an illustration, if a reference number indicates more than one part, the reference number has the form nX y. The n represents the quantity of the part, the X is the multiplication symbol, and the y represents the reference number.

For example, in an illustration, the reference number 2X 37 means that two of the parts identified by reference number 37 are indicated.

### List of Abbreviations

AR: as required ASM: assembly

BBC: blade brake control

BHTF: button head thread forming

**CARR:** carriage

**CCW:** counter clockwise

CW: clockwiseDEG: degrees

ECM: electronic control module

EXT: external
FH: flat head
GA: gauge
HD: heavy-duty
HF: hex flange
HH: hex head

HHF: hex head flange

HHFTF: hex head flange thread

forming

HJ: hex jam

**HLH:** hex lag head **HOC:** height-of-cut

HSBH: hex socket button head HSFH: hex socket flat head HSH: hex socket head HWH: hex washer head

HWHTF: hex washer head thread

forming

HYD: hydraulic LH: left hand NI: nylon insert

NPTF: national pipe thread fine

**PFH:** phillips flat head **PPH:** phillips pan head

PPHTF: phillips pan head thread

forming

PRH: phillips round head PTH: phillips truss head PTO: power-take-off

RH: right hand

**ROPS:** roll-over protection system

RRB: rear roller brush
SFH: slotted fillister head
SHH: slotted hex head

SHWH: slotted hex washer head


SPH: slotted pan head SQH: square head

SRH: slotted round head

STD: standardTAP: self tappingTTH: torx truss head

### **Contents**

252 Valve Series, 1 Inch Assembly	4
252 Valve Series, 1.5 Inch Assembly	
252 Valve Series, 1.5 Inch Assembly - Regulator	7
252 Valve Series, 2 Inch Assembly	Ĝ
252 Valve Series, 2 Inch Assembly (Continued)	C




# 252 Valve Series, 1 Inch Assembly

Ref.	Part Number	Qty.	Description	Ref.	Part Number	Qty.	Description
1	35-4521	1	Bleed Cap ASM, W/ Pin, El,	13	9-7110	1	Spring-Diaphragm
			Fast Closing	14	35-2824	1	Diaphragm ASM, 1 Inch, El
1	35-1748	1	Bleed Cap ASM, W/O Pin,	15	9-6331	1	Support-Diaphragm
			No And Pt	16	9-6811	1	Body ASM, 1 Inch, Npt
2	35-3777	1	Knob-Cross, Handle	16	35-1971	1	Body ASM, 1 Inch, Bsp
3	363-1493	2	Screw, #10 X 1	17	9-7706	1	Plug-Pipe, 1 Inch ●
4		1	Solenoid ASM (See Service Item 89-0878) ■	18	89-7855	1	Bleed Cap ASM, W/O Pin, No And Pt, Effluent ●
5	9-6148	1	Spring-Plunger, Solenoid	19	89-0878	1	Solenoid And Plunger ASM
6	9-6527	1	Plunger ASM	.0	00 00.0	•	(Incl. 4-6) ●
7	2-9652	1	O-Ring (7/16 X 5/8)	20	9-8182	1	Cap ASM (Incl. 9-11) ●
8	363-1493	8	Screw, #10 X 1	21	35-3503	1	Diaphragm ASM, El, Service
9		1	Cap ASM, EI, W/Fc (See				Kit •
			Service Item 35-8182) ■	22	9-5197	1	Screen-Filter, 3/4 Inch (Used
10	35-1983	1	Stem-Flow Control				In 35-3503 Diaphragm ASM)
11	360-0220	2	O-Ring (0.070 X 0.551 X				•
			0.691)	23	35-9346	1	Bleed Cap ASM, W/Pin,
12	1-2035	1	O-Ring (0.070 X 0.114 X 0.254)				Slow-Closing ●

Not illustrated


<sup>■</sup> Not serviced separately



# 252 Valve Series, 1.5 Inch Assembly

Ref.	Part Number	Qty.	Description	Ref.	Part Number	Qty.	Description
1	35-4521	1	Bleed Cap ASM, W/ Pin, El, Fast Closing	6	360-0220	2	O-Ring (0.070 X 0.551 X 0.691)
1	35-1748	1	Bleed Cap ASM, W/O Pin,	7	9-6791	1	Connector-Poly
1	89-7855	1	No And Pt, Pr And Cr Bleed Cap ASM, W/O Pin,	8	1-2035	1	O-Ring (0.070 X 0.114 X 0.254) EI, Pr And Cr
			No And Pt, Effluent	9	9-4425	1	Spring-Diaphragm
2	35-3777	1	Knob-Cross, Handle	10	89-0812	1	Diaphragm ASM, EI
3	360-0203	10	Screw-Tap, #10-25 X 1-3/4,	10	89-0814	1	Diaphragm ASM, Pt
			Pr	10	89-0813	1	Diaphragm ASM, No, Pr
4		1	Cap-Valve, El (See Service				And Cr
			Items) ●	11	89-6110	1	Support-Diaphragm
4		1	Cap-Valve, No And Pt (See Service Items) ●	12	89-1905	1	Solenoid ASM, El, Pr And Cr
4		1	Cap-Valve, Pr (See Service	13	35-4609	1	Plunger ASM, El, Pr And Cr
			Items) ●	14	360-0220	1	O-Ring (0.070 X 0.551 X
4		1	Cap-Valve, Cr (See Service				0.691) El, Pr And Cr
			Items) ●	15	9-7100	1	Body ASM, No And Pt, Npt
5	35-1983	1	Stem-Flow Control	15	9-7238	1	Body ASM, El, Npt
				15	35-1972	1	Body ASM, No And Pt, Bsp


Not serviced separately



# 252 Valve Series, 1.5 Inch Assembly (continued)

Ref.	Part Number	Qty.	Description	Ref.	Part Number	Qty.	Description
15	35-1973	1	Body ASM, El, Bsp	15	89-4805	1	Body ASM, Cr, Npt
15	35-4937	1	Body ASM, Pr, Npt	15	89-6036	1	Body ASM, Cr, Bsp
15	35-5642	1	Body ASM, Pr, Bsp				•


Not serviced separately



### 252 Valve Series, 1.5 Inch Assembly - Regulator

Ref.	Part Number	Qty.	Description	Ref.	Part Number	Qty.	Description
16	363-3141	1	Regulator-Water Pressure, Plastic Valve, Pr	28	35-9346	1	Bleed Cap ASM, W/Pin, Slow-Closing (1 And 1.5
17	35-3444	1	Bracket-Regulator, Pr				Inch) ●
18	363-1762	1	Valve, 1/8, Pr, Npt	29	35-0595	1	Cap ASM, Valve, El (Incl.
19	363-1894	1	Nut-Regulator, Pr				4-6) ●
20	360-0203	2	Screw-Tap, #10-25 X 1-3/4, Pr	30	35-0769	1	Cap ASM, Valve, No And Pt (Incl. 4-7) ●
21	9-2623	3	Tube, 1/4 X 8, Pr And Cr	31	35-4935	1	Cap ASM, Valve, Pr And Cr
21	9-2624	1	Tubing-Poly, 1/4 X 11.5, Cr				(Incl. 4-7) ●
22	900-40	6	Retainer-Tube, Pr And Cr■	32	35-4926	1	Regulator ASM, Plastic
23	35-4619	1	Filter ASM, 1/4, Regulator,				Valve, Pr (Incl. 16-19) ●
			Pr And Cr	33	360-0630	1	Plug-Pipe, 1.5, Npt ●
24	360-0494	1	O-Ring (0.070 X 0.426 X0 .566) Pr And Cr	34	89-0817	1	Diaphragm Kit, 1.5, El (Incl. 10-11) ●
25	35-3099	1	Solenoid ASM, El And Pr And Cr (Incl. 12-13) ●	35	89-0818	1	Diaphragm Kit, 1.5, No (Incl. 10-11) ●
26	89-8157	1	Cap-Poly, No And Pt ●	36	89-0814	1	Diaphragm ASM, Pt ●
27	2-3013	1	Plug-Can ●				


Not illustrated
 ■ \* Order Through Finished Goods Distribution System Minneapolis



# 252 Valve Series, 1.5 Inch Assembly - Regulator (continued)

Ref.	Part Number	Qty.	Description	Ref.	Part Number	Qty.	Description
37	89-9453	1	Service Kit, Valve, 1.5, No (Incl. 1, 2, 9, 10, 11 And 35-0769 Valve Cap ASM) ●	38	89-3853	1	Service Kit, Valve, 1.5, El (252) Incl. 1, 2, 6, 8, 9, 10 And 35-0595 Valve Cap ASM) •
				39	89-3892	1	Service Kit, Valve, 1.5, Pt (Incl. 1, 2, 9, 10, 11 And 35-0769 Valve Cap ASM) •


Not illustrated
 \* Order Through Finished Goods Distribution System Minneapolis



# 252 Valve Series, 2 Inch Assembly

			•	•				
Ref.	Part Number	Qty.	Description	Ref.	Part Number	Qty.	Description	
1	35-3892	1	Bleed Cap ASM With Pin, El	10	89-0815	1	Diaphragm ASM, EI	
1	35-1748	1	Bleed Cap, No, Pr And Cr	10	89-0816	1	Diaphragm ASM, No, Pr	
2	35-3777	1	Knob-Cross, Handle				And Cr	
3	363-1399	10	Screw-Hex, Washer, 1/4-14	11	9-6504	1	Support-Diaphragm	
			X 2	12	9-7258	1	Body ASM, El And No, Npt	
4		1	Cap-Valve (See Service	12	35-1974	1	Body ASM, El And No, Bsp	
			Items) ●	12	35-4943	1	Body ASM, Pr, Npt	
5	35-1983	1	Stem-Flow Control	12	35-5645	1	Body ASM, Pr, Bsp	
6	360-0220	2	O-Ring (0.070 X 0.551 X	12	89-4807	1	Body ASM, Cr, Npt	
			0.691)	12	89-6035	1	Body ASM, Cr, Bsp	
7	9-6791	1	Connector-Poly, No And Pr	13	89-1905	1	Solenoid ASM	
8	1-2035	1	O-Ring (0.070 X 0.114 X	14	35-4609	1	Plunger ASM	
			0.254)	15	360-0220	1	O-Ring (0.070 X 0.551 X	
9	9-6940	1	Spring-Diaphragm, El, Pr And Cr				0.691)	
9	9-4425	1	Spring-Diaphragm, No					

Not serviced separately



### 252 Valve Series, 2 Inch Assembly (Continued)

Ref.	Part Number	Qty.	Description	Ref.	Part Number	Qty.	Description
16	9-2623	1	Tube, 1/4 X 8, Pr	28	89-3855	1	Diaphragm Kit, El 232/252
17	9-1876	2	Tube, 1/4 X 12, Pr And Cr				Valves (Incl. 10-11) ●
18	35-4931	1	Filter ASM, Regulator, .034, Pr And Cr (Includes 0-Ring)	29	35-0596	1	Cap ASM, Valve, El (Incl. 4-6) ●
19	900-40	4	Retainer-Tube, Pr And Cr	30	35-0768	1	Cap ASM, Valve, No (Incl.
20	363-3141	1	Regulator-Water Pressure,				4-7) ●
			Plastic Valve, Pr	31	35-4940	1	Cap ASM, Valve, Pr (Incl.
21	363-1762	1	Valve-Schrader, 1/8, Pr, Npt				4-7) ●
22	35-3444	1	Bracket-Regulator, Pr	32	89-4806	1	Cap ASM, Valve, Cr (Incl.
23	363-1894	1	Nut-Regulator, Pr				4-7) ●
24	35-3099	1	Solenoid ASM, El And Pr	33	35-4926	1	Regulator ASM, Plastic
			(Incl, 13-14) ●				Valve, Pr (Incl. 20-23) ●
25	360-0631	1	Plug-Pipe, 2 Inch, Npt ●	34	89-0806	1	Bleed Screw, Fast, 2 Inch ●
26	35-5154	1	Plug-Pipe, 2 Inch, Bsp ●	35	360-0494	1	O-Ring (0.070 X 0.426 X0
27	89-3854	1	Diaphragm Kit, El 232/252 Valve (Incl. 10-11) ●				.566) Pr And Cr ●

Not illustrated
 \* Order Through Finished Goods Distribution System Minneapolis



\_\_\_\_

