



**Count on it.**

Form No. 3365-165 Rev A

# Parts Catalog

## 216 Series Valve

Model No. 216 Series

# Ordering Replacement Parts

To order replacement parts, please supply the part number, the quantity, and the description of each part desired.

## Understanding Reference Numbers

Each identified part in an illustration has a reference number. The reference number for a part also appears in the parts list, along with other information about the part.

This catalog uses two special reference number formats, one to indicate parts in a service assembly and another to indicate the quantity of a given part in an illustration.

## Service Assembly Reference Numbers

Parts in service assemblies have reference numbers in the form a:b. The a represents the reference number of the entire service assembly and the b represents a sequential number unique to each part within the service assembly.

For example, a wheel assembly might be identified by reference number 6, the tire by 6:1, the valve by 6:2, and the wheel by 6:3. When you order the assembly identified by reference number 6, you receive all parts identified by reference numbers 6:1, 6:2, and 6:3. However, you may also order any part individually. Reference numbers of this type appear in illustration and in parts lists.

## Reference Numbers Indicating Quantity

In an illustration, if a reference number indicates more than one part, the reference number has the form nX y. The n represents the quantity of the part, the X is the multiplication symbol, and the y represents the reference number.

For example, in an illustration, the reference number 2X 37 means that two of the parts identified by reference number 37 are indicated.

# List of Abbreviations

**AR:** as required

**ASM:** assembly

**BBC:** blade brake control

**BHTF:** button head thread forming

**CARR:** carriage

**CCW:** counter clockwise

**CW:** clockwise

**DEG:** degrees

**ECM:** electronic control module

**EXT:** external

**FH:** flat head

**GA:** gauge

**HD:** heavy-duty

**HF:** hex flange

**HH:** hex head

**HHF:** hex head flange

**HHFTF:** hex head flange thread forming

**HJ:** hex jam

**HLH:** hex lag head

**HOC:** height-of-cut

**HSBH:** hex socket button head

**HSFH:** hex socket flat head

**HSH:** hex socket head

**HWH:** hex washer head

**HWHTF:** hex washer head thread forming

**HYD:** hydraulic

**LH:** left hand

**NI:** nylon insert

**NPTF:** national pipe thread fine

**PFH:** phillips flat head

**PPH:** phillips pan head

**PPHTF:** phillips pan head thread forming

**PRH:** phillips round head

**PTH:** phillips truss head

**PTO:** power-take-off

**RH:** right hand

**ROPS:** roll-over protection system

**RRB:** rear roller brush

**SFH:** slotted fillister head

**SHH:** slotted hex head

**SHWH:** slotted hex washer head

**SPH:** slotted pan head

**SQH:** square head

**SRH:** slotted round head

**STD:** standard

**TAP:** self tapping

**TTH:** torx truss head

# Contents

216 Valve Series 1 Inch Assembly ..... 4

216 Valve Series 1 inch Assembly - Regulator ..... 6

216 Valve Series 1-1/4 and 1-1/2 Inch Assembly ..... 7


216 Valve Series 1-1/4 and 1-1/2 Inch Assembly - Regulator ..... 9

216 Valve Series 2 Inch Assembly..... 10

216 Valve Series 2 Inch Assembly - Regulator ..... 12

216 Valve Series 2-1/2 and 3 Inch Assembly ..... 13

216 Valve Series 2-1/2 and 3 Inch Assembly - Regulator..... 15




## 216 Valve Series 1 Inch Assembly

| Ref. | Part Number | Qty. | Description                      |
|------|-------------|------|----------------------------------|
| 1    | 89-1673     | 1    | Solenoid ASM                     |
| 2    | 35-4717     | 1    | Plunger ASM With Spring, EI      |
| 2    | 35-4609     | 1    | Plunger ASM, EI, Pr And Cr       |
| 3    | 360-0220    | 1    | O-Ring (0.070 X 0.551 X 0.691)   |
| 4    | 89-5824     | 1    | Cap-Valve, EI                    |
| 4    | 89-5823     | 1    | Cap-Valve, No                    |
| 4    | 89-5825     | 1    | Cap-Valve, Pr                    |
| 5    | 89-3407     | 1    | Actuator ASM, EI (Incl. O-Rings) |
| 6    | 102-0208    | 1    | Bleed Screw ASM                  |
| 7    | 360-0498    | 1    | Screw-Machine                    |
| 8    | 9-4527      | 1    | Handle-Cross                     |
| 9    | 360-0107    | 1    | O-Ring (0.070 X 0.301 X 0.441)   |

| Ref. | Part Number | Qty. | Description                              |
|------|-------------|------|------------------------------------------|
| 10   | 89-6507     | 1    | Stem-Flow Control, EI And Pr (Incl. 7-8) |
| 11   | 900-24      | 1    | Adapter-Poly, No ●                       |
| 12   | 89-8157     | 1    | Cap-Poly, 1/4                            |
| 13   | 900-40      | 1    | Retainer-Tube ●                          |
| 14   | 360-0595    | 4    | Screw-Machine                            |
| 15   | 9-5146      | 1    | Spring-Diaphragm                         |
| 16   | 9-5552      | 1    | Shaft-Diaphragm                          |
| 17   | 9-4562      | 1    | Plate-Support, Diaphragm Upper           |
| 18   | 9-4567      | 1    | Diaphragm                                |
| 19   | 35-2651     | 1    | Spacer-Diaphragm                         |
| 20   | 35-2857     | 1    | Seat                                     |
| 21   | 35-7214     | 1    | Retainer-Seat                            |
| 22   | 360-0593    | 1    | Nut                                      |
| 23   | 35-2639     | 1    | Support-Diaphragm                        |
| 24   | 35-4953     | 1    | Body-Valve, Brass, EI, Npt               |

● \* Order Through Finished Goods Distribution System Minneapolis




## 216 Valve Series 1 Inch Assembly (continued)

| Ref. | Part Number | Qty. | Description                               |
|------|-------------|------|-------------------------------------------|
| 24   | 35-4959     | 1    | Body-Valve, Brass, No, Npt                |
| 24   | 35-5755     | 1    | Body-Valve, Brass, El, Bsp                |
| 24   | 35-4963     | 1    | Body-Valve, Brass, Pr, Npt                |
| 24   | 35-5759     | 1    | Body-Valve, Brass, Pr, Bsp                |
| 24   | 35-5757     | 1    | Body-Valve, Brass, No, Bsp                |
| 25   | 360-0530    | 1    | O-Ring, El And Pr (0.070 X 0.145 X 0.285) |
| 26   | 360-0220    | 1    | O-Ring (0.070 X 0.551 X 0.691)            |

| Ref. | Part Number | Qty. | Description                              |
|------|-------------|------|------------------------------------------|
| 27   | 9-5365      | 1    | Filter ASM, El                           |
| 27   | 35-4619     | 1    | Filter ASM, 1/4, Regulator, Pr And Cr    |
| 28   | 360-0494    | 1    | O-Ring (0.070 X 0.426 X 0.566) Pr And Cr |
| 29   | 360-0497    | 1    | O-Ring, El (0.070 X 0.239 X 0.379)       |

● \* Order Through Finished Goods Distribution System Minneapolis




## 216 Valve Series 1 inch Assembly - Regulator

| Ref. | Part Number | Qty. | Description                         |
|------|-------------|------|-------------------------------------|
| 30   | 35-5680     | 1    | 2 Way Plug ASM, Pr                  |
| 31   | 35-6363     | 1    | Plug-Communication, Pr              |
| 32   | 9-2623      | 2    | Tube, 1/4 X 8, Pr And Cr            |
| 33   | 363-3140    | 1    | Regulator-Water Pressure, Pr        |
| 34   | 363-1762    | 1    | Valve, 1/8, Pr, Npt                 |
| 35   | 900-24      | 1    | Adapter-Poly, No ■                  |
| 36   | 900-40      | 3    | Retainer-Tube ■                     |
| 37   | 363-3154    | 1    | Nipple-Close, Brass, Pr (1/8 Npt) ● |
| 38   | 360-0418    | 1    | Petcock, Npt (1/8) ●                |
| 39   | 9-8581      | 1    | Solenoid ASM, EI ●                  |
| 40   | 35-3099     | 1    | Solenoid ASM, EI And Pr And Cr ●    |
| 41   | 9-5359      | 1    | Diaphragm ASM (Incl. 16-22) ●       |
| 42   | 89-6406     | 1    | Cap ASM 1, EI (Incl. 4 And 6-10) ●  |
| 43   | 89-6407     | 1    | Cap ASM 1, Pr (Incl. 4 And 6-10) ●  |
| 44   | 89-6408     | 1    | Cap ASM 1, No (Incl. 4 And 7-10) ●  |

● Not illustrated

■ \* Order Through Finished Goods Distribution System Minneapolis




## 216 Valve Series 1-1/4 and 1-1/2 Inch Assembly

| Ref. | Part Number | Qty. | Description                      |
|------|-------------|------|----------------------------------|
| 1    | 89-1673     | 1    | Solenoid ASM                     |
| 2    | 35-4717     | 1    | Plunger ASM With Spring, EI      |
| 2    | 35-4609     | 1    | Plunger ASM, EI, Pr And Cr       |
| 3    | 360-0220    | 1    | O-Ring (0.070 X 0.551 X 0.691)   |
| 4    | 89-3407     | 1    | Actuator ASM, EI (Incl. O-Rings) |
| 5    | 360-0498    | 1    | Screw-Machine                    |
| 6    | 9-4527      | 1    | Handle-Cross                     |
| 7    | 360-0493    | 1    | O-Ring (0.070 X 0.364 X 0.504)   |
| 8    | 360-0499    | 5    | Screw-Machine                    |
| 9    | 89-5827     | 1    | Cap-Valve, No                    |
| 9    | 89-5828     | 1    | Cap-Valve, EI                    |
| 9    | 89-5829     | 1    | Cap-Valve, Pr                    |
| 10   | 102-0208    | 1    | Bleed Screw ASM                  |

| Ref. | Part Number | Qty. | Description                               |
|------|-------------|------|-------------------------------------------|
| 11   | 900-24      | 1    | Adapter-Poly, No ●                        |
| 12   | 89-8157     | 1    | Cap-Poly, 1/4                             |
| 13   | 900-40      | 1    | Retainer-Tube ●                           |
| 14   | 9-4424      | 1    | Stem-Flow Control                         |
| 15   | 102-0637    | 1    | Spring-Diaphragm                          |
| 16   | 9-5551      | 1    | Shaft-Valve, 1.5                          |
| 17   | 9-5590      | 1    | Plate-Support, Diaphragm                  |
| 18   | 9-4428      | 1    | Diaphragm                                 |
| 19   | 35-2453     | 1    | Spacer-Diaphragm                          |
| 20   | 9-4420      | 1    | Seat                                      |
| 21   | 9-4419      | 1    | Retainer-Seat                             |
| 22   | 360-0140    | 1    | Washer-Flat                               |
| 23   | 360-0594    | 1    | Nut-Hex                                   |
| 24   | 35-2452     | 1    | Support-Diaphragm                         |
| 25   | 360-0530    | 1    | O-Ring, EI And Pr (0.070 X 0.145 X 0.285) |

● \* Order Through Finished Goods Distribution System Minneapolis




## 216 Valve Series 1-1/4 and 1-1/2 Inch Assembly (continued)

| Ref. | Part Number | Qty. | Description                      |
|------|-------------|------|----------------------------------|
| 26   | 360-0220    | 1    | O-Ring (0.070 X 0.551 X 0.691)   |
| 27   | 89-1868     | 1    | Body-Valve, No HYD, Npt (1-1/4 ) |
| 27   | 89-1871     | 1    | Body-Valve, No HYD, Bsp (1-1/4)  |
| 27   | 89-1869     | 1    | Body-Valve, El, Npt (1-1/4)      |
| 27   | 89-1872     | 1    | Body-Valve, El, Bsp (1-1/4)      |
| 27   | 89-1870     | 1    | Body-Valve, Pr, Npt (1-1/4)      |
| 27   | 89-1873     | 1    | Body-Valve, Pr, Bsp (1-1/4)      |
| 27   | 35-2731     | 1    | Body-Valve, No, Npt (1-1/2)      |
| 27   | 35-2733     | 1    | Body-Valve, No, Bsp (1-1/2)      |

| Ref. | Part Number | Qty. | Description                              |
|------|-------------|------|------------------------------------------|
| 27   | 35-2730     | 1    | Body-Valve, El, Npt (1-1/2)              |
| 27   | 35-2732     | 1    | Body-Valve, El, Bsp (1-1/2)              |
| 27   | 35-2840     | 1    | Body-Valve, Pr, Npt (1-1/2)              |
| 27   | 35-4839     | 1    | Body-Valve, Pr, Bsp (1-1/2)              |
| 28   | 9-5365      | 1    | Filter ASM, El                           |
| 28   | 35-4619     | 1    | Filter ASM, 1/4, Regulator, Pr And Cr    |
| 29   | 360-0497    | 1    | O-Ring, El (0.070 X 0.239 X 0.379)       |
| 30   | 360-0494    | 1    | O-Ring (0.070 X 0.426 X 0.566) Pr And Cr |

● \* Order Through Finished Goods Distribution System Minneapolis




## 216 Valve Series 1-1/4 and 1-1/2 Inch Assembly - Regulator

| Ref. | Part Number | Qty. | Description                           |
|------|-------------|------|---------------------------------------|
| 31   | 35-5680     | 1    | 2 Way Plug ASM, Pr                    |
| 32   | 9-2623      | 2    | Tube, 1/4 X 8, Pr And Cr              |
| 33   | 363-3140    | 1    | Regulator-Water Pressure, Pr          |
| 34   | 363-1762    | 1    | Valve, 1/8, Pr, Npt                   |
| 35   | 900-24      | 1    | Adapter-Poly, No ■                    |
| 36   | 900-40      | 3    | Retainer-Tube ■                       |
| 37   | 363-1760    | 1    | Nipple-Close, Brass, 1/8 Npt, Pr ●    |
| 38   | 360-0418    | 1    | Petcock, Npt (1/8) ●                  |
| 39   | 35-3099     | 1    | Solenoid ASM, El And Pr And Cr ●      |
| 40   | 9-8581      | 1    | Solenoid ASM, El ●                    |
| 41   | 9-5361      | 1    | Diaphragm ASM (Incl. 16-23) ●         |
| 42   | 102-0637    | 1    | Spring-Diaphragm ●                    |
| 43   | 89-6381     | 1    | Cap ASM El, Svc. (Incl. 5-7 And 14) ● |
| 44   | 89-6382     | 1    | Cap ASM Pr, Svc. (Incl. 5-7 And 14) ● |
| 45   | 89-6383     | 1    | Cap ASM No, Svc. (Incl. 5-7 And 14) ● |

● Not illustrated

■ \* Order Through Finished Goods Distribution System Minneapolis




## 216 Valve Series 2 Inch Assembly

| Ref. | Part Number | Qty. | Description                      |
|------|-------------|------|----------------------------------|
| 1    | 89-1673     | 1    | Solenoid ASM                     |
| 2    | 35-4717     | 1    | Plunger ASM With Spring, EI      |
| 2    | 35-4609     | 1    | Plunger ASM, EI, Pr And Cr       |
| 3    | 360-0220    | 1    | O-Ring (0.070 X 0.551 X 0.691)   |
| 4    | 89-3407     | 1    | Actuator ASM, EI (Incl. O-Rings) |
| 5    | 89-5832     | 1    | Cap-Valve, EI (Post-10/93)       |
| 5    | 89-5831     | 1    | Cap-Valve, No HYD.               |
| 5    | 89-5833     | 1    | Cap-Valve, Pr (Post-10/93)       |
| 6    | 102-0208    | 1    | Bleed Screw ASM                  |
| 7    | 9/1/4543    | 1    | Shaft-Flow Control               |
| 8    | 360-0493    | 1    | O-Ring (0.070 X 0.364 X 0.504)   |
| 9    | 360-0498    | 1    | Screw-Machine                    |
| 10   | 9-4527      | 1    | Handle-Cross                     |

| Ref. | Part Number | Qty. | Description                    |
|------|-------------|------|--------------------------------|
| 11   | 89-1652     | 1    | Spring-Diaphragm               |
| 12   | 9-7534      | 1    | Shaft-Diaphragm                |
| 13   | 35-3139     | 1    | Plate-Support Diaphragm, Upper |
| 14   | 9-4542      | 1    | Diaphragm, 2 Inch              |
| 15   | 35-3141     | 1    | Spacer-Diaphragm               |
| 16   | 35-3142     | 1    | Seat                           |
| 17   | 9-4536      | 1    | Retainer-Seat                  |
| 18   | 360-0140    | 1    | Washer-Flat                    |
| 19   | 360-0594    | 1    | Nut-Hex                        |
| 20   | 9-4541      | 1    | Plate-Support, Diaphragm       |
| 21   | 35-3110     | 1    | Body-Valve, EI, Npt            |
| 21   | 35-3111     | 1    | Body-Valve, No, Npt            |
| 21   | 35-4841     | 1    | Body-Valve, EI, Bsp            |
| 21   | 35-4843     | 1    | Body-Valve, No, Bsp            |
| 21   | 35-3112     | 1    | Body-Valve, Pr, Npt            |
| 21   | 35-4844     | 1    | Body-Valve, Pr, Bsp            |

● \* Order Through Finished Goods Distribution System Minneapolis




## 216 Valve Series 2 Inch Assembly (continued)

| Ref. | Part Number | Qty. | Description                               |
|------|-------------|------|-------------------------------------------|
| 22   | 360-0220    | 1    | O-Ring (0.070 X 0.551 X 0.691)            |
| 23   | 360-0530    | 1    | O-Ring, EI And Pr (0.070 X 0.145 X 0.285) |
| 24   | 9-7681      | 1    | Filter ASM, EI                            |
| 24   | 35-4619     | 1    | Filter ASM, 1/4, Regulator, Pr And Cr     |
| 25   | 360-0494    | 1    | O-Ring (0.070 X 0.426 X 0.566) Pr And Cr  |

| Ref. | Part Number | Qty. | Description                        |
|------|-------------|------|------------------------------------|
| 26   | 360-0497    | 1    | O-Ring, EI (0.070 X 0.239 X 0.379) |
| 27   | 900-24      | 1    | Adapter-Poly, No ●                 |
| 28   | 89-8157     | 1    | Cap-Poly, 1/4                      |
| 29   | 900-40      | 1    | Retainer-Tube ●                    |
| 30   | 360-0499    | 6    | Screw-Machine                      |

● \* Order Through Finished Goods Distribution System Minneapolis




## 216 Valve Series 2 Inch Assembly - Regulator

| Ref. | Part Number | Qty. | Description                           |
|------|-------------|------|---------------------------------------|
| 31   | 35-5680     | 1    | 2 Way Plug ASM, Pr                    |
| 32   | 9-2623      | 2    | Tube, 1/4 X 8, Pr And Cr              |
| 33   | 363-3140    | 1    | Regulator-Water Pressure, Pr          |
| 34   | 363-1762    | 1    | Valve, 1/8, Pr, Npt                   |
| 35   | 363-3154    | 1    | Nipple-Close, Brass, Pr (1/8 Npt)     |
| 36   | 900-40      | 3    | Retainer-Tube ■                       |
| 37   | 900-24      | 2    | Adapter-Poly, No ■                    |
| 38   | 360-0418    | 1    | Petcock, Npt (1/8) ●                  |
| 39   | 35-3099     | 1    | Solenoid ASM, El And Pr And Cr ●      |
| 40   | 9-8581      | 1    | Solenoid ASM, El ●                    |
| 41   | 9-5363      | 1    | Diaphragm ASM (Incl. 12-19) ●         |
| 42   | 35-4892     | 1    | Regulator ASM, Pr ●                   |
| 43   | 89-6384     | 1    | Cap ASM El, Svc. (Incl. 5-10) ●       |
| 44   | 89-6385     | 1    | Cap ASM Pr, Svc. (Incl. 5-10) ●       |
| 45   | 89-6386     | 1    | Cap ASM No, Svc. (Incl. 5 And 7-10) ● |

● Not illustrated

■ \* Order Through Finished Goods Distribution System Minneapolis




## 216 Valve Series 2-1/2 and 3 Inch Assembly

| Ref. | Part Number | Qty. | Description                                          |
|------|-------------|------|------------------------------------------------------|
| 1    | 89-1673     | 1    | Solenoid ASM                                         |
| 2    | 35-4717     | 1    | Plunger ASM With Spring, EI                          |
| 2    | 35-4609     | 1    | Plunger ASM, EI, Pr And Cr                           |
| 3    | 360-0220    | 1    | O-Ring (0.070 X 0.551 X 0.691)                       |
| 4    | 89-3407     | 1    | Actuator ASM, EI (Incl. O-Rings)                     |
| 5    | 89-5835     | 1    | Cap-Valve, No, Shallow Diaphragm Groove (Post-10/93) |
| 5    | 89-5836     | 1    | Cap-Valve, EI, Shallow Diaphragm Groove (Post-10/93) |
| 5    | 89-5837     | 1    | Cap-Valve, Pr, Shallow Diaphragm Groove (Post-10/93) |
| 6    | 102-0208    | 1    | Bleed Screw ASM                                      |

● \* Order Through Finished Goods Distribution System Minneapolis

| Ref. | Part Number | Qty. | Description                                      |
|------|-------------|------|--------------------------------------------------|
| 7    | 9-4527      | 1    | Handle-Cross                                     |
| 8    | 360-0498    | 1    | Screw-Machine                                    |
| 9    | 360-0493    | 1    | O-Ring (0.070 X 0.364 X 0.504)                   |
| 10   | 360-0223    | 1    | Screw-Set, Half-Dog Point, 6-32 X 1/4, EI And Pr |
| 11   | 9-4543      | 1    | Shaft-Flow Control                               |
| 12   | 900-24      | 1    | Adapter-Poly, No ●                               |
| 13   | 89-8157     | 1    | Cap-Poly, 1/4                                    |
| 14   | 900-40      | 1    | Retainer-Tube ●                                  |
| 15   | 89-1744     | 1    | Spring-Diaphragm                                 |
| 16   | 9-7534      | 1    | Shaft-Diaphragm                                  |
| 17   | 9-7412      | 1    | Plate-Support Diaphragm, Upper                   |
| 18   | 89-7866     | 1    | Diaphragm-Shallow Groove (Post-10/93)            |
| 18   | 89-9433     | 1    | Diaphragm                                        |




## 216 Valve Series 2-1/2 and 3 Inch Assembly (continued)

| Ref. | Part Number | Qty. | Description                                   |
|------|-------------|------|-----------------------------------------------|
| 19   | 35-1403     | 1    | Spacer-Diaphragm                              |
| 20   | 360-0497    | 1    | O-Ring, EI (0.070 X 0.239 X 0.379)            |
| 21   | 35-1401     | 1    | Support-Seat                                  |
| 22   | 35-1402     | 1    | Seat                                          |
| 23   | 35-1410     | 1    | Retainer-Seat                                 |
| 24   | 9-4415      | 1    | Washer-Retainer                               |
| 25   | 89-8126     | 1    | Support-Diaphragm                             |
| 26   | 360-0594    | 1    | Nut-Hex                                       |
| 27   | 89-6389     | 1    | Body-Valve, 2.5, No, Shallow Diaphragm Groove |
| 27   | 89-6390     | 1    | Body-Valve, 3, No, Shallow Diaphragm Groove   |
| 27   | 89-6391     | 1    | Body-Valve, 2.5, EI, Shallow Diaphragm Groove |
| 27   | 89-6392     | 1    | Body-Valve, 3, EI, Shallow Diaphragm Groove   |

| Ref. | Part Number | Qty. | Description                                              |
|------|-------------|------|----------------------------------------------------------|
| 27   | 89-6388     | 1    | Body-Valve, 2.5, Pr, Shallow Diaphragm Groove            |
| 27   | 89-6387     | 1    | Body-Valve, 3, Pr, Shallow Diaphragm Groove              |
| 28   | 360-0220    | 1    | O-Ring (0.070 X 0.551 X 0.691)                           |
| 29   | 360-0530    | 1    | O-Ring, EI And Pr (0.070 X 0.145 X 0.285)                |
| 30   | 9-7681      | 1    | Filter ASM, EI                                           |
| 30   | 35-4931     | 1    | Filter ASM, Regulator, .034, Pr And Cr (Includes O-Ring) |
| 31   | 360-0494    | 1    | O-Ring (0.070 X 0.426 X 0.566) Pr And Cr                 |
| 32   | 360-0497    | 1    | O-Ring, EI (0.070 X 0.239 X 0.379)                       |
| 33   | 360-0499    | 10   | Screw-Machine                                            |

● \* Order Through Finished Goods Distribution System Minneapolis




## 216 Valve Series 2-1/2 and 3 Inch Assembly - Regulator

| Ref. | Part Number | Qty. | Description                       |
|------|-------------|------|-----------------------------------|
| 34   | 35-5680     | 1    | 2 Way Plug ASM, Pr                |
| 35   | 9-2623      | 2    | Tube, 1/4 X 8, Pr And Cr          |
| 36   | 363-3140    | 1    | Regulator-Water Pressure, Pr      |
| 37   | 363-1762    | 1    | Valve, 1/8, Pr, Npt               |
| 38   | 363-3154    | 1    | Nipple-Close, Brass, Pr (1/8 Npt) |
| 39   | 900-40      | 3    | Retainer-Tube ■                   |
| 40   | 3-3362      | 1    | Adapter-Poly 1/8 X 1/4, No        |
| 41   | 9-8011      | 1    | Tube-Discharge, EI ●              |
| 42   | 360-0418    | 1    | Petcock, Npt (1/8) ●              |
| 43   | 35-3099     | 1    | Solenoid ASM, EI And Pr And Cr ●  |
| 44   | 9-8581      | 1    | Solenoid ASM, EI (Incl. 1-2) ●    |
| 45   | 35-4892     | 1    | Regulator ASM, Pr (Incl. 33-35) ● |

| Ref. | Part Number | Qty. | Description                                                            |
|------|-------------|------|------------------------------------------------------------------------|
| 46   | 89-6418     | 1    | Cap ASM EI, Shallow Diaphragm Groove (Post-10/93) (Incl. 5-11) ●       |
| 47   | 89-6417     | 1    | Cap ASM No, Shallow Diaphragm Groove (Post-10/93) (Incl. 5 And 7-11) ● |
| 48   | 89-6419     | 1    | Cap ASM Pr, Shallow Diaphragm Groove (Post-10/93) (Incl. 5-11) ●       |
| 49   | 89-4825     | 1    | Diaphragm W/Retrofit Seal ASM, Deep Groove (Pre-10/93) ●               |

● Not illustrated

■ \* Order Through Finished Goods Distribution System Minneapolis



## 216 Valve Series 2-1/2 and 3 Inch Assembly - Regulator (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                                                     |
|-------------|--------------------|-------------|------------------------------------------------------------------------|
| 50          | 89-6420            | 1           | Diaphragm W/Retrofit Seal ASM, Deep Groove (Pre-10/93) (Incl. 16-26) ● |
| 51          | 89-6421            | 1           | Diaphragm ASM, Shallow Groove (Post-10/93) (Incl. 16-26) ●             |

● Not illustrated

■ \* Order Through Finished Goods Distribution System Minneapolis

**Notes:**

**Notes:**

**Notes:**



**Count on it.**