




# **ULTRA VAC<sup>®</sup>** **E-SERIES**

**Model No. 116-3000—Serial No. 920000 and Up**

Picture below may not reflect actual product.



# **Parts Manual**

# Ordering Replacement Parts

To order replacement parts, please supply the part number, the quantity, and the description of each part desired.

## Understanding Reference Numbers

Each identified part in an illustration has a reference number. The reference number for a part also appears in the parts list, along with other information about the part.

This catalog uses two special reference number formats, one to indicate parts in a service assembly and another to indicate the quantity of a given part in an illustration.

## Service Assembly Reference Numbers

Parts in service assemblies have reference numbers in the form a:b. The a represents the reference number of the entire service assembly and the b represents a sequential number unique to each part within the service assembly.

For example, a wheel assembly might be identified by reference number 6, the tire by 6:1, the valve by 6:2, and the wheel by 6:3. When you order the assembly identified by reference number 6, you receive all parts identified by reference numbers 6:1, 6:2, and 6:3. However, you may also order any part individually. Reference numbers of this type appear in illustration and in parts lists.

## Reference Numbers Indicating Quantity

In an illustration, if a reference number indicates more than one part, the reference number has the form nX y. The n represents the quantity of the part, the X is the multiplication symbol, and the y represents the reference number.

For example, in an illustration, the reference number 2X 37 means that two of the parts identified by reference number 37 are indicated.

# List of Abbreviations

|  |  |                                      |
|--|--|--------------------------------------|
| <b>AR:</b> as required                       | <b>HOC:</b> height-of-cut                      | <b>RRB:</b> rear roller brush        |
| <b>ASM:</b> assembly                         | <b>HSBH:</b> hex socket button head            | <b>SFH:</b> slotted fillister head   |
| <b>BBC:</b> blade brake control              | <b>HSFH:</b> hex socket flat head              | <b>SHH:</b> slotted hex head         |
| <b>BHTF:</b> button head thread forming      | <b>HSH:</b> hex socket head                    | <b>SHWH:</b> slotted hex washer head |
| <b>CARR:</b> carriage                        | <b>HWH:</b> hex washer head                    | <b>SPH:</b> slotted pan head         |
| <b>CCW:</b> counter clockwise                | <b>HWTF:</b> hex washer head thread forming    | <b>SQH:</b> square head              |
| <b>CW:</b> clockwise                         | <b>HYD:</b> hydraulic                          | <b>SRH:</b> slotted round head       |
| <b>DEG:</b> degrees                          | <b>LH:</b> left hand                           | <b>STD:</b> standard                 |
| <b>DPA:</b> Dual Point Adjustment            | <b>LP:</b> Liquid Propane                      | <b>TAP:</b> self tapping             |
| <b>ECM:</b> electronic control module        | <b>NI:</b> nylon insert                        | <b>TTH:</b> torx truss head          |
| <b>EXT:</b> external                         | <b>NPTF:</b> national pipe thread fine         |                                      |
| <b>FH:</b> flat head                         | <b>PFH:</b> phillips flat head                 |                                      |
| <b>GA:</b> gauge                             | <b>PPH:</b> phillips pan head                  |                                      |
| <b>HD:</b> heavy-duty                        | <b>PPHTF:</b> phillips pan head thread forming |                                      |
| <b>HF:</b> hex flange                        | <b>PRH:</b> phillips round head                |                                      |
| <b>HH:</b> hex head                          | <b>PTH:</b> phillips truss head                |                                      |
| <b>HHF:</b> hex head flange                  | <b>PTO:</b> power-take-off                     |                                      |
| <b>HHFTF:</b> hex head flange thread forming | <b>RH:</b> right hand                          |                                      |
| <b>HJ:</b> hex jam                           | <b>ROPS:</b> roll-over protection system       |                                      |
| <b>HLH:</b> hex lag head                     |  |                                      |

# Touch Up Paint

Exmark black touch up spray paint – gloss black.

Exmark red touch up paint (spray paint – P/N 1-850337 - .6 oz liquid bottle – P/N 103-9140).

**EXMARK PARTS PLUS**

***PARTS***


**OVERNIGHT**

**OR *FREE*\***

If your Exmark dealer does not have the Exmark part in stock, Exmark will get the parts to the dealer the next business day or the part will be FREE Guaranteed!! (Some restrictions apply. See your participating Exmark Dealer for details.)


# Contents

|  |    |
|--|----|
| Bagger Top and Mounting Assembly ..... | 5  |
| Hood Assembly No. 116-4537 .....       | 6  |
| Blower and Tubes Assembly .....        | 7  |
| Blower Assembly .....                  | 8  |
| Idler Assembly .....                   | 9  |
| Weight Assembly .....                  | 10 |
| Bag Assembly No. 116-0754 .....        | 11 |
| Completing Kit No. 116-4880 .....      | 12 |
| Completing Kit No. 116-4882 .....      | 13 |
| Completing Kit No. 116-4884 .....      | 14 |
| Completing Kit No. 116-4885 .....      | 15 |
| Completing Kit No. 116-4887 .....      | 16 |
| Completing Kit No. 116-4889 .....      | 17 |




## Bagger Top and Mounting Assembly

| Ref. | Part Number | Qty. | Description                   |
|------|-------------|------|-------------------------------|
| 1    | 116-4783-03 | 1    | Frame ASM-Pivot               |
| 2    | 116-4537    | 1    | Bagger Hood ASM               |
| 3    | 116-0754    | 2    | Bag And Frame ASM             |
| 4    | 104-8300    | 4    | Nut-Nyloc 5/16-18 Flg         |
| 5    | 116-4126    | 1    | Seal                          |
| 6    | 112-3993    | 1    | Screen-Bagger                 |
| 7    | 116-4127-03 | 1    | Plate-Backing                 |
| 8    | 112-3987    | 2    | Bracket-Pivot, Hopper         |
| 9    | 3230-3      | 4    | Bolt-Carriage 5/16-18 X 1 1/4 |
| 10   | 3290-355    | 2    | Pin-Hair                      |
| 11   | 116-4867    | 1    | Rod-Hood Hold Down            |
| 12   | 116-4992    | 1    | Latch-Rubber                  |
| 13   | 107-7461    | 2    | Screw-Plastite                |
| 14   | 3256-77     | 2    | Washer-Flat                   |
| 17   | 3290-307    | 2    | Pin-Hair                      |



## Hood Assembly No. 116-4537


| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>   |
|-------------|--------------------|-------------|----------------------|
| 2           | 116-5071-03        | 1           | Stiffener-Bagger Top |
| 3           | 116-4478           | 1           | Gasket               |
| 4           | 112-4000-03        | 1           | Ring-Retainer        |
| 5           | 114439             | 12          | Rivet                |
| 6           | 9202704            | 4           | Washer               |
| 7           | 109-6809           | 1           | Decal-Caution Bagger |
| 8           | 1-653546           | 1           | Decal, Exmark Logo   |



## Blower and Tubes Assembly

| Ref. | Part Number | Qty. | Description            |
|------|-------------|------|------------------------|
| 1    | 116-5707    | 1    | Asm-Blower Uv          |
| 2    | 116-4128    | 1    | Lower Tube ASM         |
| 2:1  | 116-4495    | 1    | Tube-Lower Uv          |
| 2:2  | 103-4081    | 2    | Latch-Keeper ●         |
| 2:3  | 3256-14     | 2    | Washer-#10 Std         |
| 2:4  | 3290-500    | 2    | Screw-PPH #10-24 X 5/8 |
| 3    | 116-4825    | 1    | ASM-Upper Tube Uve     |
| 3:1  | 116-4496    | 1    | Tube-Upper Uv          |
| 3:2  | 104-7201    | 3    | Nut-Nyloc 1/4-20 Flg   |
| 3:3  | 1-803076    | 3    | Screw-PPH 1/4-20 X 3/4 |

● Kit No. 103-4188 - Contains catch, rubber latch, and mounting hardware



## Blower Assembly


| Ref. | Part Number | Qty. | Description               |
|------|-------------|------|---------------------------|
| 1    | 1-513013    | 4    | Housing-Flange            |
| 2    | 1-513208    | 1    | Washer-Spring Disc 5/8    |
| 3    | 1-513435    | 1    | Washer-Spring Disc 1/2    |
| 4    | 116-4446    | 1    | Upper Housing W/Decal     |
| 4:2  | 116-4935    | 1    | Decal-Blower Warning      |
| 5    | 116-5704-03 | 1    | Asm-Blower Frame          |
| 6    | 103-3815    | 1    | Impeller                  |
| 8    | 1-653331    | 1    | Spring                    |
| 9    | 1-653346    | 2    | Bearing ▲                 |
| 10   | 116-4993    | 1    | ASM-Small Blower Chute    |
| 10:1 | 116-4991    | 1    | Chute-Blower Small        |
| 10:2 | 103-4752-03 | 1    | Plate,Reinforcement Small |
| 10:3 | 114439      | 5    | Rivet                     |
| 10:4 | 116-5133-03 | 1    | Plate-Filler              |
| 11   | 1-653365    | 1    | Spacer                    |
| 13   | 103-4080    | 2    | Latch-Rubber ■            |
| 14   | 116-4434-03 | 1    | Plate-Backing, Blower     |
| 15   |             | 1    | ASM, Idler ●              |
| 16   | 1-603044    | 1    | Bushing                   |
| 17   | 32128-20    | 6    | Nut-Whizlock 5/16-18      |

| Ref. | Part Number | Qty. | Description                 |
|------|-------------|------|-----------------------------|
| 18   | 104-7201    | 18   | Nut-Nyloc 1/4-20 Flg        |
| 19   | 3219-6      | 1    | Nut-Hex 5/8-18              |
| 20   | 3220-5      | 1    | Nut-Jam 1/2-20              |
| 21   | 3229-1      | 5    | Bolt-Carriage 1/4-20 X 3/4  |
| 22   | 323-11      | 1    | Screw-HH 3/8-16 X 2 1/4     |
| 23   | 3230-10     | 3    | Bolt-Carriage 5/16-18 X 7/8 |
| 24   | 3290-500    | 4    | Screw-PPH #10-24 X 5/8      |
| 25   | 3256-14     | 4    | Washer-#10 Std              |
| 26   | 3256-4      | 2    | Washer-3/8 Std              |
| 27   | 3257-32     | 1    | Key-Woodruff 3/16 X 5/8     |
| 28   | 3290-357    | 1    | Nut-Whizlock 3/8-16         |
| 29   | 103-1047    | 1    | Sheave-Blower ▲             |
| 31   | 109-7694    | 1    | Spring-Compression          |
| 32   | 116-4356    | 1    | Pin-Latch                   |
| 33   | 3290-467    | 1    | Pin-Hair                    |
| 34   | 3218-2      | 3    | Nut-Jam 5/16-18             |
| 35   | 116-4776    | 1    | Cover-Nut                   |
| 36   | 321-4       | 13   | Screw-HH 1/4-20 X 3/4       |
| 37   | 3230-18     | 3    | Bolt-Carriage 5/16-18 X 5/8 |
| 38   | 3256-22     | 5    | Washer-1/4 Sae              |

● Not serviced separately


■ Kit No. 103-4188 - Contains catch, rubber latch, and mounting hardware

▲ Apply Mobil HTS grease (P/N 103-5217 1.5 oz packet) (or a food-grade anti-seize). See operator s manual for locations.




## Idler Assembly

| <b>Ref.</b> | <b>Part Number</b> | <b>Qty.</b> | <b>Description</b>            |
|-------------|--------------------|-------------|-------------------------------|
| 2           | 103-0483           | 1           | Idler                         |
| 3           | 103-0448           | 1           | ASM, Idler Arm - Service Only |
| 3:2         | 1-653600           | 2           | Bearing                       |
| 3:3         | 1-653558           | 1           | Decal-Hot Sheave              |
| 3:4         | 302-19             | 1           | Zerk-1/4-28 Str               |
| 4           | 323-8              | 1           | Screw-HH 3/8-16 X 1 1/2       |
| 5           | 3290-357           | 1           | Nut-Whizlock 3/8-16           |
| 6           | 1-653367           | 1           | Hub,Spacer                    |




## Weight Assembly

| Ref. | Part Number | Qty. | Description              |
|------|-------------|------|--------------------------|
| 1    | 104-8301    | 2    | Nut-Nyloc 3/8-16 Flg     |
| 2    | 116-4129-01 | 1    | Bracket-Weight Mount     |
| 3    | 116-4472    | 2    | Weight ASM               |
| 3:2  | 116-4471    | 1    | Wireform-Weight          |
| 3:3  | 104-8301    | 2    | Nut-Nyloc 3/8-16 Flg     |
| 3:4  | 100-6547    | 2    | Cushion-Rubber           |
| 3:5  | 103-6605    | 1    | Decal, Weight            |
| 4    | 3231-2      | 2    | Bolt-Carriage 3/8-16 X 1 |
| 5    | 115-1556    | 2    | Pin-Ball, Detent         |




## Bag Assembly No. 116-0754

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>          |
|-------------|--------------------|-------------|-----------------------------|
| 1           | 1-653529-03        | 1           | Frame-Bag                   |
| 2           | 114973-03          | 1           | Hanger-Bag                  |
| 3           | 114974-03          | 1           | Clamp                       |
| 4           | 3230-1             | 2           | Bolt-Carriage 5/16-18 X 3/4 |
| 5           | 3296-29            | 2           | Nut-Nyloc 5/16-18           |
| 6           | 116-0757           | 1           | Bag ASM                     |
| 7           | 1-653566           | 1           | Handle-Bag                  |
| 8           | 3229-1             | 2           | Bolt-Carriage 1/4-20 X 3/4  |
| 9           | 1-653036           | 2           | Washer                      |
| 10          | 3296-42            | 2           | Nut-Nyloc 1/4-20            |




## Completing Kit No. 116-4880

| Ref. | Part Number | Qty. | Description               |
|------|-------------|------|---------------------------|
| 1    | 116-2829    | 1    | Jackshaft,44 Uv           |
| 2    | 103-0867    | 1    | Belt, Blower Drive 72     |
| 3    | 116-4683    | 1    | Cover-Belt, Uv 44         |
| 4    | 116-4862-03 | 1    | Bracket ASM, LH           |
| 5    | 116-4863-03 | 1    | Bracket ASM, RH           |
| 6    | 3230-2      | 5    | Bolt-Carriage 5/16-18 X 1 |
| 7    | 104-8300    | 4    | Nut-Nyloc 5/16-18 Flg     |
| 8    | 116-4686-01 | 1    | Bracket-Belt Cover 44     |
| 11   | 1-353050    | 1    | Shaft-Catcher, Grass      |
| 12   | 1-806323    | 1    | Rollpin 3/16 X 7/8        |
| 13   | 109-5667    | 1    | Ring-Bolt Retaining       |
| 14   | 1-323385    | 1    | Knob-3 Prong              |
| 15   | 103-1279    | 1    | Plug, Black Nylon 1.75    |
| 16   | 109-3458    | 1    | Pin,Chute Pivot           |
| 17   | 1-806003    | 1    | Hairpin-Cotter            |




## Completing Kit No. 116-4882

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>            | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>       |
|-------------|--------------------|-------------|-------------------------------|-------------|--------------------|-------------|--------------------------|
| 1           | 116-4628           | 1           | Jackshaft-Uv Drive 48 Splined | 9           | 3231-2             | 2           | Bolt-Carriage 3/8-16 X 1 |
| 2           | 116-4844           | 1           | Belt-Uv E 48                  | 10          | 104-8301           | 2           | Nut-Nyloc 3/8-16 Flg     |
| 3           | 116-4684           | 1           | Cover-Belt, Uv 48             | 11          | 1-353050           | 1           | Shaft-Catcher, Grass     |
| 4           | 116-4862-03        | 1           | Bracket ASM, LH               | 12          | 1-806323           | 1           | Rollpin 3/16 X 7/8       |
| 5           | 116-4863-03        | 1           | Bracket ASM, RH               | 13          | 109-5667           | 1           | Ring-Bolt Retaining      |
| 6           | 3230-2             | 3           | Bolt-Carriage 5/16-18 X 1     | 14          | 1-323385           | 1           | Knob-3 Prong             |
| 7           | 104-8300           | 2           | Nut-Nyloc 5/16-18 Flg         | 16          | 109-3458           | 1           | Pin,Chute Pivot          |
| 8           | 116-4687-01        | 1           | Bracket-Belt Cover 48, 52     | 17          | 1-806003           | 1           | Hairpin-Cotter           |




## Completing Kit No. 116-4884

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>            | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>       |
|-------------|--------------------|-------------|-------------------------------|-------------|--------------------|-------------|--------------------------|
| 1           | 116-4629           | 1           | Jackshaft-Uv Drive 52 Splined | 9           | 3231-2             | 2           | Bolt-Carriage 3/8-16 X 1 |
| 2           | 1-653333           | 1           | Belt, Blower 48"dk            | 10          | 104-8301           | 2           | Nut-Nyloc 3/8-16 Flg     |
| 3           | 116-4685           | 1           | Cover-Belt, Uv 52             | 11          | 1-353050           | 1           | Shaft-Catcher, Grass     |
| 4           | 116-4862-03        | 1           | Bracket ASM, LH               | 12          | 1-806323           | 1           | Rollpin 3/16 X 7/8       |
| 5           | 116-4863-03        | 1           | Bracket ASM, RH               | 13          | 109-5667           | 1           | Ring-Bolt Retaining      |
| 6           | 3230-2             | 3           | Bolt-Carriage 5/16-18 X 1     | 14          | 1-323385           | 1           | Knob-3 Prong             |
| 7           | 104-8300           | 2           | Nut-Nyloc 5/16-18 Flg         | 15          | 103-1279           | 1           | Plug, Black Nylon 1.75   |
| 8           | 116-4687-01        | 1           | Bracket-Belt Cover 48, 52     | 16          | 109-3458           | 1           | Pin,Chute Pivot          |
|             |                    |             |                               | 17          | 1-806003           | 1           | Hairpin-Cotter           |




## Completing Kit No. 116-4885

| Ref. | Part Number | Qty. | Description                    |
|------|-------------|------|--------------------------------|
| 1    | 116-5586    | 1    | Jackshaft-Uv Drive, 44 Splined |
| 2    | 103-0867    | 1    | Belt, Blower Drive 72          |
| 3    | 116-4683    | 1    | Cover-Belt, Uv 44              |
| 4    | 116-4862-03 | 1    | Bracket ASM, LH                |
| 5    | 116-4863-03 | 1    | Bracket ASM, RH                |
| 6    | 3230-2      | 5    | Bolt-CARR                      |
| 7    | 104-8300    | 4    | Nut-Flange, NI                 |
| 8    | 116-4686-01 | 1    | Bracket-Belt Cover 44          |
| 11   | 1-353050    | 1    | Shaft-Catcher, Grass           |
| 12   | 1-806323    | 1    | Pin-Roll                       |
| 13   | 109-5667    | 1    | Ring-Retaining, Bolt           |
| 14   | 1-323385    | 1    | Knob-3 Prong                   |
| 15   | 103-1279    | 1    | Plug, Black Nylon 1.75         |
| 16   | 109-3458    | 1    | Pin, Chute Pivot               |
| 17   | 1-806003    | 1    | Pin-Cotter, Hair               |



## Completing Kit No. 116-4887

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>              | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>       |
|-------------|--------------------|-------------|---------------------------------|-------------|--------------------|-------------|--------------------------|
| 1           | 116-2088           | 1           | Jackshaft-Uv Drive, 484 Splined | 9           | 3231-2             | 2           | Bolt-Carriage 3/8-16 X 1 |
| 2           | 116-4844           | 1           | Belt-Uv E 48                    | 10          | 104-8301           | 2           | Nut-Nyloc 3/8-16 Flg     |
| 3           | 116-4684           | 1           | Cover-Belt, Uv 48               | 11          | 1-353050           | 1           | Shaft-Catcher, Grass     |
| 4           | 116-4862-03        | 1           | Bracket ASM, LH                 | 12          | 1-806323           | 1           | Rollpin 3/16 X 7/8       |
| 5           | 116-4863-03        | 1           | Bracket ASM, RH                 | 13          | 109-5667           | 1           | Ring-Bolt Retaining      |
| 6           | 3230-2             | 3           | Bolt-Carriage 5/16-18 X 1       | 14          | 1-323385           | 1           | Knob-3 Prong             |
| 7           | 104-8300           | 2           | Nut-Nyloc 5/16-18 Flg           | 16          | 109-3458           | 1           | Pin,Chute Pivot          |
| 8           | 116-4687-01        | 1           | Bracket-Belt Cover 48, 52       | 17          | 1-806003           | 1           | Hairpin-Cotter           |



## Completing Kit No. 116-4889

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>             | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>       |
|-------------|--------------------|-------------|--------------------------------|-------------|--------------------|-------------|--------------------------|
| 1           | 116-2089           | 1           | Jackshaft,Uv Drive 524 Splined | 9           | 3231-2             | 2           | Bolt-Carriage 3/8-16 X 1 |
| 2           | 1-653333           | 1           | Belt, Blower 48"dk             | 10          | 104-8301           | 2           | Nut-Nyloc 3/8-16 Flg     |
| 3           | 116-4685           | 1           | Cover-Belt, Uv 52              | 11          | 1-353050           | 1           | Shaft-Catcher, Grass     |
| 4           | 116-4862-03        | 1           | Bracket ASM, LH                | 12          | 1-806323           | 1           | Rollpin 3/16 X 7/8       |
| 5           | 116-4863-03        | 1           | Bracket ASM, RH                | 13          | 109-5667           | 1           | Ring-Bolt Retaining      |
| 6           | 3230-2             | 3           | Bolt-Carriage 5/16-18 X 1      | 14          | 1-323385           | 1           | Knob-3 Prong             |
| 7           | 104-8300           | 2           | Nut-Nyloc 5/16-18 Flg          | 15          | 103-1279           | 1           | Plug, Black Nylon 1.75   |
| 8           | 116-4687-01        | 1           | Bracket-Belt Cover 48, 52      | 16          | 109-3458           | 1           | Pin,Chute Pivot          |
|             |                    |             |                                | 17          | 1-806003           | 1           | Hairpin-Cotter           |

**Notes:**

**Notes:**

## SEE EXMARK'S COMPLETE LINE OF ACCESSORIES AND OPTIONS

### MID-MOUNT RIDING ACCESSORIES AND OPTIONS

|                                    |                                    |
|------------------------------------|------------------------------------|
| CUSTOM RIDE SEAT SUSPENSION SYSTEM | OPERATOR CONTROLLED DISCHARGE      |
| FULL SUSPENSION SEAT               | ROLL OVER PROTECTION SYSTEM (ROPS) |
| DECK LIFT ASSIST KIT               | SUN SHADE                          |
| HITCH KIT                          | TRASH CONTAINER                    |
| LIGHT KIT                          | TURF STRIPER                       |
| 12V POWER PORT                     | ULTRA VAC COLLECTION SYSTEM        |
| MICRO-MULCH SYSTEM                 | ULTRA VAC QUICK DISPOSAL SYSTEM    |

### OUT-FRONT RIDING ACCESSORIES AND OPTIONS

|                                    |                                 |
|------------------------------------|---------------------------------|
| CUSTOM RIDE SEAT SUSPENSION SYSTEM | SNOW BLADE                      |
| DUAL-TAIL WHEEL                    | SNOWBLOWER                      |
| FLOOR PAN EXTENDER                 | SUN SHADE                       |
| HITCH KIT                          | TRASH CONTAINER                 |
| LIGHT KIT                          | ULTRA VAC COLLECTION SYSTEM     |
| MICRO-MULCH SYSTEM                 | ULTRA VAC QUICK DISPOSAL SYSTEM |
| ROLL OVER PROTECTION SYSTEM (ROPS) | WEATHER CAB                     |

### WALK-BEHIND ACCESSORIES AND OPTIONS

|                    |              |
|--------------------|--------------|
| GRASS CATCHER      | TURF STRIPER |
| MICRO-MULCH SYSTEM | STANDON      |

Place Model No. and Serial No.  
Label Here (Included in the Literature  
Pack) or Fill in Below

Model No. \_\_\_\_\_

Serial No. \_\_\_\_\_

Date Purchased \_\_\_\_\_

Engine Model No. and Spec. No. \_\_\_\_\_

Engine Serial No. (E/No) \_\_\_\_\_

© 2011 Exmark Mfg. Co., Inc.  
Industrial Park Box 808  
Beatrice, NE 68310  
All Rights Reserved

Part No. 4500-755 Rev. B  
(402) 223-6300  
Fax (402) 223-5489  
Printed in the USA.

