


For Serial Nos.
720,000 & Higher



PARTS MANUAL

LAZER Z[®]
AIR-COOLED MODELS

<p>Place Model No. And Serial No. Label Here (Included in Literature Pack) or Fill in Below</p> <p>Model No. _____</p> <p>Serial No. _____</p>
--

Date Purchased _____

Engine Model No. and Spec. No. _____

Engine Serial No. (E/No) _____

The Serial No. plate is located on the right side of the console.
For ease of ordering and reference, we suggest that you record
the information requested.

EXMARK PARTS PLUS® PROGRAM

EFFECTIVE DATE: September 1, 1995

Program

If your Exmark dealer does not have the Exmark part in stock, Exmark will get the parts to the dealer the next business day or the part will be FREE* Guaranteed!!

How the Program Works

1. If dealer does not have part in stock for a "down" unit at the time of request by customer, the dealer contacts his distributor by 1:00 p.m., local time, and requests Exmark Parts Plus® shipment of six (6) line items or less.
2. Distributor ships part(s) to dealer or customer, as requested by dealer, same day, overnight UPS. Distributor bills dealer for part and freight charges where applicable.
3. If distributor does not have the part(s) in stock to satisfy Exmark Parts Plus® order, he contacts Exmark by 3:00 p.m., central time, with an Exmark Parts Plus® order of six (6) line items or less.
4. If order is received by 3:00 p.m. central time, Exmark ships part(s) direct to dealer or customer, as requested by distributor, same day, overnight UPS. Exmark bills the distributor for parts and shipping charges, where applicable.
5. The customer pays for the part and freight if it is shipped under the Exmark Parts Plus® and if it arrives in accordance to the program.
6. Who pays for the part and freight if it fails to arrive overnight in accordance to the program?
 - A. Under any circumstance the customer does not pay.
 - B. If the part does not arrive overnight due to:
 1. The dealer not submitting the Exmark Parts Plus® order to his Exmark distributor by 1:00 p.m., the dealer pays for the part and freight.
 2. The Distributor being unable to ship the part the same day or not submitting the Exmark Parts Plus® order to Exmark by 3:00 p.m., central time, the Distributor pays for the part and freight.
 3. Exmark being unable to ship the part and the Exmark parts order is received by 3:00 p.m., central time, Exmark pays for the part and freight.
 4. If the part does not arrive overnight due to the shipper (UPS), the shipper pays for the freight and Exmark pays for the part.



The following restrictions apply -- The Exmark Parts Plus® Program is available only through participating Exmark Dealers and applies only to orders submitted on this program Monday through Thursday. Parts Plus service is available only in the 48 contiguous United States. UPS has initiated a Saturday delivery program to many areas of the continental United States and can be requested for an overnight shipment on Friday to be delivered Saturday. The next day air charge, plus the Saturday delivery fee will be the responsibility of the purchaser. Exmark Mfg. will assume no responsibility for Saturday delivery shipments. To qualify, all Exmark Parts Plus® orders must be received by Exmark by 3:00 p.m., central time. Orders must be six (6) line items or less. Exclusions from the Exmark Parts Plus® Program are: Any wholegood or accessory in its entirety, engines and engine replacement parts, 5-speed Peerless transmissions and 5-speed transaxles, hydraulic or hydrostatic wheel motors, cutter decks and engine decks or any item exceeding United Parcel Service size and weight restrictions.

Due to UPS restrictions, aerosol spray paint is considered a hazardous material and cannot be shipped via UPS next day or Second Day Air.

Exmark Manufacturing stocks a limited supply of parts for transaxles, pumps and wheel motors. These parts can be ordered for Next Day Air shipment but will not be guaranteed per the Parts Plus Program.



**READ OPERATOR'S MANUAL BEFORE
OPERATING OR SERVICING EXMARK EQUIPMENT.**

TABLE OF CONTENTS

<u>Description</u>	<u>Page</u>
Deck Group.....	3-5
Decal Group.....	23-24
Electrical Diagrams	29-32
Electrical Groups.....	25-28
Electrical Logic Schematics.....	33-36
Engine Deck Group.....	15-18
Front Frame Group	7-8
Fuel Groups	11-12
Hydraulics Group	19-22
Main Frame Group.....	9-10
Motion Control Group.....	14
Park Brake Group	13
Spindle Assembly	6

DECK GROUP


Item	Part No.	Description	Qty.
1	1-303334	Washer, Spring Disk 5/16.....	1
2	1-303537	Stud, Belt Shield	2
3	1-322110	Wld, Belt Guide.....	1
4	1-323385	Knob	2
5	1-323417	Washer, Belt Shield.....	2
6	1-603805	Sheave, Idler.....	1
7	109-2796	Pulley, Idler	2
8	1-633456	Bushing, Idler.....	2
9	98-5961	Screw, HH 3/8-16 x 4 Gr8.....	1
10	98-5975	Washer, Spring Disk 3/8.....	3
11	103-2916	Guard, Top.....	1
12	103-3330	Spring	1
13	103-3504	Bearing, Spherical.....	2
14	103-3505	Seal, Double Lip.....	1
15	103-3506	Seal, Single Lip.....	1
16	103-5677	Spacer	1
17	103-8103-01	Latch, Belt Shield.....	2
18	109-2097	Asm, Shield W/Decal 60" RH.....	1
	109-2133	Asm, Shield W/Decal 66" RH.....	1
	109-2135	Asm, Shield W/Decal 72"RH.....	1
19	109-2096	Asm, Shield W/Decal 60" LH.....	1
	109-2132	Asm, Shield W/Decal 66" LH.....	1
	109-2134	Asm, Shield W/Decal 72" LH.....	1
20	105-7699	Strip-Seal, 3".....	4
21	106-7159	O-Ring.....	2

Item	Part No.	Description	Qty.
22	109-2100	Asm, Deck W/Decals 60"	1
	109-2103	Asm, Deck W/Decals 66"	1
	109-2105	Asm, Deck W/Decals 72"	1
23	1-633127	Belt 60".....	1
	109-5018	Belt 66"	1
	1-643052	Belt 72".....	1
24*	109-2095	Kit, Idler Arm W/Bearings.....	1
25	302-40	Zerk, 90° 1/4-28.....	1
26	322-6	Screw, HH 5/16-18 x 1 1/4.....	1
27	323-11	Screw, HH 3/8-16 x 2 1/4.....	2
28	3230-18	Bolt, Carriage 5/16-18 x 5/8	9
29	3230-22	Bolt, Carriage 5/16-18 x 1 Sp.....	2
30	3234-11	Screw, HH FLG 3/8-16 x 1	1
31	3256-23	Washer, 5/16 SAE	2
32	3256-24	Washer, 3/8 SAE	3
33	3256-3	Washer, 5/16 Std.....	6
34	3256-4	Washer, 3/8 Std.....	2
35	3290-357	Nut, Whizlock 3/8-16.....	2
36	3296-29	Nut, Nyloc 5/16-18	2
37	3296-39	Nut, Nyloc 3/8-16	1
38	32120-10	Ring, Retaining	2
39	32128-20	Nut, Whizlock 5/16-18.....	12
40▲	109-2101	Asm, Deck Complete 60".....	1
	109-2104	Asm, Deck Complete 66".....	1
	109-2106	Asm, Deck Complete 72".....	1

Exmark red touch up paint (spray paint - P/N 1-850337 - .6 oz liquid bottle - P/N 103-9140).

- ▲ Complete deck assembly includes all items from pages 3 – 6 except items (#8, #16, #28, #31,#38, and #40 from page 5) and includes mule drive belt from page 16.
- * Kit also includes items #10 & #37.

DECK GROUP (cont.)




Item	Part No.	Description	Qty.
1	1-513208	Washer, Spring Disk 5/8.....	1
2	1-632199-01	Wld, Pin Deck Strut.....	2
3	1-633029	Balljoint.....	2
4	1-633447	Chain, Deck Lift.....	4
5●	1-643393	Jackshaft, Lazer.....	1
6	109-6658	Nut, Nyloc 3/8-16 Flg.....	6
7	98-5975	Washer, Spring Disk 3/8.....	12
8	103-1081	Asm, Strut 60".....	2
	103-1083	Asm, Strut 66" & 72".....	2
9	103-1898	Screw, HH 7/16-20 x 1-5/8 Sp.....	8
10	103-2535	Spacer, Guard Bottom.....	1
11●	103-9746	Asm, Jackshaft Housing.....	1
12●	103-3046	Sheave, Jack Shaft- Double.....	1
13	103-3249	Asm, Jackshaft.....	1
14	103-5364	Axle, Anti-Scalp Roller.....	6
15	103-8415	Roller, Anti-Scalp.....	6
16	103-9792	Asm, Chain Deck.....	4
17	109-2739	Chute, Discharge LZ.....	1
18	109-0498-01	Hinge, Grass Discharge.....	1
19	32128-20	Nut, Whizlock 5/16-18 72".....	2
	32128-20	Nut, Whizlock 5/16-18 60".....	3
20	3256-3	Washer, 5/16 Std 72".....	2
21	103-9423-01	Deflector, Discharge 72".....	1
22	322-4	Screw, HH 5/16-18 x 7/8 72".....	2
23	302-19	Zerk, 1/4-28 Str.....	4
24	322-5	Screw, HH 5/16-18 x 1.....	4
25	323-6	Screw, HH 3/8-16 x 1.....	4
26	109-2099	Asm, Discharge Chute.....	1
27	3211-46	Screw, HH 3/8-24 x 2 Gr8.....	6

Item	Part No.	Description	Qty.
28	3217-11	Nut, Hex 5/8-11.....	2
29	3219-6	Nut, Hex 5/8-18.....	3
30	3231-22	Bolt, Carriage 3/8-16 x 1.....	10
31	3253-8	Washer, Lock 5/8.....	2
32	3230-22	Bolt, Carriage 5/16-18 x 1 66" & 72".....	3
	3230-22	Bolt, Carriage 5/16-18 x 1 60".....	6
33	3256-24	Washer, 3/8 SAE.....	8
34	3256-82	Washer.....	3
35	3290-357	Nut, Whizlock 3/8-16.....	2
36	3296-29	Nut, Nyloc 5/16-18.....	7
37	3296-39	Nut, Nyloc 3/8-16.....	8
38	32128-37	Nut, Whizlock 7/16-14.....	8
39	109-2098	Kit, Anti-Scalp Roller.....	6
40	327-11	Screw, HH 5/8-11 x 5 60".....	2
	327-28	Screw, HH 5/8-11 x 5 1/2 66" & 72".....	2
41	109-0694-01	Wld, Dogleg 60".....	1
	109-0821-01	Wld, Dogleg 66".....	1
	109-1039-01	Wld, Dogleg 72".....	1
42	109-0701-01	Wld, Baffle Front Adj LH 60".....	1
	109-0822-01	Wld, Baffle Front Adj LH 66".....	1
	109-1044-01	Wld, Baffle Front Adj LH 72".....	1
43	109-0704-01	Wld, Baffle Front Adj RH 60".....	1
	109-0823-01	Wld, Baffle Front Adj RH 66".....	1
	109-1047-01	Wld, Baffle Front Adj RH 72".....	1
44	103-1072-01	Wld, Deck Strut-Std 60".....	2
	103-1073-01	Wld, Deck Strut-Std 66" & 72".....	2
45	109-5424-01	Baffle, Scroll 60".....	1
	109-5531-01	Baffle, Scroll 66".....	1
	109-5532-01	Baffle, Scroll 72".....	1

Exmark red touch up paint (spray paint - P/N 1-850337 - .6 oz liquid bottle - P/N 103-9140).

- Apply Mobil HTS grease (P/N 103-5217 1.5 oz packet) (or a food-grade antiseize) between the jackshaft and bearings and jackshaft and sheaves. DO NOT use a copper or nickel based antiseize.

SPINDLE ASSEMBLY



Item	Part No.	Description	Qty.
1	109-2102	Asm, Cutter Housing Complete	3
2	3296-39	Nut, Nyloc 3/8-16	18
3	92-5581	Retaining Ring, Internal	3
4	103-3037	Bushing, Splined	3
5	109-2064	Asm, Bearing W/O-Rings	6
6	103-5895	O-Ring	12
7	109-7033	Nut, Flange 5/8-18 Centerlock	3
8	103-9504	Guard, Bottom	3
9	103-9506	Spacer, Bearing	3
10	103-9522	Spacer, Splined Stepped	3
11	103-9523	Spacer, Splined	3
12	103-9539	Asm, Cutter Housing	3
13●	103-9540	Spindle, Double Spline	3
14	103-9541	Asm, Spindle Housing	3
15	109-0764	Asm, Housing W/Studs	3
16	109-1023	Sheave, Blade Drive 60"	3
	109-0914	Sheave, Blade Drive 66"	3
	109-0929	Sheave, Blade Drive 72"	3
17	109-1058	Nut, Spindle 7/8-14	3
18	109-5958	Screw, Hex Flange 1/2-20	3

Item	Part No.	Description	Qty.
19	103-8240	Blade, Low Lift 60"	3
	103-8396	Blade, Medium Lift 60"	3
	103-8239	Blade, High Lift Solid 60"	3
	103-8244	Blade, High Lift Notched 60"	3
	103-8432	Blade, High Lift Ls 60"	3
	103-8431	Blade, High Lift Ls Solid 60"	3
■	109-5396	Blade, Mulch 60"	3
	103-9629	Blade, Extreme 60"	3
	103-9616	Blade, Low Lift 66"	3
	103-9619	Blade, Medium Lift 66"	3
	103-9617	Blade, High Lift Solid 66"	3
	103-9618	Blade, High Lift Notched 66"	3
	103-9620	Blade, High Lift Ls 66"	3
	103-9621	Blade, High Lift Ls Solid 66"	3
■	109-5878	Blade, Mulch 66"	3
	103-9630	Blade, Extreme 66"	3
	103-9622	Blade, Low Lift 72"	3
	103-9625	Blade, Medium Lift 72"	3
	103-9623	Blade, High Lift Solid 72"	3
	103-9624	Blade, High Lift Notched 72"	3
	103-9626	Blade, High Lift Ls 72"	3
	103-9627	Blade, High Lift Ls Solid 72"	3
■	109-5879	Blade, Mulch 72"	3
	109-9631	Blade, Extreme 72"	3

Exmark red touch up paint (spray paint - P/N 1-850337 - .6 oz liquid bottle - P/N 103-9140).

■ Requires installation of Micro-Mulch accessory for proper mulching. Mulch kit P/N MK605 (60"), MK665 (66") and MK725 (72").

● Apply Mobil HTS grease (P/N 103-5217 1.5 oz packet) (or a food-grade antiseize) between the spindles and bearings. DO NOT use a copper or nickel based antiseize.

FRONT FRAME GROUP

Item	Part No.	Description	Qty.
1▲	109-2072	Asm, Front Frame, 60"	1
▲	109-2073	Asm, Front Frame, 66"	1
▲	109-2074	Asm, Front Frame, 72"	1
2	302-19	Zerk, 1/4-28 Straight	5
3	109-1903	Asm, Floorpan (103-8274-01) W/Decals	1
4	1-543509	Bearing Cone, Tapered Roller	4
5	103-2084	Asm, Lever (103-2083-03)W/Grip	1
6	1-633295	Grip, Lift Lever	1
7	103-9529-03	Arm Wldmt, Deck Lift	1
8	1-633325	Spring, Compression.....	1
9	3256-24	Washer, 3/8 SAE Flat.....	1
10	3296-39	Nut, Nyloc 3/8-16	4
11	32151-103	E-Ring.....	5
12	1-633068	Arm, Deck Lift	2
13	1-633889-01	Plate, Deck Lift.....	1
14	108-7759-01	Wld, Deck Lift Plate.....	1
15	1-633082	Bushing, Lift Lever	1
16	109-3193	Stop, Deck Height	1
17	323-13	Screw, 3/8-16 x 2 3/4	1
18	1-633097	Hitch Pin W/Lanyard	1
19	1-806005	Hairpin Cotter.....	1
20	323-9	Screw, 3/8-16 x 1 3/4	2
21	98-5975	Washer, 3/8 Disc Spring.....	12
22	3290-357	Nut, Whizlock 3/8-16.....	15
23	323-6	Screw, 3/8-16 x 1	1
24	323-7	Screw, 3/8-16x1 1/4	12
25	3256-29	Washer, 7/8 SAE Flat.....	4
26	1-633096	Rod, Deck Lift	2
27	3217-11	Nut, 5/8-11 Regular.....	6
28	1-633441	Swivel, Deck Mount.....	4


Item	Part No.	Description	Qty.
29	3256-7	Washer, 5/8 Std Flat	4
30	109-4963	Spring, Deck Support.....	2
31	103-4882	Cap, Grease	2
32	3218-6	Jam Nut, 5/8-11	6
33	109-1902	Asm, Floorpan, Liftout (103-8276-01) W/Decal.....	1
34	1-543511	Seal, Grease.....	2
35	103-1474-01	Caster Wldmt.....	2
36	3296-51	Nut, 3/4-10 Nyloc.....	2
37	1-633508	Washer, Spring Disk	6
38	325-39	Screw, 1/2-13 x 9 1/2.....	2
39	1-811010	Plug	2
40	103-2768	Guard, Seal	4
41	3296-23	Nut, 1/2-13 Nyloc.....	2
42	3230-1	Bolt, Carriage 5/16-18 x 3/4	4
43	103-0063	Seal, Bearing.....	4
44	1-633585	Bearing Cone.....	4
45	32128-20	Nut, Whizlock 5/16-18.....	4
46	103-5156	Axle, Caster	2
47	103-1918	Bushing	2
48	323-29	Screw, 3/8-16 x 1 3/8.....	2
49	32151-29	Ring, Retaining	2
50	3274-18	Screw, Socket HD5/16-18x1 1/4	2
51	1-543508	Bearing Cup, Tapered Roller	4
52+	103-3051	Spacer, Nut.....	4
53	103-3799	Asm, Caster Wheel (Semi-Pneumatic)...	2
54	3218-2	Jam Nut, 5/16-18	2
55	103-9741-01	Weldmt, Front Lift Shaft (LH)	1
56	103-9740-01	Weldmt, Front Lift W/Lever(RH)	1
57	1-523157	Washer, Spacer.....	2
58	109-4995	Asm, Deck Lift Spring	2

Exmark red touch up paint (spray paint - P/N 1-850337 - .6 oz liquid bottle - P/N 103-9140).

✚ Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on spacer nut, Item #52.

▲ Includes frame weldment plus items #2, #31, #34, #39, #49, #51, #55, #56 and #57.

FRONT FRAME GROUP



MAINFRAME GROUP

Item	Part No.	Description	Qty.	Item	Part No.	Description	Qty.
1+	1-643255	Track, Seat (4" Adjustable)	1	26	110-0883	Kit, Seat Belt.....	1
+	103-8386	Spring, Seat Rail.....	1	27	107-3083	Latch, Seat.....	1
▲	109-2009	Asm, Seat Tracks	1	28	322-4	Screw, 5/16-18 x 7/8.....	2
	109-1880	Kit, Seat Track (28HP KOH EFI).....	1	29	1-513658	Bumper.....	2
2●+	103-3524	Seat	1	30	3256-23	Washer, 5/16 SAE Flat.....	6
●▲	109-2005	Seat	1	31	103-4434	Grip	1
	LSSEAT	Seat, Suspension (28HP KOH EFI).....	1	32	323-6	Screw, 3/8-16 x 1.....	2
	109-3343	Kit, Spring and Saddle (28HP KOH EFI) ...	1	33	1-633964-03	Stop, Park Brake	1
	109-3344	Kit, Back Panel (28HP KOH EFI)	1	34	103-8383	Bolt, Seat Cushion.....	11
	109-3345	Kit, Weight Adjust (28HP KOH EFI)	1	35	3296-73	Nut, Nyloc 1/4-20 (black)	2
3	1-543401	Spacer, Seat Track.....	2	36	322-7	Screw, 5/16-18 x 1 1/2.....	2
4	322-3	Screw, 5/16-18 x 3/4	6	37	109-2365	Bumper.....	2
5+	103-3521	Cushion, Seat.....	1	38	3212-4	Screw, 7/16-20 x 1.00.....	2
▲	109-2008	Cushion, Seat.....	1	39	3296-7	Nut, Nyloc 7/16-20.....	2
	107-1883	Cushion, Seat (28HP KOH EFI).....	1	40■	103-4553	Asm, ROPS Fold Pin	2
6	103-3520	Cushion, Backrest.....	1	41	107-0075	Bushing.....	1
	107-1882	Kit, Back Cushion (28HP KOH EFI)	1	42	107-0076	Spring.....	1
7	103-0292	Cushion, Armrest (RH).....	1	43	107-3058	Catch, Seat Latch.....	1
8*	103-0291	Cushion Armrest (LH)	1	44	3256-14	Washer, #10 STD Flat.....	8
9	1-633859	Seat Frame.....	1	45	32122-28	Screw, Truss HD #10-24 x 1.....	4
10	3256-3	Washer, 5/16 Std Flat.....	2	46	1-803075	Screw, Truss HD #10-24 x 3/4.....	2
11	109-6672	Asm, Frame (109-6128-03) W/Decals.....	1	47	3290-500	Screw, Pan Head #10-24 x 5/8.....	2
12	109-3158	Wheel/Tire Assy.....	2	48	103-3790	Latch, Cubby Door.....	1
	103-2744	Tire, 24x12-12 4 Ply.....	2	49	103-3666	Asm, Cubby.....	1
	109-3156	Wheel	2	50	323-6	Screw, Hex Cap 3/8 x 1	8
13	109-2075	Asm, Console (103-8273-03) W/Decals	1	51◆	103-8436	Kit, ROPS LZ.....	1
14	103-4423	Asm, Seat Frame.....	1	52	98-5975	Washer, Spring Disk 3/8.....	8
15	242-50	Nut, Wheel 1/2-20.....	8	53	107-3155	Cotter, Hair Pin Double Loop	2
16	1-633293	Rod, Seat Hold-Up.....	1	54	32128-23	Nut, Hex Flange Side Lock 1/2-13	2
17	322-5	Screw, 5/16-18 x 1	1	55	325-13	Screw, 1/2-13 x 3 1/4.....	2
18	323-39	Screw, 3/8-16 x 5.....	2	56▲☆	1-633872-03	Stop, Seat	2
19	3296-2	Nut, Nyloc #10-24	8	57	1-603610	Washer, Spring Disc 7/16 (28HP KOH EFI) ..	2
20	3296-29	Nut, Nyloc 5/16-18.....	3	58	107-1887	Kit, Armrest (28HP EFI)	1
21	3296-39	Nut, Nyloc 3/8-16.....	3	59	107-1884	Kit, Shock Absorber (28HP KOH EFI).....	1
22	3290-357	Nut, Whizlock 3/8-16.....	10	60	107-1881	Kit, Knob (28HP KOH EFI)	1
23	32128-20	Nut, Whizlock 5/16-18.....	8	61	82-2190	Kit, Switch (28HP KOH EFI)	1
24	323-20	Screw, 3/8-16 x 3-1/4.....	1	62	107-1885	Kit, Weight Indicator (28HP KOH EFI)	1
25	3256-24	Washer, 3/8 SAE Flat	1				

Exmark black touch up spray paint - gloss black.

* Not illustrated.

■ Includes ROPS fold pin plus hairpin, item #53.

◆ Rollover protection frame is serviced as a complete assembly only. Includes complete ROPS frame, mounting hardware, fold pivot and locking hardware, seat frame assembly item #14, catch item #43, and seat belt assembly item #26.

● Includes armrests. Does not include seat belt or tracks.


+ For all units except units with a 31HP Briggs & Stratton and 28HP Kohler EFI engines.

▲ For units with a 31HP Briggs & Stratton engine.


☆ For units with 28HP Kohler EFI engine.

MAINFRAME GROUP

28HP KOHLER EFI UNIT ONLY



FUEL GROUP – ALL UNITS EXCEPT 28HP KOHLER EFI




Item	Part No.	Description	Qty.
1	1-303077	Clamp, Fuel Line.....	12
2+	Kohler	Part No. 2405010 Fuel Filter	1
	Kawasaki	Part No. 49019-7001 Fuel Filter	1
	Briggs&Stratton	Part No. 695327 Fuel Filter	1
3	1-603770	Valve, Fuel.....	1
4	1-303335	Tie, Plastic Large	5
5	109-0346	Cap, Fuel Tank	2
6●	103-2605	Fitting, Fuel Blkhd W/Screen.....	2
	103-2784	O-Ring	2
7	3256-23	Washer, 5/16 SAE.....	10
8	108-4582	Hose, Fuel Line 21".....	2
9◆	1-633023	Stud, Fuel Tank.....	6
10*	103-4924	Asm, Tank Fuel (LH).....	1
11*	109-0896	Asm, Tank Fuel (RH)	1
12	99-5005	Fitting, Barbed Tee.....	1
13	109-0281	Hose, Fuel Line 26".....	1
14	1-633349	Spring, Fuel Tank.....	6
15	99-5000	Valve, Fuel Check.....	2

Item	Part No.	Description	Qty.
16	322-3	Screw, 5/16-18 x 3/4	4
17	3296-47	Nut, Thin Nyloc 5/16-18	6
18	109-0660	Hose, Fuel Line 3 1/2" (Kohler & Briggs).....	1
	109-0293	Hose, Fuel Line 8 1/2" (Kawasaki)	1
19	1-805005	Washer, Lock 5/16.....	4
20	109-0304	Hose, Fuel Line 2 1/2".....	2
21	32128-33	Nut, Whizlock 1/4-20.....	1
22	109-3987	Control, Throttle.....	1
23	109-4210	Control, Choke.....	1
24■	109-2661	Screw, PPH #10-24 x 1/2.....	4
25	321-6	Screw, 1/4-20 x 1	1
26	1-807513	Bolt, Carriage #10-24 x 1/2	4
27	3296-2	Nut, Nyloc #10-24	4
28	109-4510	Asm, Panel W/Decals (Kohler & Kawasaki) .	1
	109-4512	Asm, Panel W/Decals (Briggs)	1
29	1-513762	Clip, Loom (.50)	1
30	103-6562	Kit, Gauge Fuel.....	1

- +
 -
 - ◆
 - *
 -
- Refer to Engine Owner's Manual (Fuel Filter **Must** be 15 Micron or smaller).
- Use Pro-lock, Nut type (Part No. 1-840022), .5ml tube on fuel fitting.
- Use Pro-lock, Retaining Type (Part No. 1-840023), .5cc tube on stud threads going into the tank.
- Includes: tank, cap, fitting & studs. LH tank also includes fuel gauge.
- Snug fit only on slotted holes, **Do Not Overtighten**, tank must be able to expand.

PARK BRAKE GROUP




Item	Part No.	Description	Qty.
1	1-513140	Bushing.....	2
2	1-633454	Spring, Brake Rod.....	2
3	1-633477	Rod, Brake.....	3
4	1-634500	Lever (1-632489-03)W/Grip	1
5	1-632217-03	Shaft, Brake	1
6	103-0352-03	Bracket, Brake (60").....	2
	103-0354-03	Bracket, Brake (66" & 72").....	2
7	1-523157	Washer, Spacer	2
8	1-809036	Nut, Slotted 1.00-20	2
9	103-9761	Band, Brake	2
10	1-633380	Spacer (Short)(60")	4
*	109-5037	Spacer (Short) (66" & 72").....	4
11	1-633382	Spacer (Long)(60").....	4
*	109-5038	Spacer (Long)(66" & 72")	4
12	1-633102	Bearing, Flange.....	2
13	1-633131	Yoke	4
14	1-633144	Pin, Trunion	2
15	103-0590	Hub & Drum W/Studs, Wheel.....	2
*	1-633926	Studs, Wheel	8

Item	Part No.	Description	Qty.
16	3257-42	Key, Woodruff 5/16 x 1	2
17	1-633268	Grip, Brake Lever.....	1
18	323-4	Screw, 3/8-16 x 3/4	4
19	103-2399	Pin, Clevis Spring 3/8.....	3
20	325-17	Screw, 1/2-13 x 4 (60")	8
	325-20	Screw, 1/2-13 x 6 (66" & 72")	8
21	1481	Zerk, 1/4-28 45°	2
22	109-5618	Nut, Square Special 1/2-13.....	8
23	3219-3	Nut, 3/8-24.....	8
24	3290-357	Nut, Whizlock 3/8-16.....	4
25	1-808285	Pin, Clevis 3/8 x 1 1/8	1
26	3256-4	Washer, 3/8 Std.....	4
27	3272-10	Pin, Cotter 1/8 x 3/4	2
28	1-806800	Pin, Cotter 9/64 x 1 1/2	2
29	322-9	Screw, 5/16-18 x 1 3/4	6
30	103-0384	Spacer	6
31	103-0374	Retainer, Brake Band.....	2

Exmark black touch up spray paint - gloss black.

* Not Illustrated.

MOTION CONTROL GROUP



Item	Part No.	Description	Qty.
1	1-303105	Yoke	2
2	98-5975	Washer, Disc Spring 3/8.....	4
3	109-2339	Damper.....	2
4	1-543017	Ball Joint (RH).....	2
5	109-3769	Bushing, Nylon (Reverse Ind).....	2
6	1-603737	Bolt, (Neutral Return)	2
7	1-603807	Spring, (Neutral Return)	2
8	1-403180	Screw, 5/16-18x1 3/8 Sp.....	4
9	32128-20	Nut, Whizlock 5/16-18	6
10*	103-3457	Handle (103-3326-03) W/Grip (LH)	1
11	103-3458	Handle (103-3327-03) W/Grip (RH).....	1
12	1-632208	Arm, Pump Control.....	2
13	109-3902	Bracket, Motion Control (LH).....	1
14	109-3901	Bracket, Motion Control (RH)	1
15	103-3064	Link, Tracking Rod	2
16	1-633102	Bearing, Flanged.....	4
17	1-633152	Ball Joint (LH)	2
18	103-0407	Arm, Control Shaft.....	2
19	103-3456	Grip, Motion Control Handle.....	2
20	322-6	Screw, 5/16-18 x 1 1/4	3
21	323-4	Screw, 3/8-16 x 3/4	8

Item	Part No.	Description	Qty.
22	323-7	Screw, 3/8-16 x 1 1/4.....	4
23	323-9	Screw, 3/8-16 x 1 3/4.....	6
24+	1-803022	Set Screw, 5/16 x 5/8.....	2
25	3296-39	Nut, Nyloc 3/8-16.....	6
26	3219-2	Nut, 5/16-24.....	12
27	1-804524	Nut, 5/16-24 (LH).....	2
28	322-12	Screw, HH 5/16-18 x 2 1/2.....	1
29	3256-2	Washer, 1/4	2
30	3256-3	Washer, 5/16 Std.....	4
31	3290-357	Nut, Whizlock 3/8-16.....	8
32	3272-5	Pin, Cotter 3/32 x 1/2	2
33	1-808280	Pin, Clevis 5/16 x 1	2
34	3296-29	Nut, Nyloc 5/16-18.....	10
35	103-0384	Spacer.....	1
36	109-6058-03	Bracket, Damper Mount.....	1
37	3230-2	Bolt, Carriage 5/16-18 x 1	2
38	103-4331	Asm, Tracking Rod.....	2
39	3217-6	Nut, Hex 5/16-18	4
40	3230-23	Bolt, Carriage 5/16-18 x 3/4, short neck	2
41	109-3908	Tab, Adjustment	2

Exmark black touch up spray paint - gloss black.

* Not Illustrated.

+ Use Pro-lock, Nut type (Part No. 1-840022), .5ml tube on setscrews.

ENGINE DECK GROUP – ALL UNITS

Item	Part No.	Description	Qty.
1	98-5975	Washer, Spring Disc 3/8.....	1
2	302-40	Zerk, 1/4-20 (90°).....	1
3	103-5677	Spacer	1
4	103-8599	Spring	1
5	109-3141	Spacer, Spring Mount	1
6	103-2627	Bushing, Idler.....	1
7	106-7159	O-ring.....	2
8■	109-3766	Kit, Mule Idler Spring.....	1
9	1-603496	Bushing, Idler.....	1
10	1-603805	Pulley, Idler.....	1
11	3290-357	Nut, Whizlock 3/8-16.....	4
12	1-633166	Pulley, Idler.....	1
13	103-4014	Belt, Mule Drive.....	1
14✘	103-5695	Kit, Idler Arm (103-4593-03) W/Brgs	1
15	323-10	Screw, 3/8-16 x 2	1
16	323-9	Screw, 3/8-16 x 1 3/4	1
17	323-13	Screw, 3/8-16 x 2 3/4	1
18	1-800805	Screw, 3/8-16 x 3 1/2 Gr8	2
19	3296-39	Nut, Nyloc 3/8	1
20	3256-24	Washer, 3/8 SAE	5
21	103-2916	Guard, Top.....	2
22	103-3506	Seal, Single Lip.....	2
23	32120-10	Ring, Retaining	2
24	103-3504	Bearing, Spherical.....	2
25	1-633456	Bushing, Idler.....	1
26	1-803035	Rivet, 3/16 x 1/4	5


Item	Part No.	Description	Qty.
27	321-4	Screw, 1/4-20 x 3/4 (Kohler & Briggs)	2
	321-4	Screw, 1/4-20 x 3/4 (Kawasaki).....	6
28	103-6619-03	Support, Front Cover RH	1
29	321-6	Screw 1/4-20 x 1	4
30	109-2365	Bumper, Rubber	2
31	3256-2	Washer, 1/4 STD	4
32	1-633396	Clip, Loom .56	1
33	32128-33	Nut, Whizlock 1/4-20 (Kohler & Briggs)..	4
	32128-33	Nut, Whizlock 1/4-20 (Kawasaki)	8
34	3296-42	Nut, Nyloc 1/4-20	6
35	1-644276	Asm, Shield W/Decals (Kohler & Briggs) .	1
	103-3341	Asm, Shield W/Decals (Kawasaki)	1
36	103-1308	Shield, Engine	1
37	322-11	Screw, 5/16-18 x 2 1/4 (Briggs).....	1
38	322-10	Screw, 5/16-18 x 2 (Briggs).....	3
	323-9	Screw, HH 3/8-16 x 1 3/4 (Kohler & Kawasaki).....	4
39	32128-20	Nut, Whizlock 5/16-18 (Briggs).....	5
	3290-357	Nut, Whizlock 3/8-16 (Kohler & Kawasaki).....	4
40	1-303334	Washer, 5/16 Spring Disc (Briggs)	4
	98-5975	Washer, Spring Disc 3/8 (Kohler & Kawasaki).....	4
41	103-6620-03	Support, Front Cover (LH).....	1
42	1-633794-03	Baffle, Engine Shield RH (Kawasaki)	1
43	1-633795-03	Baffle, Engine Shield LH (Kawasaki).....	1

Exmark black touch up spray paint - gloss black.

✘ Kit also includes item #19.

■ Kit includes items shown and (2) whizlock nuts item #11

ENGINE DECK GROUP – ALL UNITS



ENGINE DECK GROUP – (cont.)

Item	Part No.	Description	Qty.
1	1-603610	Washer, 7/16 Spring Disc.....	2
2	109-7666	Kit Clutch	1
3	109-6874	Spacer, Clutch	1
4	1-303334	Washer, 5/16 Spring Disc.....	1
5	322-5	Screw, 5/16-18 x 1	1
6	109-7083-03	Anchor, Clutch	1
7	1-543610	Washer	1
8▲	3212-6	Screw, 7/16-20 x 1 1/2	1
9	109-4324	Hose, Oil Drain w/Plug	1
10	109-1012	Plug	1
11	109-5499-03	Guard, Muffler	1
12	1-633179	Spacer	1
13	3290-357	Nut, Whizlock 3/8-16.....	4
14	323-6	Screw, HH 3/8-16 x 1	4
15	32128-20	Nut, Whizlock 5/16-18 (Briggs & Kohler) ..	1
	32128-20	Nut, Whizlock 5/16-18 (Kawasaki).....	5
16+	109-2987	Asm, Oil Drain Tube W/Plug (Kohler)	1
17	3212-10	Screw, HH 7/16-20 x 2 1/2	1
18	321-4	Screw, 1/4-20x 3/4	1

Item	Part No.	Description	Qty.
19	32128-33	Nut, Whizlock 1/4-20.....	1
20	103-3535	Kit, Cable Heat Shield (Kohler)	1
21	103-1513	Arrester, Spark (1.25) (28HP KOH EFI) ..	1
22	103-1514	Clamp, Muffler (1.38) (28HP KOH EFI) ..	1
23	1-653291	Gasket (Kohler).....	2
24	1-805005	Washer, Lock 5/16 Hvy.....	4
25	33014-00	Nut, Hex M8 1.25.....	4
26	3253-6	Washer, Lock 7/16.....	2
27	324-2	Screw, 7/16-14x.75 G5	2
28*	103-7480	Kit, Muffler Kohler (27HP)	1
*	103-7483	Kit, Muffler Kohler (28HP KOH EFI)	1
29	109-8119-03	Guard, Muffler (Kohler)	1
30	109-4490	Asm, Oil Drain Tube W/Plug (Kawasaki) ..	1
31	109-7713-03	Guard, Muffler (Kawasaki)	1
32	103-0152	Keeper, Clutch (Kawasaki).....	1
33	322-3	Screw, HH 5/16-18 x 3/4	4
35	109-7665	Kit Clutch	1
36	109-7712-03	Guard, Clutch	1

Exmark black touch up spray paint - gloss black.

✚ Use a Teflon Pipe Sealant or equivalent on threads.

▲ Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on clutch bolt.

* Includes items #20, #21, #22, & #23.

✖ Includes items #20 & #23.

Kawasaki Replacement Parts List

(Refer to Engine Owner's Manual)

Description	Kawasaki Part
Engine Oil Filter	49065-2078
Engine Air Filter	11013-7020
Safety Filter.....	11013-7019

Briggs & Stratton Replacement Parts List

(Refer to Engine Owner's Manual)


Description	B & S Part
Engine Oil Filter.....	492932
Engine Air Filter.....	841497
Safety Filter	821136

Kohler Replacement Parts List


(Refer to Engine Owner's Manual)

Description	Kohler Part
Engine Oil Filter.....	5205002
Engine Air Filter.....	2508301
Safety Filter	2508304


ENGINE DECK GROUP (cont.)



KOHLER



BRIGGS



KAWASAKI

HYDRAULIC GROUP

ALL UNITS EXCEPT 31HP BRIGGS & STRATTON

Item	Part No.	Description	Qty.
1	103-1947	Asm, Reservoir W/Decal	1
2	103-7615	Asm Cap W/Gasket.....	1
3	103-1949	Gasket, Reservoir Cap.....	1
4	104-7836	Head, Filter	1
5	109-4180	Element, Hydraulic Oil Filter.....	1
▲	1-523541	Element, Hydraulic Filter (Winter).....	1
6	103-1988	Clamp, Hose	1
7	105-7699	Strip, Vinyl Seal.....	1
8	109-6273	Asm, Hose Hydraulic.....	1
	1-603921	Boss O-Ring	1
9	32120-10	Ring, Retaining	2
10	109-7689	Hose, Hydraulic.....	1
	1-603921	O-Ring, SAE #6	1
11	103-1806	Asm, Hose Hydraulic.....	1
12	103-1716	Clamp, Hose	3
13	103-3506	Seal, Single Lip.....	2
14	103-1807	Fitting, 45°.....	1
	1-603921	Boss O-Ring	1
15	103-1801	Adapter, Straight	1
	1-603921	Boss O-Ring	1
16	103-1799	Elbow,90°.....	2
	1-603921	Boss O-Ring	1
17	321-3	Screw,1/4-20 x 5/8	2
18	1-805004	Lockwasher, 1/4.....	2
19	103-2156	Adapter, Straight	2
	1-603921	Boss O-Ring	1
	103-1020	O-Ring (37° Flare #6).....	1
20	109-6130	Pump, Hydraulic.....	2
	103-7441	Kit, Input Bearing	1
	103-8448	Kit, Thrust Bearing	1
	103-7443	Kit, Cylinder Block.....	1
	105-6184	Kit, Overhaul Seal.....	1
	103-7488	Fan	1
	103-7489	Guard, Fan.....	1
	103-2672	Kit, Shock Valve (200 Bar, no orifice).....	1
	112-4155	Kit, Shock Valve (200 Bar, .031 orifice) ..	1
21	1-603990	Connector, Straight	4
	1-603920	O-Ring (SAE #8).....	1
	1-603992	O-Ring (37° Flare #8).....	1


Item	Part No.	Description	Qty.
22	1-523328	Motor, Wheel Drive (TF Style).....	2
	103-6995	Kit, Output Shaft & Seals	1
	103-6994	Kit, Seal.....	1
23	103-3733	Hose, Upper LH.....	1
24	103-3735	Hose, Lower LH.....	1
25	103-3736	Hose, Upper RH	1
26	103-3737	Hose, Lower RH	1
27	109-6046	Sheave, Pump	2
28+	1-803050	Setscrew, 5/16-18 x 3/4	2
29+	30-1710	Setscrew, Sq Hd Cup 5/16-18 x 1	4
30	1-603050	Spacer	1
31	5-1077	Key, Machine 3/16 SQ x 1	2
32	1-603991	Adapter, Straight	4
	1-603919	Boss O-Ring	1
	1-603992	O-Ring (37° Flare #8).....	1
33	109-4076	Idler Flat W/Hub.....	1
34	103-5694	Kit, Idler Arm (103-4595-03) W/Bearings.....	1
35	323-11	Screw, HH 3/8-16 x 2 1/4.....	1
36	3256-4	Washer, Flat Std 3/8	1
37	3290-357	Nut, Whizlock 3/8-16.....	8
38	103-5677	Spacer	1
39	32128-33	Nut, Whizlock 1/4-20.....	2
40	109-7738	Sheave, Engine	1
41	109-6112	Belt, Pump Drive.....	1
42	323-8	Screw,3/8-16 x 1 1/2	1
43	1-800805	Screw,3/8-16 x 3 1/2 Gr8	1
44	323-7	Screw,3/8-16 x 1 1/4	4
45	106-7159	O-ring	2
46	13-2840	Key, 1/4 x 1/4 x 1 1/4	1
47	302-40	Zerk,90° 1/4-28.....	1
48	103-3504	Bearing, Spherical	2
49	103-3330	Spring, Extension.....	1
50	321-6	Screw, HH 1/4-20 x 1	2
51	3256-22	Washer, SAE 1/4	2
52	103-2916	Guard, Top	2

Exmark black touch up spray paint - gloss black.

✚ Use Pro-Lock, Nut Type (P/N 1-840022, 5 ml tube) on setscrews.

▲ Use only for operation below 32°F (0°C).

HYDRAULIC GROUP ALL UNITS EXCEPT 31HP BRIGGS & STRATTON



HYDRAULIC GROUP – 31HP BRIGGS & STRATTON

Item	Part No.	Description	Qty.
1	103-1947	Asm, Reservoir W/Decal	1
2	103-7615	Asm Cap W/Gasket.....	1
3	103-1949	Gasket, Reservoir Cap.....	1
4	104-7836	Head, Filter	1
5	109-4180	Element, Hydraulic Oil Filter.....	1
▲	1-523541	Element, Hydraulic Filter (Winter).....	1
6	97-1271	Clamp, Hose Worm Gear	2
7	105-7699	Strip, Vinyl Seal.....	1
8	109-6273	Asm, Hose Hydraulic.....	1
	1-603921	Boss O-Ring	1
9	32120-10	Ring, Retaining	2
10	109-6274	Hose, Hydraulic.....	1
11	109-6276	Asm, Hose Hydraulic.....	1
12	109-6275	Asm, Hose Hydraulic.....	1
13	103-3506	Seal, Single Lip	2
14	109-6278	Fitting, 45°.....	1
	1-603921	Boss O-Ring	1
	1-603992	O-Ring (37° Flare #8).....	1
15	103-1912	Adapter, Straight	1
	1-603921	Boss O-Ring	1
16	103-1802	Elbow,90°.....	2
	1-603921	Boss O-Ring	1
17	321-3	Screw,1/4-20 x 5/8	2
18	1-805004	Lockwasher, 1/4.....	2
19	103-2156	Adapter, Straight	2
	1-603921	Boss O-Ring	1
	103-1020	O-Ring (37° Flare #6).....	1
20	109-6130	Pump, Hydraulic.....	2
	103-7441	Kit, Input Bearing	1
	103-8448	Kit, Thrust Bearing	1
	103-7443	Kit, Cylinder Block.....	1
	105-6184	Kit, Overhaul Seal	1
	103-7488	Fan	1
	103-7489	Guard, Fan.....	1
	103-2672	Kit, Shock Valve (200 Bar, no orifice).....	1
	112-4155	Kit, Shock Valve (200 Bar, .031 orifice) ..	1
21	1-603990	Connector, Straight	4
	1-603920	O-Ring (SAE #8)	1
	1-603992	O-Ring (37° Flare #8).....	1
22	1-523328	Motor, Wheel Drive (TF Style).....	2
	103-6995	Kit, Output Shaft & Seals.....	1
	103-6994	Kit, Seal	1


Item	Part No.	Description	Qty.
23	103-3733	Hose, Upper LH (60").....	1
	109-2962	Hose, Upper (66" & 72").....	1
24	103-3735	Hose, Lower LH (60").....	1
	109-2963	Hose, Lower (66" & 72").....	1
25	103-3736	Hose, Upper RH (60").....	1
	109-2964	Hose, Upper (66" & 72").....	1
26	103-3737	Hose, Lower RH (60").....	1
	109-2961	Hose, Lower (66" & 72").....	1
27	109-6046	Sheave, Pump	2
28+	1-803022	Setscrew, Sq Hd 5/16-18 x 5/8.....	2
29+	30-1710	Setscrew, Sq Hd Cup 5/16-18 x 1	4
30	1-603050	Spacer	1
31	5-1077	Key, Machine 3/16 SQ x 1	2
32	1-603991	Adapter, Straight	4
	1-603919	Boss O-Ring	1
	1-603992	O-Ring (37° Flare #8).....	1
33	109-4076	Idler Flat W/Hub.....	1
34	103-5694	Kit, Idler Arm (103-4595-03) W/Bearings	1
35	323-11	Screw, HH 3/8-16 x 2 1/4.....	1
36	3256-4	Washer, Flat Std 3/8	1
37	3290-357	Nut, Whizlock 3/8-16.....	8
38	103-5677	Spacer	1
39	32128-33	Nut, Whizlock 1/4-20.....	2
40	109-5501	Sheave, Engine	1
41	109-6112	Belt, Pump Drive.....	1
42	323-8	Screw,3/8-16 x 1 1/2	1
43	1-800805	Screw,3/8-16 x 3 1/2 Gr8	1
44	323-7	Screw,3/8-16 x 1 1/4	4
45	106-7159	O-ring	2
46	13-2840	Key, 1/4 x 1/4 x 1 1/4	1
47	302-40	Zerk,90° 1/4-28.....	1
48	103-3504	Bearing, Spherical	2
49	103-3330	Spring, Extension.....	1
50	321-6	Screw, HH 1/4-20 x 1	2
51	3256-22	Washer, SAE 1/4	2
52	103-2916	Guard, Top	2
53	103-1988	Clamp, Hose.....	1

Exmark black touch up spray paint - gloss black.

✚ Use Pro-Lock, Nut Type (P/N 1-840022, 5 ml tube) on setscrews.

▲ Use only for operation below 32°F (0°C).

HYDRAULIC GROUP – 31HP BRIGGS & STRATTON



DECAL GROUP

Item	Part No.	Description	Qty.
1	109-1214	Decal, Park Brake	1
2	109-1215	Decal, Cutting Height	1
3	107-2112	Decal, Warning Slope	1
4	103-6319	Decal, Check Service.....	1
5	109-2219	Decal, Belt Routing	1
6	109-0872	Decal, Baffle Adjustment.....	1
7	1-633706	Decal, Deck Height	1
8▲	103-1798	Decal, Throttle.....	1
9	109-1803	Decal, Triton 60.....	1
10	1-513742	Decal, No Step.....	2
11+	103-0261	Decal, Fuel Valve.....	1
12	1-513748	Decal, Guard.....	1
13▲	103-3113	Decal, Lazer Model	1
14	109-1804	Decal, Triton 66.....	1
15	1-643339	Decal, Pump Belt Rtg.....	1
16	1-303508	Decal, Discharge Warning.....	1
17	103-3270	Decal, 3750 RPM.....	1
18+	103-5177	Decal, EFI.....	1
19▲	103-4474	Decal, Ignition/PTO	1

Item	Part No.	Description	Qty.
20+	103-5456	Decal, Ignition/PTO EFI	1
21▲	103-4930	Decal, Choke	1
22	103-7491	Decal, Bolt Torque	1
23+	103-3679	Decal, Console Throttle	1
24	98-5954	Decal, Missing Cover	2
25	109-2113	Decal, Triton Badge	1
26+	103-2750	Decal, Relay/Fuse	1
27	107-2102	Decal, Rops Folding.....	1
28	109-1399	Decal, Anti-Scalp	1
29	103-5881	Decal, Rotating Devices.....	1
30	1-633462	Decal, Important	1
31	1-403005	Decal, Danger.....	2
32	109-1805	Decal, Triton 72	1
33	1-523552	Decal, Hyd Tank/Hot Surface.....	1
34	109-1801	Decal, Exmark Logo.....	1
35	103-9255	Decal, Console Top	1
36	109-7949	Decal, Wheel Hub.....	2
	103-5470	Decal Kit-Air-Cooled (Including EFI)	

▲ Decal for all units except Kohler EFI.

+ Decals for Kohler EFI units only.

DECAL GROUP

1 **WARNING**
To avoid serious injury or death:
• Read and understand the operator's manual before using this machine.
• Do NOT operate unless trained to safely use this machine.
• Do NOT operate under the influence of alcohol or drugs.
• Do NOT operate without shields, guards, and safety devices in place and working.
• Check the function of the operator presence controls (OPC) safety system daily. DO NOT detect the OPC warning.
• Stop engine and remove key before adjusting, servicing or cleaning machine and attachments.
• Hearing protection is recommended.

2 **DANGER**
To avoid serious injury or death:
• Avoid moving injury or death:
• Avoid blades, pins, spikes, and sharp edges.
• Avoid stepping on or tripping over objects.
WARNING
To avoid serious injury or death:
• Pick up objects that could be thrown by the deck.
• Do NOT trim what people and pets are in the area.
• Do NOT carry passengers.
• Do NOT operate with the blade before changing blades.
• Before leaving the operator's position:
• Disengage PTO.
• Move drive levers out to neutral lock position.
• Engage park brake.
• Stop engine.

3 **WARNING**
• Operating on wet grass or steep slopes can cause sliding and loss of control.
• Wheels cropping over edges can cause rollovers, which may result in serious injury, death or drowning.
• To avoid loss of control and possibility of rollover:
• Do NOT operate near ditches or near water.
• Do NOT operate on slopes greater than 15°. Rollover speed and use extreme caution on slopes.
• Avoid sudden turns or rapid speed changes.
• There is no roll over protection when the roll bar is down.
• Always keep roll bar in the raised and locked position and use seat belt.
• Read and follow rollover protection instructions and warning.

4 **CHECK/SERVICE REFERENCE AID**
CHECK/LUBE POINTS AT INTERVALS SHOWN.
① CHECK HYDRAULIC FLUID AT INTERVALS SHOWN. (USE ONLY MOBIL 1 15W-50 SYNTHETIC MOTOR OIL.)
② SEE ENGINE OPERATOR'S MANUAL FOR SERVICING ENGINE.
③ CHECK TIRE PRESSURE IN PNEUMATIC TIRES - 13 PSI AT INTERVAL SHOWN.
SEE OPERATOR'S MANUAL FOR ADDITIONAL DETAILS.

5 **BELT ROUTING**
BELT:
1-4383127 - 60"
109-4776 - 66"
1-643052 - 72"

6 **BAFFLE ADJUSTMENT** **CUTTING HEIGHT**
INCHES (mm)
1-114 (29) and higher (3 Visible Index)
2-230 (58.42) (100) (2 Visible Index)
1-177 (45) - 22 (56) (1 Visible Index)

7 1.5
4.0
3.5
3.0
2.5
2.0

8 **CAUTION**
DO NOT OPERATE WITHOUT GUARD IN PLACE.

9 **TRITON 60**
High Capacity Cutting Platform

10 **NO STEP**

11 **OFF** **RH** **LH**

12 **CAUTION**
DO NOT OPERATE WITHOUT GUARD IN PLACE.

13 **LAZER Z**

14 **TRITON 66**
High Capacity Cutting Platform

15 **PUMP BELT ROUTING**

16 **WARNING**
DO NOT OPERATE WITHOUT DISCHARGE DEFLECTOR, ENTIRE GRASS COLLECTION SYSTEM, OR MULCH KIT IN PLACE. DO NOT REMOVE GRASS CATCHER UNTIL BLADES HAVE STOPPED.

17 **LAZER Z EFI**
Engine RPM
3750 ± 50 (no load)

18 **LAZER Z EFI**

19 **IMPORTANT:** Before starting engine, clean grass from pump drive belt compartment. Check more often in dry conditions.

20 **IMPORTANT:** Before starting engine, clean grass from pump drive belt compartment. Check more often in dry conditions.

21 **Lubricate Blade Bolt threads with copper based anti-seize or grease and torque to 55-60 ft-lbs (75-81 N m)**

22 **Lubricate Blade Bolt threads with copper based anti-seize or grease and torque to 55-60 ft-lbs (75-81 N m)**

23 **IMPORTANT:** BEFORE STARTING ENGINE, CLEAN GRASS FROM PUMP DRIVE BELT COMPARTMENT. CHECK MORE OFTEN IN DRY CONDITIONS.

24 **DANGER**
COVER IS MISSING. DO NOT OPERATE THIS UNIT WHEN COVER IS NOT IN PLACE.

25 **TRITON**
High Capacity Cutting Platform

26 **KILL RELAY**
STARTER RELAY
FUEL PUMP RELAY
10 AMP FUSE 20 AMP FUSE
FUEL PUMP ENGINE

27 **WARNING**
TO AVOID INJURY OR DEATH FROM ROLLOVER:
• Keep roll bar in the raised and locked position and use seat belt.
• THERE IS NO ROLL OVER PROTECTION WHEN THE ROLL BAR IS DOWN.
• Lower the roll bar only when absolutely necessary.
• Do not wear seat belt when the roll bar is down.
• Drive slowly and carefully.
• Leave the roll bar as raised whenever possible.
• Read and follow all safety operation instructions and warnings.

28 **ANTI-SKID ROLLER ADJUSTMENT**
For normal operation, rollers should rest in positions shown for proper ground clearance.
CUTTING HEIGHT
INCHES (mm)
1-1 (25)
2-1 (51)
3-1 (76)
4-1 (102)
FOR MAXIMUM FLOTATION, rollers may be positioned at 14" (354 mm) ground clearance. Never position the rollers to support the mower deck.

29 **WARNING**
ROTATING MECHANICAL DEVICES CAN CAUSE SERIOUS INJURY!
• DO NOT operate without guards in place.
• Stop engine before opening cover.

30 **IMPORTANT:** BEFORE STARTING ENGINE, CLEAN GRASS FROM PUMP DRIVE BELT COMPARTMENT. CHECK MORE OFTEN IN DRY CONDITIONS.

31 **DANGER**
KEEP HANDS AND FEET AWAY

32 **TRITON 72**
High Capacity Cutting Platform

33 **WARNING**
HOT SURFACE
CAUTION


34 **eXmark**

35 **MOTION CONTROL**
N
R
↑
↓

36 **WARNING**
Battery contains sulfuric acid. Avoid contact and always shield eyes, face, skin and clothing from battery. Cigarettes, flames or sparks could cause battery to explode. Do not charge or use booster cables or adjust load connections without proper training. In event of an accident flush with water immediately. Keep out of reach of children.

37 **DRIVE WHEEL RELEASE**
One turn counter-clockwise to release. Do not over-tighten.

ELECTRICAL GROUP – 27HP KOHLER




Item	Part No.	Description	Qty.
1	107-9277-03	Hold Down, Battery	1
2	321-2	Screw, 1/4-20 x 1/2	1
3	1-543792	Wingnut, Nyloc.....	2
4	1-633307	Cable, Battery (-) 40".....	1
5	109-2407	Insulator, Battery.....	1
6	1-800282	Screw, 5/16-18 x 7	1
7	3256-2	Washer, 1/4 Flat.....	2
8	3217-6	Nut, Hex 5/16-18	1
9	1-523415	Spring, Seat Switch.....	1
10	1-522424-03	Wldmt, Spring Mount.....	1
11	321-4	Screw, 1/4-20 x 3/4	7
12	32128-33	Nut, 1/4-20 Whizlock.....	8
13	103-2106	Key, Exmark Logo.....	1
	1-603511	Key, Ignition	1
14	1-513152	Switch, Seat N.C.	1
15	1-513180	Actuator, Seat Switch.....	1
16	3290-500	Screw, #10-24 x 5/8	10
17	1-633181	Plate, Tapped.....	4
18	1-816001	Fuse-20 Amp	2
19	1-633111	Switch, Brake N.O./N.C.....	1

Item	Part No.	Description	Qty.
20	1-513051	Switch, Drive Lever N.O.....	2
21	1-303287	Plastic Tie (Small).....	5
22	103-5218	Module, Seat Delay	1
23	109-4736	Asm, Switch W/Nut	1
24	1-513374	Meter, Engine Hours	1
25	103-5221	Switch, P.T.O.....	1
26	1-633396	Clip, Loom .69	2
27▲	109-0125	Harness, Wiring	1
28	1-303335	Plastic Tie (Large).....	4
29	109-7630	Cable, Battery (+).....	1
30	1-543393	Insulator, Solenoid (+).....	1
31	1-633651	Bolt, Battery Hold Down	2
32	103-5652	Asm, Seat Switch Actuator.....	1
33	3296-2	Nut, #10-24 Hex Nyloc.....	4
34	1-643275	Relay, 12V	2
35	103-0498	Nut, Ignition	1
36	3256-22	Washer, 1/4 SAE	1
37	1-807513	Bolt, Carriage #10-24 x 1/2	2
38	3296-29	Nut, 5/16-18 Nyloc.....	1
39	109-7679-03	Mount, Relay	1

▲ Use dielectric grease on all wiring harness connectors.

ELECTRICAL GROUP – 28HP KOHLER EFI




Item	Part No.	Description	Qty.
1▲	109-0124	Harness-Wiring	1
2	1-633307	Cable-Battery (-)	1
3	109-7608	Cable- Battery (+).....	1
4	3296-2	Nut, Nyloc #10-24	8
5	1-803071	Screw, Machine #10-24 x 1/2.....	4
6	1-643275	Relay, 12V	2
7	103-7455-03	Panel, Fuse & ECU Mount	1
8	32105-20	Screw, Mach #10-24 x 2.....	2
9	321-4	Screw, 1/4-20 x 3/4	5
10	32128-33	Nut, 1/4-20 Whizlock.....	7
11	3256-22	Washer, 1/4 SAE Flat.....	1
12	1-643312	Clip, Loom 1.0.....	1
13	321-6	Screw, 1/4-20 x 1	1
14	1-643267	Indicator, Red Led.....	1
15	321-2	Screw, 1/4-20 x 1/2	1
16	3290-500	Screw, #10-24 x 5/8	6
17	1-633111	Switch, N.O./N.C.....	1
18	1-633181	Plate- Tapped	3
19	1-513051	Switch, Drive Lever N.O.....	2
20	109-4736	Asm, Switch W/Nut	1
21	103-2106	Key, Exmark Logo.....	1
	1-603511	Key, Ignition.....	1
22	1-513374	Meter- Engine Hours.....	1

Item	Part No.	Description	Qty.
23	103-5218	Module, Seat Delay	1
24	1-513762	Clip, Loom .50	2
25	1-816001	Fuse-20 Amp	2
26	1-633396	Clip, Loom .69	1
27	109-7679-03	Mount, Relay	1
28	109-2407	Insulator, Battery.....	1
29	107-9277-03	Holddown, Battery	1
30	1-543792	Wingnut, Nyloc.....	2
31	1-633651	Bolt, Battery Holddown	2
32	3256-23	Washer, 5/16 SAE	1
33	103-5221	Switch, PTO.....	1
34	1-303287	Plastic Tie (Small).....	3
35	1-303335	Plastic Tie (Medium)	3
36	1-643115	Plastic Tie (Large).....	3
37	1-323229	Clip, Loom 3/8	1
38	1-816002	Fuse, 10 Amp	1
39	1-543393	Insulator, Solenoid +	1
40	1-807513	Bolt, Carriage #10-24 x 1/2	2
41	3256-2	Washer, 1/4 Flat	2
42	103-0498	Nut, Ignition	1
43	3256-14	Washer, #10	2
44	33114-016	Screw, M8-1.25 X 16mm	1

▲ Use dielectric grease on all wiring harness connectors.

ELECTRICAL GROUP – 28HP KAWASAKI




Item	Part No.	Description	Qty.
1	107-9277-03	Hold Down, Battery	1
2	321-2	Screw, 1/4-20 x 1/2	1
3	1-543792	Wingnut, Nyloc.....	2
4	1-633307	Cable, Battery (-) 40".....	1
5	109-2407	Insulator, Battery.....	1
6	1-800282	Screw, 5/16-18 x 7	1
7	3256-2	Washer, 1/4 Flat.....	2
8	3217-6	Nut, Hex 5/16-18	1
9	1-523415	Spring, Seat Switch.....	1
10	1-522424-03	Wldmt, Spring Mount.....	1
11	321-4	Screw, 1/4-20 x 3/4	7
12	32128-33	Nut, 1/4-20 Whizlock.....	7
13	103-2106	Key, Exmark Logo.....	1
	1-603511	Key, Ignition.....	1
14	1-513152	Switch, Seat N.C.....	1
15	1-513180	Actuator, Seat Switch.....	1
16	3290-500	Screw, #10-24 x 5/8	10
17	1-633181	Plate, Tapped.....	4
18	1-816001	Fuse-20 Amp	2
19	1-633111	Switch, Brake N.O./N.C.....	1
20	1-513051	Switch, Drive Lever N.O.....	2
21	1-303287	Plastic Tie (Small)	5

Item	Part No.	Description	Qty.
22	103-5218	Module, Seat Delay	1
23	109-4736	Asm, Switch W/Nut	1
24	1-513374	Meter, Engine Hours.....	1
25	103-5221	Switch, PTO.....	1
26	1-633396	Clip, Loom .69	2
27▲	109-6005	Harness, Wiring	1
28	1-303335	Plastic Tie (Large).....	2
29	109-7630	Cable, Battery (+) 30"	1
30	1-543393	Insulator, Solenoid (+).....	3
31	1-633651	Bolt, Battery Hold Down	2
32	103-5652	Asm, Seat Switch Actuator.....	1
33	3296-2	Nut, #10-24 Hex Nyloc.....	4
34	1-643275	Relay, 12V	2
35	103-0498	Nut, Ignition	1
36	3256-22	Washer, 1/4 SAE	1
37	1-807513	Bolt, Carriage #10-24 x 1/2	2
38	3296-29	Nut, 5/16-18 Nyloc	1
39	1-633306	Wire, Starter Solenoid.....	1
40	1-513075	Switch, 12V Solenoid.....	1
41	1-805004	Washer, Lock 1/4 Heavy.....	1
42	3217-5	Nut, Hex 1/4-20.....	1

▲ Use dielectric grease on all wiring harness connectors.

ELECTRICAL GROUP – 31HP BRIGGS & STRATTON




Item	Part No.	Description	Qty.
1	107-9277-03	Hold Down, Battery	1
2	321-2	Screw, 1/4-20 x 1/2	1
3	1-543792	Wingnut, Nyloc.....	2
4	1-633307	Cable, Battery (-) 40".....	1
5	109-2407	Insulator, Battery.....	1
6	1-643312	Clip, Loom.....	1
7	3256-2	Washer, 1/4 Flat.....	2
8	109-5533-03	Mount, Relay	1
9	3296-2	Nut, #10-24 Hex Nyloc	4
10	1-807513	Bolt, Carriage #10-24 x 1/2	2
11	321-4	Screw, 1/4-20 x 3/4	5
12	32128-33	Nut, 1/4-20 Whizlock.....	6
13	103-2106	Key, Exmark Logo.....	1
	1-603511	Key, Ignition.....	1
14	3256-22	Washer, 1/4 SAE	1
15	103-0498	Nut, Ignition.....	1
16	3290-500	Screw, #10-24 x 5/8	8

Item	Part No.	Description	Qty.
17	1-633181	Plate, Tapped	3
18	1-816001	Fuse-20 Amp	2
19	1-633111	Switch, Brake N.O./N.C.	1
20	1-513051	Switch, Drive Lever N.O.....	2
21	1-303287	Plastic Tie (Small).....	5
22	103-5218	Module, Seat Delay	1
23	109-4736	Asm, Switch W/Nut	1
24	1-513374	Meter, Engine Hours	1
25	103-5221	Switch, PTO.....	1
26	1-633396	Clip, Loom .69	1
27▲	109-5526	Harness, Wiring	1
28	1-303335	Plastic Tie (Large).....	3
29	109-7630	Cable, Battery (+).....	1
30	1-543393	Insulator, Solenoid (+).....	1
31	1-633651	Bolt, Battery Hold Down.....	2
32	1-643275	Relay, 12V	3


▲ Use dielectric grease on all wiring harness connectors.

ELECTRICAL DIAGRAM - 27HP KOHLER



IGNITION SWITCH

TERMINAL	CONNECTIONS
TERMINAL A	VOLTAGE REGULATOR
TERMINAL B	BATTERY
TERMINAL I	HOUR METER, ENGINE, PTO SWITCH
TERMINAL S	START RELAY
TERMINAL X	SEAT DELAY
TERMINAL Y	HOUR METER, ENGINE, PTO SWITCH




POSITION	CIRCUIT "MAKE"
1. OFF	NONE
2. RUN	B + I + A X + Y
3. START	B + I + S

NOTE: CONNECTORS VIEWED FROM WIRE END

BOTH MOTION CONTROL SWITCHES ARE CLOSED WITH CONTROL LEVERS IN NEUTRAL LOCK POSITION


ELECTRICAL DIAGRAM - 28HP KAWASAKI



IGNITION SWITCH


CONNECTIONS

TERMINAL	CONNECTIONS
TERMINAL A	VOLTAGE REGULATOR
TERMINAL B	BATTERY
TERMINAL I	HOUR METER, ENGINE, PTO SWITCH
TERMINAL S	START RELAY
TERMINAL X	SEAT DELAY
TERMINAL Y	HOUR METER, ENGINE, PTO SWITCH




POSITION	CIRCUIT "MAKE"
1. OFF	NONE
2. RUN	B + I + A X + Y
3. START	B + I + S


ELECTRICAL DIAGRAM – 28HP KOHLER EFI




ELECTRICAL DIAGRAM – 31HP BRIGGS & STRATTON




ELECTRICAL LOGIC SCHEMATIC - 27HP KOHLER



ELECTRICAL LOGIC SCHEMATIC 28HP KAWASAKI




ELECTRICAL LOGIC SCHEMATIC – 28 HP KOHLER EFI



POSITION	CIRCUIT "MAKE"
1. OFF	NONE
2. RUN	B + I + A X + Y
3. START	B + I + S

ELECTRICAL LOGIC SCHEMATIC – 31 HP BRIGGS & STRATTON



NOTES

See Exmark's Complete Line of Accessories

Riding Accessories

Custom Ride Seat Suspension System

Deck Lift Assist Kit

Hitch Kit

Light Kit

Micro-mulch System

Roll Over Protection System (ROPS)

Snow Blade

Sun Shade

Trash Container

Turf Striper

Ultra Vac Collection System

Ultra Vac Quick Disposal System

Walk Behind Accessories

Grass Catcher

Micro-mulch System

Steerable Sulky

Sulky Hitch Kit

Turf Striper

Standon

Check Us Out On The Web:

www.exmark.com