
FORM NO. 3316−493 REV B

TORO®

MODEL NO. 04404−40001 & UP

PARTS CATALOG

5 & 8 BLADE HEAVY DUTY 4 BOLT CUTTING UNITS For Greensmaster 3000 Series Traction Units



REEL & FRAME ASSEMBLY


Ref. No.	Part No.	Description	No. Used
1	14−0649	Asm−Reel, 8 Blade	1
*	14−0659	Asm−Reel, 5 Blade	1
2	36−7190	Grass Shield	1
3	10−4930	Bed Bar	1
4	36−7260	Cut−Off Bar	1
5	32144−73	Screw − Round Hd.	5
6	321−5	Screw − HH	2
7	94−6395	Bed Knife 1/8”	1
*	94−6396	Bed Knife 3/16”	1
*	94−6394	Bed Knife − Tournament	1
*	63−8610	Bed Knife − Fairway	1
8	57−4910	Screw − Special	7
9	21−8450	Asm−Rear Roller (Incl. Ref. #10 & 11)	1
10	21−6430	Rear Bearing	2
11	302−5	Fitting − Grease	3

* Not Illustrated

Ref. No.	Part No.	Description	No. Used
12	65−8600	Knob − Height Adjustment	2
13	3243−13	Screw − Set, Sq. Hd.	4
14	27−2650	Height−of−Cut Adjustment	2
15	3290−125	Screw − Set	2
16	3253−7	Washer − Lock	2
17	3217−9	Nut − Hex.	2
18	3296−39	Nut − Lock	2
19	12−0460	Caplug	1
20	323−2	Screw − Mach. Hex Hd.	1
21	10−5080	End Cap	1
22	253−61	Seal	1
23	3296−60	Nut − Lock	1
24	254−94	Cone − Bearing	2
25	254−72	Cup − Bearing	2
26	10−5120	Housing − Bearing	2
27	302−40	Fitting − Grease	1

© The TORO Company − 1993, Rev. 1997
All Rights Reserved


TPS



REEL & FRAME ASSEMBLY (Continued)

Ref. No.	Part No.	Description	No. Used
28	217−74	Wheel Bolt	2
29	3296−42	Nut − Lock	2
30	3253−3	Washer − Lock	2
31	3296−29	Nut − Lock	2
32	3256−23	Washer − Flat	2
33	10−5060	Bracket Height of Cut	2
34	10−5010	Screw − Roller Adjustment	2
35	3254−6	Washer − Lock	2
36	94−2958	Ball Stud	2
37	11−0070	Asm−Scraper Comb (Incl. Ref. #48−51) (Opt.)	1
38	3254−8	Washer − Lock	4
39	3219−1	Nut − Hex	4
40	33−1000	Asm−Scraper Brush (Incl. Ref. #41)	1
41	33−0630	Brush	1
42	3−7253	Bolt − Carriage	2
43	253−96	Oil Seal	2
44	3255−9	Washer − Lock	4

Ref. No.	Part No.	Description	No. Used
45	57−3210	Screw − Mach. Special	4
46	3233−26	Bolt − Carriage	2
47	3256−22	Washer − Flat	4
48	3296−9	Nut − Lock	11
49	8−2520	Support Comb	1
50	3249−3	Screw − Round Head	11
51	8−2530	Comb − Urethane	1
52	322−5	Screw − HH	2
53	3255−8	Washer − Lock	2
54	32108−20	Screw − Flat Head	2
55	70−1100	Frame − Reel	1
56	93−1394	Nut − Spline	1
57	32128−36	Nut − Nut, Flange	2
58	321−4	Screw − HH	2
*	13−8199	Bar Adj. Gauge (Includes †)	1
*†	32122−22	Screw − Truss Head	1
*†	3219−14	Nut − Hex	1



T−0956

CUTTING UNIT ROLLER OPTIONS

Ref. No.	Part No.	Description	No. Used
1	52−3180	Bearing − Front Roller	2
2	302−5	Fitting − Grease	2
3	52−3170	Asm−Full Front Roller (Incl. Ref. #1 & 2)	1
4	52−3590	Asm−Swaged Roller (Incl. Ref. #1 & 2)	1
5	71−1550	Asm−Wiehle Roller (Incl. Ref. #2 & 6)	1
*	88−6790	Asm−Alum. Wiehle Roller (Incl. Ref. #2 & 6)	1

Ref. No.	Part No.	Description	No. Used
6	52−3210	Bearing − Wiehle Roller	2
*	04412	Full Roller (3)	1
*	04414	Swaged Roller (3)	1
*	04424	Wiehle Roller (3)	1
*	04426	Aluminum Wiehle Roller (3)	1

* Not Illustrated

PRODUCT CHANGES

In an effort to make improvements available to TORO owners as quickly as possible, minor changes are incorporated into Toro's products from time to time that do not become immediately shown in the Parts Catalog. If such a change has been made in your unit, which is not reflected in your manual, see your TORO Distributor or his Authorized TORO Service Dealer for information and part numbers.

COUNTRIES OTHER THAN THE UNITED STATES OR CANADA

Customers who have purchased TORO products exported from the United States or Canada should contact their Toro Distributor (Dealer) to obtain guarantee policies for your country, province or state. If for any reason you are dissatisfied with your Distributor's service or have difficulty obtaining guarantee information, contact the TORO importer. If all other remedies fail, you may contact us at The Toro Company.

MAINTENANCE RECORD

Date								

Compliance with Radio Interference Regulations Certified.
Certifie Conforme au Reglement sur le Brouillage Radioelectrique.

Litho in U.S.A.