

Material No:	111-6960	Rev:	B	Release/Change Authorization Number :	5087264
Description:	D OF C PARTS LIST ENVOY 36 [100J:EN]			Issue Date :	16/12/2013
HAYTER General Document	Supersedes :				
	Superseded By :				
	Created By : TH				
	Scale : NONE				
THIS UNPUBLISHED DOCUMENT CONTAINS HAYTER CONFIDENTIAL AND PROPRIETARY INFORMATION. IT MAY NOT BE WHOLLY OR PARTIALLY COPIED, DISCLOSED TO OTHERS, OR USED FOR ANY PURPOSE WITHOUT WRITTEN PERMISSION FROM HAYTER. IF PUBLICATION OCCURS, THE FOLLOWING NOTICE APPLIES: "© HAYTER ALL RIGHTS RESERVED".					
Reason for Revision:	CHANGES TO PARTS LIST				


CONFIDENTIAL

Item No 34 was HY100000 to 111-7417
39 was HY100029 to 09392
Add item No 74, Decal Restarting 111-7418

Original Version: EN
Issue : 16.12.13
Codes: 100J
From Serial: 314000001 and up

Full Assembly


Item No	Description	Part No.	QTY
1	VENT MESH ASM	111-0074	1
2	DECAL-SAFETY ELECTRIC	111-5173	1
3	SCREW	111-0094	4
4	SCREW	111-0106	1
5	CLAMP-CABLE	111-0117	2
6	MOTOR COVER	111-0538	1
7	PLATE-HOC	111-0539	1
8	HANDLEBAR-LOWER	111-0540-03	1
9	DECAL ENVOY ELECTRIC	111-4441	1
10	COVER-SCREW HOC	111-0543	1
11	DEFLECTOR-REAR	111-1042	1
12	TOP COVER	111-1055	1
13	BOLT-FIXING CUTTERBAR (NYLON)	100013	1
14	CARRIER-CUTTERBAR	100014	1
15	FRAME-GRASSBAG	100016-03	1
16	CLIP-CABLE	100023	4
17	HANDLEBAR-UPPER	100024	1
18	HANDLEBAR-MIDDLE	100025-03	1
19	ROD-CONNECTING	100037	1
20	SPRING-COUNTER BALANCE	100080	1
21	CLEAT-CABLE	100105	1
22	WASHER	09475	4
23	WASHER-SPRING	03469	4
24	ROD-DEFLECTOR	100126	1
25	GRASSBAG FABRIC AND BOTTOM ONLY	100513	1
26	SWITCH AND LEAD ASSY	100515	1
27	DECAL	410087	1
28	KNOB-HANDLEBAR	480088	4
29	MOTOR (1.4 Kw)	HY100001	1
31	UNDERDECK	HY100003	1
32	THROWPLATE	HY100004	1
33	FINS	HY100006	1
34	SPRING-DEFLECTOR	111-7417	1
35	CUTTERBAR	HY100012	1
36	ARM-BAIL	HY100017	1
38	BOLT-HANDLEBAR	HY226024	4
39	SCREW HH	09392	2
40	SPACER-WHEEL, REAR	HY100030	6
41	BEARING-WHEEL	HY100033	12
42	HUB CAP	HY100036	4
43	LEVER-HOC	HY100038	1
44	KNOB-HOC	HY100039	1
45	SPRING-HOC	HY100041	1
46	PIN-SPRING HOC	HY100042	1
47	WASHER-STARLOCK 12mm	HY100047	4
48	WASHER-STARLOCK 8mm	0201086	3
49	PLATE-PIVOT AXLE	HY100064	4
50	ROD-AXLE REAR	HY100068	1
51	TOP-GRASSBAG TOP	HY100075	1
52	BOLT-MOTOR	HY100076	4
53	BLOCK-TERMINAL	HY100077	1
54	SCREW	HY100078	34
55	WASHER	HY100079	2
56	SCREW-PPH THREAD FORMING	09687	2
57	SCREW-PPH THREAD FORMING	HY100128	1
58	MAIN LEAD	HY100135	1
59	FRONT AXLE ASM	HY100503	1
60	REAR AXLE ASM	HY100504	1
61	WHEEL ASM	HY100505	4
62	WHEEL ASSY WIDE	HY100506	2
63	SWITCH LEFT LOWER	HY100021	1
65	PLUG-TUBE	300160	2
67	DECAL-HOC	320006	1
68	MOUNT LEFT	100085	1
69	LEVER MOUNT	HY100088	1
70	SPRING BAILARM	HY100087	1
71	MOUNT RIGHT	100086	1
73	DECAL - MADE IN BRITAIN	111-6625	1
74	DECAL, RESTARTING MOTOR	111-7418	1



Envoy - EC Declaration Of Conformity

EC DECLARATION OF CONFORMITY

Manufactured by: HAYTER LIMITED,
Address: Spellbrook, Bishop's Stortford, Herts. CM23 4BU. ENGLAND
declare that the lawnmower :



Model name:	Envoy
Type:	Electric Lawnmower
Model No:	Pedestrian rotary CODE 100
Cutting width:	36 cm
Speed of rotation of the cutting device:	2950 rpm
Engine manufacturer:	ATB, Austria
Speed of rotation of engine:	2950 rpm
Serial No. Range:	314000001 and up

Complies with the provisions of Directive: 2006/42/EC Essential Health & Safety Requirements Relating to the Design & Construction of Machinery and Safety Components and the regulations transposed into national law.

Also Directive 2004/108/EEC Electromagnetic Compatibility and the regulations transposed into national law.

Also Directive 2000/14/EC Noise emission in the environment by equipment for use outdoors, as amended and the regulations transposed into national law.

Procedure applied for the conformity assessment: ANNEX VI, procedure 1.

Notified Body: Intertek Testing & Certification Ltd., 4 Davy Avenue, Knowhill. Milton Keynes, MK5 8NL, UK.

Notified body identification No: 0359

Measured sound power level: 85 dB(A)

Guaranteed sound power level: 96 dB(A)

Signed

S.A. Maryniak
(Technical Director)

Date: 17.09.13
Declaration done and technical documentation kept at:
HAYTER LIMITED
Spellbrook, Bishop's Stortford,
Herts. CM23 4BU ENGLAND

VIBRATION INFORMATION

Hand / Arm Vibration Level at the Operator Position measured in accordance with European Standard EN 836:

100

Measured Vibration Level ahv = 3.2 ms⁻²

Uncertainty of measurement K = 1.6 ms⁻²

SOUND PRESSURE INFORMATION

Sound Pressure Level at the Operator Position measured in accordance with European Standard EN 836:

Measured Sound Pressure Level L_{PA} = 80 dB(A)

Uncertainty of measurement K = 3 dB(A)

Serial No.