Form No. 3384-594 Rev A

TORO®

Count on it.

Parts Catalog

# 26in Groomer Reel

## Groomer Drive System

**Model No. 04286**

**Model No. 04287**

**Model No. 04288**

**Model No. 04742**

Register at www.Toro.com.
Original Instructions (EN)

*3384-594* A

# Ordering Replacement Parts

To order replacement parts, please supply the part number, the quantity, and the description of each part desired.

**Understanding Reference Numbers**

Each identified part in an illustration has a reference number. The reference number for a part also appears in the parts list, along with other information about the part.

This catalog uses two special reference number formats, one to indicate parts in a service assembly and another to indicate the quantity of a given part in an illustration.

**Service Assembly Reference Numbers**

Parts in service assemblies have reference numbers in the form a:b. The a represents the reference number of the entire service assembly and the b represents a sequential number unique to each part within the service assembly.

For example, a wheel assembly might be identified by reference number 6, the tire by 6:1, the valve by 6:2, and the wheel by 6:3. When you order the assembly identified by reference number 6, you receive all parts identified by reference numbers 6:1,6:2, and 6:3. However, you may also order any part individually. Reference numbers of this type appear in illustration and in parts lists.

**Reference Numbers Indicating Quantity**

In an illustration, if a reference number indicates more than one part, the reference number has the form nX y. The n represents the quantity of the part, the X is the multiplication symbol, and the y represents the reference number.

For example, in an illustration, the reference number 2X 37 means that two of the parts identified by reference number 37 are indicated.

# List of Abbreviations

**AR:** as required

**ASM:** assembly

**BBC:** blade brake control

**BHTF:** button head thread forming

**CARR:** carriage

**CCW:** counter clockwise

**CW:** clockwise

**DEG:** degrees

**DPA:** Dual Point Adjustment

**ECM:** electronic control module

**EXT:** external

**FH:** flat head

**GA:** gauge

**HD:** heavy-duty

**HF:** hex flange

**HH:** hex head

**HHF:** hex head flange

**HHFTF:** hex head flange thread forming

**HJ:** hex jam

**HLH:** hex lag head

**HOC:** height-of-cut

**HSBH:** hex socket button head

**HSFH:** hex socket flat head

**HSH:** hex socket head

**HWH:** hex washer head

**HWHTF:** hex washer head thread forming

**HYD:** hydraulic

**LH:** left hand

**LP:** Liquefied Petroleum Gas

**LPG:** Liquefied Petroleum Gas

**NI:** nylon insert

**NPTF:** national pipe thread fine

**PFH:** phillips flat head

**PPH:** phillips pan head

**PPHTF:** phillips pan head thread forming

**PRH:** phillips round head

**PTH:** phillips truss head

**PTO:** power-take-off

**RH:** right hand

**ROPS:** roll-over protection system

**RRB:** rear roller brush

**SFH:** slotted fillister head

**SHH:** slotted hex head

**SHWH:** slotted hex washer head

**SPH:** slotted pan head

**SQH:** square head

**SRH:** slotted round head

**STD:** standard

**TAP:** self tapping

**TTH:** torx truss head


# Contents

26 Inch Spring Steel Groomer Reel Assembly . . . . . 4
26 Inch Carbide Groomer Reel Assembly . . . . . 5
26 Inch Brush Groomer Reel Assembly . . . . . 6
26 Inch Thin Blade Groomer Reel Assembly . . . . . 7

© 2014—The Toro® Company
8111 Lyndale Avenue South
Bloomington, MN 55420




Contact us at www.Toro.com.
Printed in the USA.
All Rights Reserved





# 26 Inch Spring Steel Groomer Reel Assembly

| *Ref.* | *Part Number* | *Qty.* | *Description* |
|---|---|---|---|
| 1 | 125-3486 | 1 | Groomer Shaft ASM |
| 2 | 107-4430 | 49 | Spacer-Plastic |
| 3 | 110-2333 | 50 | Blade-Groomer, Helix |
| 4 | 125-3481 | 2 | Nut-Lock |





# 26 Inch Carbide Groomer Reel Assembly

| *Ref.* | *Part Number* | *Qty.* | *Description* |
|---|---|---|---|
| 1 | 125-3486 | 1 | Groomer Shaft ASM |
| 2 | 107-4430 | 49 | Spacer-Plastic |
| 3 | 121-9531 | 50 | Blade-Groomer, Thin Carbide |
| 4 | 125-3481 | 2 | Nut-Lock |




# 26 Inch Brush Groomer Reel Assembly

| *Ref.* | *Part Number* | *Qty.* | *Description* |
|---|---|---|---|
| 1 | 125-3506 | 1 | Brush Shaft ASM |
| 2 | 115-1601 | 1 | Brush-Groomer |
| 3 | 120-9657 | 2 | Bolt-J |
| 4 | 120-9659 | 2 | Nut-Lock, NI |




# 26 Inch Thin Blade Groomer Reel Assembly

| *Ref.* | *Part Number* | *Qty.* | *Description* |
|---|---|---|---|
| 1 | 125-3486 | 1 | Groomer Shaft ASM |
| 2 | 70-1350 | 100 | Spacer-Plastic |
| 3 | 127-6124 | 101 | Blade-Groomer, Helix (.015In) |
| 4 | 125-3481 | 2 | Nut-Lock |




**Count on it.**