




# LAZER E-SERIES

Model No. LZE691GKA524A2—Serial No. 315000000 and Up

Picture below may not reflect actual product.



# Parts Manual

# Ordering Replacement Parts

To order replacement parts, please supply the part number, the quantity, and the description of each part desired.

## Understanding Reference Numbers

Each identified part in an illustration has a reference number. The reference number for a part also appears in the parts list, along with other information about the part.

This catalog uses two special reference number formats, one to indicate parts in a service assembly and another to indicate the quantity of a given part in an illustration.

## Service Assembly Reference Numbers

Parts in service assemblies have reference numbers in the form a:b. The a represents the reference number of the entire service assembly and the b represents a sequential number unique to each part within the service assembly.

For example, a wheel assembly might be identified by reference number 6, the tire by 6:1, the valve by 6:2, and the wheel by 6:3. When you order the assembly identified by reference number 6, you receive all parts identified by reference numbers 6:1, 6:2, and 6:3. However, you may also order any part individually. Reference numbers of this type appear in illustration and in parts lists.

## Reference Numbers Indicating Quantity

In an illustration, if a reference number indicates more than one part, the reference number has the form nX y. The n represents the quantity of the part, the X is the multiplication symbol, and the y represents the reference number.

For example, in an illustration, the reference number 2X 37 means that two of the parts identified by reference number 37 are indicated.

# List of Abbreviations

|                                              |                                                |                                          |
|----------------------------------------------|------------------------------------------------|------------------------------------------|
| <b>AR:</b> as required                       | <b>HLH:</b> hex lag head                       | <b>PTH:</b> phillips truss head          |
| <b>ASM:</b> assembly                         | <b>HOC:</b> height-of-cut                      | <b>PTO:</b> power-take-off               |
| <b>BBC:</b> blade brake control              | <b>HP:</b> high pressure                       | <b>RH:</b> right hand                    |
| <b>BHTF:</b> button head thread forming      | <b>HSBH:</b> hex socket button head            | <b>ROPS:</b> roll-over protection system |
| <b>CARR:</b> carriage                        | <b>HSFH:</b> hex socket flat head              | <b>RRB:</b> rear roller brush            |
| <b>CCW:</b> counter clockwise                | <b>HSH:</b> hex socket head                    | <b>SFH:</b> slotted fillister head       |
| <b>CW:</b> clockwise                         | <b>HWH:</b> hex washer head                    | <b>SHH:</b> slotted hex head             |
| <b>DEG:</b> degrees                          | <b>HWHTF:</b> hex washer head thread forming   | <b>SHWH:</b> slotted hex washer head     |
| <b>DPA:</b> Dual Point Adjustment            | <b>HYD:</b> hydraulic                          | <b>SPH:</b> slotted pan head             |
| <b>ECM:</b> electronic control module        | <b>LH:</b> left hand                           | <b>SQH:</b> square head                  |
| <b>EXT:</b> external                         | <b>LP:</b> low pressure                        | <b>SRH:</b> slotted round head           |
| <b>FH:</b> flat head                         | <b>LPG:</b> Liquefied Petroleum Gas            | <b>STD:</b> standard                     |
| <b>GA:</b> gauge                             | <b>NI:</b> nylon insert                        | <b>TAP:</b> self tapping                 |
| <b>HD:</b> heavy-duty                        | <b>NPTF:</b> national pipe thread fine         | <b>TTH:</b> torx truss head              |
| <b>HF:</b> hex flange                        | <b>PFH:</b> phillips flat head                 |                                          |
| <b>HH:</b> hex head                          | <b>PPH:</b> phillips pan head                  |                                          |
| <b>HHF:</b> hex head flange                  | <b>PPHTF:</b> phillips pan head thread forming |                                          |
| <b>HHFTF:</b> hex head flange thread forming | <b>PRH:</b> phillips round head                |                                          |
| <b>HJ:</b> hex jam                           |                                                |                                          |

# Touch Up Paint

Exmark black touch up spray paint – gloss black.

Exmark red touch up paint (spray paint – P/N 1-850337 - .6 oz liquid bottle – P/N 103-9140).




If your Exmark dealer does not have the Exmark part in stock, Exmark will get the parts to the dealer the next business day or the part will be FREE Guaranteed!! (Some restrictions apply. See your participating Exmark Dealer for details.)

## Contents

|                                                        |    |
|--------------------------------------------------------|----|
| Complete Deck Assembly.....                            | 4  |
| Deck Assembly.....                                     | 6  |
| Deck W/Decals No. 116-8512.....                        | 8  |
| Deck Idler Assembly No. 116-3755.....                  | 10 |
| Main Frame Assembly.....                               | 12 |
| E-Series Decal.....                                    | 14 |
| Roll-Over Protection System.....                       | 16 |
| Roll-Over Protection System Assembly No. 116-2882..... | 18 |
| Front Caster and Fork Assembly.....                    | 20 |
| Caster Wheel and Fork Assembly.....                    | 22 |
| Deck Lift Assembly.....                                | 24 |
| Height-of-Cut Assembly No. 109-7438.....               | 26 |
| Control Assembly.....                                  | 28 |
| Motion Control Assembly.....                           | 30 |
| Park Brake Assembly.....                               | 32 |
| Rear Wheel Assembly.....                               | 34 |
| Seat Assembly.....                                     | 36 |
| Seat W/Tracks Assembly No. 116-8912.....               | 38 |
| Fuel Tank Mounting Assembly.....                       | 40 |
| Fuel Tank Assembly No. 116-3978.....                   | 42 |
| Engine Assembly.....                                   | 44 |
| Hydraulic Assembly.....                                | 46 |
| LH Hydro Assembly No. 126-1327.....                    | 48 |
| RH Hydro Assembly No. 126-1328.....                    | 50 |
| Pump Idler Assembly No. 116-1255.....                  | 52 |
| Electrical Assembly.....                               | 54 |


# Complete Deck Assembly



## Complete Deck Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>    |
|-------------|--------------------|-------------|-----------------------|
| 1           | 116-8145           | 1           | ASM-Deck Complete 524 |

# Deck Assembly




## Deck Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>           | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>           |
|-------------|--------------------|-------------|------------------------------|-------------|--------------------|-------------|------------------------------|
| 1           | 116-8512           | 1           | ASM, Deck W/Decals 524       | 16          | 109-6935           | 1           | Cover-Belt, RH               |
| 2           | 98-5975            | 3           | Washer-Spring Disc 3/8       | 17          | 109-6936           | 1           | Cover-Belt, LH               |
| 3           | 103-3037           | 3           | Bushing, Splined             | 18          | 109-6982           | 2           | Wireform-Cover               |
| 4           | 116-6317           | 1           | Spring-Extension             | 19          | 109-7188           | 1           | ASM,Discharge Chute          |
| 5           | 116-8131           | 3           | Axle, Roller                 | 19:1        | 109-2738           | 1           | Chute, Discharge             |
| 6           | 116-5175           | 3           | Blade-Extreme 2, 18.00"      | 19:2        | 109-8675-01        | 1           | Bracket,Discharge Chute      |
| 6           | 103-6402           | 3           | Blade-Notched                | 19:3        | 3231-22            | 3           | Bolt-Carriage 3/8-16 X 1     |
| 6           | 103-6382           | 3           | Blade, Solid                 | 19:4        | 109-6658           | 3           | Nut-Nyloc 3/8-16 Flg         |
| 6           | 103-6387           | 3           | Blade, Low Lift              | 20          | 116-5835-01        | 1           | Baffle-Dogleg, Lze-Pns-52    |
| 6           | 103-6392           | 3           | Blade, Mulching ●            | 21          | 116-0675           | 3           | Sheave,Blade Drive 6.50      |
| 7           | 103-8415           | 3           | Roller-Anti-Scalp            | 22          | 116-9362           | 3           | Screw-HH 3/8-16 X 3 3/4 Gr 8 |
| 8           | 116-4665           | 1           | Idler-Pulley, Flat           | 23          | 3231-22            | 2           | Bolt-Carriage 3/8-16 X 1     |
| 9           | 116-4667           | 1           | Idler-Pulley, Flat           | 24          | 3231-28            | 6           | Bolt-Carriage 3/8-16 X 1 1/4 |
| 10          | 1-633456           | 2           | Bushing, Idler               | 25          | 3231-44            | 2           | Bolt-Carriage 3/8-16 X 2 1/2 |
| 11          | 116-3755           | 1           | Deck Idler ASM               | 26          | 116-9981           | 3           | Kit, Anti-Scalp Roller       |
| 12          | 109-4994           | 1           | Belt,V-B X 186.00"           | 27          | 116-3341           | 3           | ASM-Spindle And Seal         |
| 13          | 109-9220           | 3           | Screw-Sems 1/2-20 X 2.19     | 28          | 116-1286           | 3           | Guard,Bearing Top .989       |
| 14          | 109-6658           | 35          | Nut-Nyloc 3/8-16 Flg         | 29          | 116-7306           | 3           | Nut-Hex                      |
| 15          | 116-3344           | 3           | ASM-Cutter Hsg With Bearings | 30          | 103-2802           | 3           | Washer-Spring Disc 3/4       |
| 15:2        | 116-0720           | 2           | Bearing-Ball                 | 31          | 116-8530-01        | 2           | Plate-Reinf, Push Tower      |
| 15:3        | 116-3312           | 1           | Spacer-Bearing               |             |                    |             |                              |

● Requires installation of mulch kit for proper mulching. See your Exmark dealer for details.

# Deck W/Decals No. 116-8512




## Deck W/Decals No. 116-8512 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>       |
|-------------|--------------------|-------------|--------------------------|
| 2           | 117-3848           | 1           | Decal-Danger             |
| 3           | 93-7316            | 2           | Decal-Danger             |
| 4           | 109-6036           | 1           | Decal-Roller, Anti-Scalp |
| 5           | 112-9028           | 2           | Decal-Cover Missing      |
| 6           | 116-8283           | 1           | Decal-Bolt Torque        |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>           |
|-------------|--------------------|-------------|------------------------------|
| 7           | 116-8727           | 1           | Decal-Belt Routing           |
| 8           | 116-0034           | 1           | Decal,Ultracut 52 Series 4   |
| 9           | 109-6658           | 2           | Nut-Nyloc 3/8-16 Flg         |
| 10          | 1-633456           | 2           | Bushing, Idler               |
| 11          | 3231-44            | 2           | Bolt-Carriage 3/8-16 X 2 1/2 |


# Deck Idler Assembly No. 116-3755



## Deck Idler Assembly No. 116-3755 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>    | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>        |
|-------------|--------------------|-------------|-----------------------|-------------|--------------------|-------------|---------------------------|
| 1           | 43-0940            | 1           | Spacer                | 9           | 126-0423           | 1           | Pin-Spring, Anchor        |
| 2           | 103-2916           | 1           | Guard-Top             | 10          | 109-6658           | 2           | Nut-Nyloc 3/8-16 Flg      |
| 3           | 103-3504           | 2           | Bearing-Spherical     | 11          | 109-7409           | 1           | Screw-Shoulder 3/8-16 X 5 |
| 4           | 103-3505           | 1           | Seal-Double Lip       | 12          | 323-8              | 1           | Screw-HH 3/8-16 X 1 1/2   |
| 5           | 103-3506           | 1           | Seal-Single Lip       | 13          | 32120-10           | 2           | Ring-Retaining            |
| 6           | 116-4668           | 1           | Idler-Pulley, Flanged | 14          | 302-19             | 1           | Zerk-1/4-28 Str           |
| 7           | 106-7159           | 2           | O-Ring                |             |                    |             |                           |


# Main Frame Assembly



## Main Frame Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>           | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>           |
|-------------|--------------------|-------------|------------------------------|-------------|--------------------|-------------|------------------------------|
| 1           | 116-5900           | 1           | Mainframe ASM                | 11          | 116-5899           | 1           | RH Motion Control Cover ASM  |
| 1:2         | 117-3888           | 1           | Decal-Danger Slope W/ROPS    | 11:2        | 99-8936            | 1           | Decal-Control, Motion        |
| 1:3         | 106-5517           | 2           | Decal-Warning, Hot Surface   | 11:3        | 116-5988           | 1           | Decal-Park Brake, Ce         |
| 1:4         | 106-2655           | 2           | Decal-Hazard, Pinched Finger | 12          | 116-0580           | 1           | LH Motion Control Cover ASM  |
| 1:5         | 116-4858           | 1           | Decal-Spark Arrester         | 12:2        | 99-8936            | 1           | Decal-Control, Motion        |
| 2           | 109-8863-03        | 1           | Plate,Rear Guard             | 13          | 126-2067-03        | 1           | Guard-Muffler                |
| 3           | 116-8898-01        | 1           | Floorpan                     | 14          | 103-3113           | 1           | Decal, Lazer Model           |
| 4           | 1-513658           | 2           | Bumper                       | 15          | 32144-10           | 4           | Screw-HWH 1/4-20 X .62       |
| 5           | 1-811010           | 2           | Plug                         | 18          | 103-2883           | 1           | Decal, Exmark Logo           |
| 6           | 116-0180           | 1           | LH Bumper ASM                | 19          | 126-4345           | 1           | Decal-Patent Ttco.Com        |
| 6:2         | 106-5517           | 1           | Decal-Warning, Hot Surface   | 20          | 107-3154           | 2           | Nut-Push 3/8-16              |
| 7           | 116-0057-03        | 1           | Bumper-RH                    | 21          | 117-3864           | 1           | Decal-Fuel Fill, Ce          |
| 8           | 104-8301           | 11          | Nut-Nyloc 3/8-16 Flg         | 22          | 1-543508           | 4           | Cup-Bearing Tapered Roller   |
| 9           | 3231-22            | 7           | Bolt-Carriage 3/8-16 X 1     | 23          | 127-0324-03        | 1           | Strap, Ce                    |
| 10          | 3231-21            | 3           | Bolt-Carriage 3/8-16 X 3/4   | 24          | 3231-25            | 1           | Bolt-Carriage 3/8-16 X 1 1/4 |


# E-Series Decal



## E-Series Decal (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|--------------------|
| 1           | 116-3885           | 2           | Decal-E-Series     |


# Roll-Over Protection System



## Roll-Over Protection System (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|--------------------|
| 1           | 116-2882           | 1           | ROPS ASM           |


# Roll-Over Protection System Assembly No. 116-2882



# Roll-Over Protection System Assembly No. 116-2882 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>             | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>           |
|-------------|--------------------|-------------|--------------------------------|-------------|--------------------|-------------|------------------------------|
| 3           | 109-6653           | 2           | Spacer                         | 7           | 99-5107            | 6           | Nut-Lock 1/2-13              |
| 4           | 116-0019           | 1           | Upper ROPS ASM                 | 8           | 3233-10            | 2           | Bolt-Carriage 1/2-13 X 3 1/2 |
| 4:2         | 107-3069           | 1           | Decal-Warning, Folding<br>ROPS | 9           | 325-35             | 4           | Screw-HH                     |
| 5           | 109-5337           | 2           | Bumper-ROPS                    | 10          | 109-9505           | 4           | Washer, Spring Disc 1/2      |
| 6           | 116-0104           | 2           | Pin-Spring                     | 11          | 109-9233           | 1           | Bumper-Push-In, Rubber       |
|             |                    |             |                                | 13          | 116-0960           | 2           | Spacer                       |

# Front Caster and Fork Assembly




## Front Caster and Fork Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>        |
|-------------|--------------------|-------------|---------------------------|
| 1           |                    | 2           | Front Caster And Fork ASM |
|             |                    |             | ●                         |

● Not serviced separately

# Caster Wheel and Fork Assembly



## Caster Wheel and Fork Assembly (continued)


| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>          |
|-------------|--------------------|-------------|-----------------------------|
| 1           | 1-543509           | 2           | Cone-Bearing Tapered Roller |
| 2           | 116-5647           | 1           | Seal-Grease                 |
| 3           | 116-6703-01        | 1           | Weld, Fork                  |
| 4           | 1-633508           | 3           | Washer-Spring Disc          |
| 5           | 109-9126           | 1           | Wheel & Tire ASM            |
| 5:1         | 103-2768           | 2           | Guard-Seal                  |
| 5:2         |                    | 1           | Wheel And Tire ASM ●        |
| 5:2:1       | 1-633585           | 2           | Bearing-Cone Tapered Roller |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>   |
|-------------|--------------------|-------------|----------------------|
| 5:2:2       | 103-0063           | 2           | Seal-Double Lip      |
| 5:2:3       | 103-3051           | 2           | Spacer-Nut ■         |
| 5:2:4       | 103-3155           | 1           | Axle-Caster          |
| 5:2:5       |                    | 1           | Wheel And Tire ASM ● |
| 5:2:5:1     | 1-633584           | 1           | Bearing-Cup          |
| 5:3         | 325-42             | 1           | Screw-HH 1/2-13 X 8  |
| 5:4         | 3296-23            | 1           | Nut-Nyloc 1/2-13     |
| 6           | 103-4882           | 1           | Cap-Grease           |
| 7           | 3296-51            | 1           | Nut-Nyloc 3/4-10     |

● Not serviced separately

■ Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.


# Deck Lift Assembly



## Deck Lift Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                    | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>               |
|-------------|--------------------|-------------|---------------------------------------|-------------|--------------------|-------------|----------------------------------|
| 1           | 99-5107            | 6           | Nut-Lock 1/2-13                       | 16          | 116-0559           | 1           | Bolt-HH 1/2-13 X 4 Tap           |
| 2           | 116-0818-03        | 2           | Support-Cross Shaft, Rear Bearing     | 17          | 32128-37           | 6           | Nut-Whizlock 7/16-14             |
| 3           | 109-7173           | 2           | Bearing-Cross Shaft, Rear             | 18          | 109-9066           | 4           | Yoke-Adjust, Deck                |
| 4           | 3231-4             | 2           | Bolt-Carriage 3/8-16 X 1 1/2          | 19          | 322-47             | 4           | Screw-HH 5/16-18 X 1 1/4         |
| 5           | 104-8301           | 10          | Nut-Nyloc 3/8-16 Flg                  | 20          | 3218-2             | 8           | Nut-Jam 5/16-18                  |
| 6           | 109-9409           | 2           | Support-Cross Shaft, Front Bearing    | 21          | 116-0459-03        | 1           | Lift-Deck, Rear                  |
| 7           | 109-9410           | 2           | Bearing-Cross Shaft, Front            | 22          | 116-0780           | 2           | Screw-Shoulder HHF 1/2-13 X 1.12 |
| 8           | 116-1700           | 4           | Bolt-Carriage 1/2-13 X 2 1/2 Spl Neck | 23          | 116-0797-03        | 1           | Link-Lift, Deck                  |
| 9           | 109-9840           | 2           | Screw-Hex Flange 3/8-16 X .80         | 24          | 116-0886           | 1           | Extension Spring ASM             |
| 10          | 109-7438           | 1           | HOC ASM                               | 25          | 116-5584           | 1           | Pin-HOC                          |
| 11          | 109-9065           | 1           | Screw-HH 7/16-14 X 2                  | 26          | 116-1919-01        | 1           | Lever-Foot                       |
| 12          | 3296-23            | 1           | Nut-Nyloc 1/2-13                      | 27          | 3256-28            | 2           | Washer-3/4 Sae                   |
| 13          | 3231-2             | 2           | Bolt-Carriage 3/8-16 X 1              | 28          | 92-7674            | 1           | Screw-Shcs 3/8-16 X 2.212        |
| 14          | 126-2475-03        | 1           | Decklift-Front                        | 29          | 116-0827-01        | 1           | Weight, Toe Board                |
| 15          | 116-0756           | 2           | Deck Lift Chain ASM                   | 30          | 321-8              | 4           | Screw-HH 1/4-20 X 1 1/4          |
| 15:1        | 1-633447           | 1           | Chain-Lift, Deck                      | 31          | 3256-22            | 4           | Washer-1/4 Sae                   |
| 15:2        | 109-9065           | 1           | Screw-HH 7/16-14 X 2                  | 32          | 104-7201           | 4           | Nut-Nyloc 1/4-20 Flg             |
| 15:3        | 32128-37           | 1           | Nut-Whizlock 7/16-14                  | 33          | 3231-5             | 4           | Bolt-Carriage 3/8-16 X 1 3/4     |
|             |                    |             |                                       | 34          | 116-2428           | 4           | Bushing-Flanged                  |
|             |                    |             |                                       | 35          | 324-10             | 2           | Screw-HH 7/16-14 X 2 1/2         |

Height-of-Cut Assembly No. 109-7438




## Height-of-Cut Assembly No. 109-7438 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>  |
|-------------|--------------------|-------------|---------------------|
| 1           | 62-1330            | 1           | Bolt-Shoulder       |
| 2           | 109-7130           | 1           | Grommet             |
| 3           | 104-8301           | 1           | Nut-Flange, NI      |
| 4           | 109-7124           | 1           | Spring-Extension    |
| 5           | 109-7128           | 1           | Rod-Lock, Transport |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>  |
|-------------|--------------------|-------------|---------------------|
| 6           | 116-0118           | 1           | Pawl-Transport, HOC |
| 7           | 109-7335           | 1           | HOC Plate ASM       |
| 7:2         | 126-4398           | 1           | Decal-Height Of Cut |
| 8           | 109-8250           | 1           | Grip-Lever          |


# Control Assembly



## Control Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>          | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>         |
|-------------|--------------------|-------------|-----------------------------|-------------|--------------------|-------------|----------------------------|
| 1           | 109-8484           | 1           | Console,Panel W/Decal       | 6           | 32105-15           | 4           | Screw-Machine 1/4-20 X 3/4 |
| 1:2         | 116-8724           | 1           | Decal-Control Panel Non-Efi | 7           | 116-1278           | 1           | Console,RH As ASM          |
| 1:3         | 114-4466           | 1           | Decal-Fuses                 | 7:2         | 107069             | 4           | Nut-Retainer-Panel 1/4-20  |
| 2           | 109-8167           | 1           | ASM, Choke Cable            | 8           | 109-9457           | 1           | Console, LH As             |
| 3           | 116-1972           | 1           | ASM,Throttle Cable          | 9           | 105-1853           | 1           | Clamp-Hose                 |
| 4           | 1-807513           | 4           | Bolt-Carriage #10-24 X 1/2  | 10          | 116-1875           | 1           | Plug,Plastic               |
| 5           | 3296-2             | 4           | Nut-Nyloc #10-24            |             |                    |             |                            |

# Motion Control Assembly




## Motion Control Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>     |
|-------------|--------------------|-------------|-----------------------------------|-------------|--------------------|-------------|------------------------|
| 1           | 116-0880           | 1           | RH Motion Control And Bushing ASM | 14          | 109-6589           | 1           | RH Steering Handle ASM |
| 1:2         | 109-8054           | 4           | Bushing-Flange                    | 14:1        | 109-5668           | 1           | Grip-Control, Lever    |
| 2           | 116-0881           | 1           | LH Motion Control And Bushing ASM | 15          | 109-6590           | 1           | LH Steering Handle ASM |
| 2:2         | 109-8054           | 4           | Bushing-Flange                    | 15:1        | 109-5668           | 1           | Grip-Control, Lever    |
| 3           | 116-0648           | 2           | Screw-HH, Thread Locking ●        | 16          | 104-8301           | 4           | Nut-Flange, NI         |
| 4           | 109-4581           | 2           | Arm-Control, Pump                 | 17          | 323-7              | 4           | Screw-HH               |
| 5           | 9080046            | 2           | Screw-HH ●                        | 18          | 109-5575           | 2           | Spring-Leaf            |
| 6           | 1-303435           | 2           | Washer-Spring                     | 19          | 109-8107           | 2           | Pump Linkage Rear ASM  |
| 7           | 116-0027           | 2           | Damper-Control, Motion            | 19:2        | 3219-2             | 2           | Nut-Hex                |
| 8           | 104-8300           | 8           | Nut-Flange, NI                    | 19:3        | 1-323245           | 2           | Spring-Compression     |
| 9           | 3230-2             | 2           | Bolt-CARR                         | 19:4        | 1-633152           | 1           | Balljoint-LH           |
| 10          | 109-5891           | 2           | Hub-Threaded                      | 19:5        | 1-543017           | 1           | Balljoint-RH           |
| 11          | 325-12             | 2           | Screw-HH                          | 20          | 109-9505           | 4           | Washer-Spring          |
| 12          | 116-0039           | 1           | Lever-Control Motion, RH          | 21          | 3256-6             | 2           | Washer-Flat            |
| 13          | 116-0040           | 1           | Lever-Control Motion, LH          | 22          | 32128-56           | 2           | Nut-HF                 |
|             |                    |             |                                   | 23          | 3256-23            | 2           | Washer-Flat            |
|             |                    |             |                                   | 24          | 3218-5             | 2           | Nut-Jam                |
|             |                    |             |                                   | 25          | 115-1794           | 2           | Screw-HHF              |

● Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.


# Park Brake Assembly



## Park Brake Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>            | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                    |
|-------------|--------------------|-------------|-------------------------------|-------------|--------------------|-------------|---------------------------------------|
| 1           | 116-9061           | 1           | Mount-Bellcrank, LH           | 24          | 116-9086           | 2           | Linkage-Mid                           |
| 2           | 116-9062           | 1           | Mount-Bellcrank, RH           | 25          | 126-3693           | 2           | Yoke-Offset                           |
| 3           | 116-9681           | 1           | Mount-Pivot, LH               | 26          | 116-9085           | 2           | Spring-Compression                    |
| 4           | 116-9682           | 1           | Mount-Pivot, RH               | 27          | 3220-2             | 2           | Nut-Jam 5/16-24                       |
| 5           | 32144-70           | 4           | Screw-HWH 5/16-18 X 3/4<br>Tf | 28          | 104-8300           | 4           | Nut-Nyloc 5/16-18 Flg                 |
| 6           | 109-8054           | 2           | Bushing-Flanged               | 29          | 1-808280           | 2           | Pin-Clevis 5/16 X 1 49/64             |
| 7           | 116-9096-01        | 1           | Bracket-Mount                 | 30          | 3256-23            | 4           | Washer-5/16 Sae                       |
| 8           | 126-0970           | 1           | Brake Lever ASM (W/ Grip)     | 31          | 116-6639           | 2           | Pin-Cotter, Locking                   |
| 8:2         | 109-8054           | 2           | Bushing-Flanged               | 32          | 116-9102           | 1           | Front Linkage ASM                     |
| 8:3         | 1-633268           | 1           | Grip-Lever                    | 32:2        | 94-7572            | 1           | End-Tie Rod, RH                       |
| 9           | 116-9117           | 1           | Handle-Pivot, Brake           | 32:3        | 3220-3             | 1           | Nut-HJ                                |
| 10          | 323-11             | 1           | Screw-HH 3/8-16 X 2 1/4       | 33          | 119-1415           | 2           | Pin-Cotter, Locking                   |
| 11          | 104-8301           | 1           | Nut-Nyloc 3/8-16 Flg          | 34          | 3296-6             | 1           | Nut-Nyloc 3/8-24                      |
| 12          | 116-9072           | 4           | Bushing, Igus                 | 35          | 116-9071           | 2           | Rear Linkage ASM                      |
| 13          | 3256-24            | 2           | Washer-3/8 Sae                | 35:1        | 116-9070           | 2           | Yoke                                  |
| 14          | 109-0958           | 2           | Plate-Mount, Brake            | 35:3        | 3220-1             | 1           | Nut-Jam                               |
| 15          | 109-2889           | 1           | Caliper-Brake                 | 36          | 32120-19           | 4           | E-Ring                                |
| 16          | 116-9103           | 1           | Caliper-Brake, RH             | 37          | 3230-2             | 2           | Bolt-Carriage 5/16-18 X 1             |
| 17          | 116-9066           | 2           | Bellcrank                     | 38          | 323-6              | 2           | Screw-HH 3/8-16 X 1                   |
| 18          | 126-3715           | 1           | Arm-Inner, LH                 | 39          | 3296-39            | 2           | Nut-Nyloc 3/8-16                      |
| 19          | 126-3716           | 1           | Arm-Inner, RH                 | 40          | 116-1746           | 2           | Wheel Hub ASM                         |
| 20          | 116-9080           | 1           | Shaft-Cross                   | 40:2        | 116-1696           | 4           | Stud-Wheel                            |
| 21          | 115-7109           | 2           | Washer-Flat                   | 41          | 116-1399           | 2           | Locknut                               |
| 22          | 98-9940            | 4           | Screw                         | 42          | 126-4162           | 1           | Decal-Cover                           |
| 23          | 116-9608           | 2           | Weld, L Bracket               | 43          | 92-5727            | 2           | Screw-HH 3/8-16 X 1 1/4<br>Patch Lock |


# Rear Wheel Assembly



## Rear Wheel Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>    | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>            |
|-------------|--------------------|-------------|-----------------------|-------------|--------------------|-------------|-------------------------------|
| 1           | 116-8289           | 2           | Wheel And Tire ASM    | 2           | 242-50             | 8           | Nut-Lug 1/2-20                |
| 1:1         | 116-8290           | 1           | ASM, Rim              | 3           | 126-2055           | 2           | Decal-Torque Wheel<br>Lug-Hub |
| 1:2         | 116-8291           | 1           | Tire-Drive, 23X9.5-12 |             |                    |             |                               |
| 1:3         | 232-27             | 1           | Stem-Valve            |             |                    |             |                               |


# Seat Assembly



## Seat Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                        | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>              |
|-------------|--------------------|-------------|-------------------------------------------|-------------|--------------------|-------------|---------------------------------|
| 1           | 116-8912           | 1           | Kit-Suspension Seat                       | 6           | 9266934            | 2           | Screw-HWH 5/16 X 1/2 Tf         |
| 2           | 116-2323           | 1           | Mount-Seat                                | 7           | 116-0192-03        | 1           | Plate-Support, Seat             |
| 2:2         | 116-8722           | 1           | Decal-Console                             | 8           | 3230-22            | 4           | Bolt-Carriage 5/16-18 X 1<br>Sp |
| 2:3         | 114-4465           | 1           | Decal-Service Aid                         | 9           | 103-2883           | 1           | Decal, Exmark Logo              |
| 3           | 3230-23            | 2           | Bolt-Carriage 5/16-18 X 3/4<br>Short Neck | 10          | 3217-6             | 2           | Nut-Hex 5/16-18                 |
| 4           | 116-9329           | 4           | Spacer                                    | 11          | 1-323539           | 2           | Spacer-Blade Drive              |
| 5           | 104-8300           | 10          | Nut-Nyloc 5/16-18 Flg                     |             |                    |             |                                 |

# Seat W/Tracks Assembly No. 116-8912




## Seat W/Tracks Assembly No. 116-8912 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>           |
|-------------|--------------------|-------------|------------------------------|
| 2           | 116-8910           | 1           | Seat Track Set               |
| 3           | 116-8908           | 1           | Cover-Back 311463Vn500       |
| 4           | 116-8909           | 1           | Cover-Cushion<br>311464Vn500 |
| 5           | 116-8911           | 1           | Knob-Adjuster                |
| 6           | 116-5659           | 1           | Cover-Suspension Bellows     |

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>    |
|-------------|--------------------|-------------|-----------------------|
| 7           | 126-2061           | 1           | Kit-Seat Belt Service |
| 8           | 116-8906           | 1           | Kit-Arm Rest Set      |
| 9           | 116-8905           | 1           | Kit-Arm Rest Pads     |
| 10          | 82-2190            | 1           | Switch-Bail           |
| 11          | 116-9329           | 4           | Spacer                |


# Fuel Tank Mounting Assembly



## Fuel Tank Mounting Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>      | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|-------------------------|-------------|--------------------|-------------|--------------------|
| 1           | 116-3978           | 1           | Fuel Tank ASM           | 4           | 110-8751           | 1           | Hose-Fuel          |
| 2           | 3218-1             | 2           | Nut-Jam                 | 5           | 98-2952            | 1           | Fitting-Straight   |
| 3           | 116-6380           | 2           | Bumper-Rubber (W/ Stud) | 6           | 116-4344           | 1           | Hose-Fuel          |


# Fuel Tank Assembly No. 116-3978



## Fuel Tank Assembly No. 116-3978 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>              | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>  |
|-------------|--------------------|-------------|---------------------------------|-------------|--------------------|-------------|---------------------|
| 2           | 46-6560            | 2           | Bushing                         | 7           | 109-0650           | 1           | Hose-Fuel           |
| 3           | 116-2459           | 1           | Fuel Line Kit (With<br>Grommet) | 8           | 2412-98            | 2           | Clamp-Hose          |
| 3:1         | 46-6560            | 1           | Bushing                         | 9           | 116-1981           | 1           | Sender-Fuel         |
| 4           | 116-2288           | 1           | Fitting-90 Elbow                | 9:1         | 109-9620           | 1           | Gasket-Sender, Fuel |
| 5           | 126-1789           | 1           | Cap-Fuel, Ratcheting            | 10          | 3253-17            | 5           | Washer-Lock         |
| 6           | 1-603770           | 1           | Valve-Fuel                      | 11          | 9107944            | 5           | Screw-Pan           |

# Engine Assembly



Kawasaki Replacement Parts List  
(Refer To Engine Owner's Manual)

| Description       | Kawasaki Part |
|-------------------|---------------|
| Engine Oil Filter | 49065-7007    |
| Engine Air Filter | 11013-7044    |
| Safety Filter     | 11013-7045    |

## Engine Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                  | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                      |
|-------------|--------------------|-------------|-------------------------------------|-------------|--------------------|-------------|-----------------------------------------|
| 1           |                    | 1           | Engine-Kawasaki,<br>Fx691V-S17-R ●■ | 13          | 323-7              | 4           | Screw-HH 3/8-16 X 1 1/4                 |
| 2           | 1-303334           | 1           | Washer-Spring Disc 5/16             | 14          | 33114-020          | 1           | Screw-HH M8-1.25 X 20Mm                 |
| 3           | 109-6919           | 1           | Washer-Clutch                       | 15          | 109-9761           | 1           | Screw-HH 7/16-20 X 1 1/2<br>W/Loctite ♦ |
| 4           | 1-603610           | 2           | Washer-Spring Disc 7/16             | 16          | 3231-22            | 1           | Bolt-Carriage 3/8-16 X 1                |
| 5           | 1-807259           | 1           | Key-Machine 1/4 X 1/4 X 1           | 17          | 94-2413            | 2           | U-Nut                                   |
| 6           | 104-8301           | 1           | Nut-Nyloc 3/8-16 Flg                | 18          | 3234-5             | 2           | Screw-HH Flg 5/16-18 X 3/4              |
| 7           | 116-1715           | 1           | Muffler                             | 19          | 2412-98            | 2           | Clamp-Hose                              |
| 8           | 116-1946           | 1           | Sheave-Pump, Drive                  | 20          | 105-1853           | 1           | Clamp-Hose                              |
| 9           | 116-4924           | 1           | Asm-Hose Oil Drain W/Plug<br>▲      | 21          | 109-0296           | 1           | Hose-Fuel Line 15"                      |
| 9:1         | 353-508            | 1           | Plug-W/O-Ring                       | 22          | 98-5975            | 4           | Washer-Spring Disc 3/8                  |
| 9:1:1       | 237-42             | 1           | O-Ring                              | 23          | 33094-00           | 1           | Washer                                  |
| 10          | 116-1947           | 1           | Clutch                              | 24          | 3256-22            | 2           | Washer-1/4 Sae                          |
| 11          | 116-1435           | 1           | Bracket-Muffler                     | 25          | 3217-5             | 2           | Nut-Hex 1/4-20                          |
| 12          | 116-2612-01        | 1           | Clutch-Anchor                       | 26          | 95-4184            | 1           | Screw-HHF                               |


● Not serviced separately

▲ Use a Teflon Pipe Sealant or equivalent on threads.

♦ Use Pro-Lock, Nut Type (P/N 1-840022, .5ml tube) on threads.

■ Obtain parts from [www.kawpowerepc.com](http://www.kawpowerepc.com)

# Hydraulic Assembly




## Hydraulic Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>                    | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>              |
|-------------|--------------------|-------------|---------------------------------------|-------------|--------------------|-------------|---------------------------------|
| 1           | 116-1255           | 1           | Pump Idler ASM                        | 11          | 126-1328           | 1           | RH Hydro ASM (12Cc No Fan)      |
| 2           | 109-6658           | 1           | Nut-Nyloc 3/8-16 Flg                  | 12          | 116-2999-01        | 1           | Guard-Belt                      |
| 3           | 126-1327           | 1           | LH Hydro ASM (12Cc No Fan)            | 99          | 109-9828           | 1           | Bottle-Oil, 32Oz Hydraulic ●    |
| 4           | 116-1953           | 1           | Belt-V                                | 99          | 116-0164           | 1           | Filter-Hydro ●                  |
| 5           | 116-6317           | 1           | Spring-Extension                      | 99          | 116-1218           | 1           | Bottle,Oil 1 Gallon Hydraulic ● |
| 6           | 116-7558           | 1           | Cradle-Hydro                          | 99          | 116-3282           | 1           | Kit,Hydro Service ●             |
| 7           | 116-1502           | 1           | Bolt-Carriage Shoulder 3/8-16 X 3 1/2 | 99:1        | 109-9828           | 4           | Bottle-Oil, 32Oz Hydraulic ●    |
| 8           | 126-0095           | 6           | Screw-CARR                            | 99:2        | 116-1953           | 1           | Belt-V                          |
| 9           | 99-5107            | 6           | Nut-Lock 1/2-13                       | 99:3        | 116-0164           | 2           | Filter-Hydro ●                  |
| 10          | 325-8              | 4           | Screw-HH 1/2-13 X 1 1/4               |             |                    |             |                                 |

● Not illustrated

# LH Hydro Assembly No. 126-1327




## LH Hydro Assembly No. 126-1327 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>            | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>         |
|-------------|--------------------|-------------|-------------------------------|-------------|--------------------|-------------|----------------------------|
| 2           | 116-3052           | 1           | Cover-Shaft, Hydro            | 13          | 3257-42            | 1           | Key-Woodruff 5/16 X 1      |
| 3           | 116-0234           | 1           | Pulley Kit                    | 15          | 116-3287           | 1           | Housing-LH                 |
| 4           | 116-0235           | 1           | Handle-Bypass Valve,<br>Hydro | 16          | 116-8915           | 1           | Motor-Hydraulic LH 240Cc   |
| 5           | 116-0236           | 1           | Dipstick-Hydro W/Gasket       | 17          | 116-7901           | 1           | Magnetic Plugs Service Kit |
| 6           | 116-0237           | 1           | Gasket-Dipstick, Hydro        | 18          | 116-1630           | 2           | Check Valve ASM            |
| 7           | 116-1367           | 1           | Swash Block Kit               | 19          | 116-1631           | 2           | Plug-Check (W/O-Ring)      |
| 8           | 116-1368           | 1           | Pump Seal Kit                 | 20          | 76-1900            | 2           | O-Ring                     |
| 9           | 116-1369           | 1           | Motor Seal Kit                | 21          | 116-8662           | 2           | O-Ring-Check Valve         |
| 10          | 116-1370           | 1           | Tube Seal Kit                 | 22          | 116-8974           | 4           | Screw-HH 1/2-20 X 2 1/4    |
| 11          | 116-1371           | 1           | Output Shaft Seal Kit         | 23          | 116-8975           | 2           | Screw-HSH 1/2-20 X 2 3/4   |
| 12          | 116-5469           | 1           | Nose Cup-Uht                  | 24          | 116-9922           | 2           | Hydraulic Tube Kit         |
|             |                    |             |                               | 99          | 116-1373           | 1           | Flow Test Kit ●            |

● Not illustrated

# RH Hydro Assembly No. 126-1328




## RH Hydro Assembly No. 126-1328 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>            | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>         |
|-------------|--------------------|-------------|-------------------------------|-------------|--------------------|-------------|----------------------------|
| 1           | 116-9063           | 1           | Mount-Shoe, Horse             | 13          | 3257-42            | 1           | Key-Woodruff 5/16 X 1      |
| 2           | 116-3052           | 1           | Cover-Shaft, Hydro            | 15          | 116-3288           | 1           | Housing-RH                 |
| 3           | 116-0234           | 1           | Pulley Kit                    | 16          | 116-8916           | 1           | Motor-Hydraulic RH 240Cc   |
| 4           | 116-0235           | 1           | Handle-Bypass Valve,<br>Hydro | 17          | 116-7901           | 1           | Magnetic Plugs Service Kit |
| 5           | 116-0236           | 1           | Dipstick-Hydro W/Gasket       | 18          | 116-1630           | 2           | Check Valve ASM            |
| 6           | 116-0237           | 1           | Gasket-Dipstick, Hydro        | 19          | 116-1631           | 2           | Plug-Check (W/O-Ring)      |
| 7           | 116-1367           | 1           | Swash Block Kit               | 20          | 76-1900            | 2           | O-Ring                     |
| 8           | 116-1368           | 1           | Pump Seal Kit                 | 21          | 116-8662           | 2           | O-Ring-Check Valve         |
| 9           | 116-1369           | 1           | Motor Seal Kit                | 22          | 116-8974           | 4           | Screw-HH 1/2-20 X 2 1/4    |
| 10          | 116-1370           | 1           | Tube Seal Kit                 | 23          | 116-8975           | 2           | Screw-HSH 1/2-20 X 2 3/4   |
| 11          | 116-1371           | 1           | Output Shaft Seal Kit         | 24          | 116-9922           | 2           | Hydraulic Tube Kit         |
| 12          | 116-5469           | 1           | Nose Cup-Uht                  | 99          | 116-1373           | 1           | Flow Test Kit ●            |

● Not illustrated


Pump Idler Assembly No. 116-1255



## Pump Idler Assembly No. 116-1255 (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i> |
|-------------|--------------------|-------------|--------------------|-------------|--------------------|-------------|--------------------|
| 2           | 43-0940            | 1           | Spacer             | 8           | 323-8              | 1           | Screw-HH           |
| 3           | 103-3504           | 2           | Bearing-Spherical  | 9           | 32120-10           | 2           | Ring-Snap          |
| 4           | 103-3505           | 1           | Seal-Double Lip    | 10          | 302-19             | 1           | Fitting-Grease     |
| 5           | 103-3506           | 1           | Seal-Single Lip    | 11          | 109-8076           | 1           | Pulley-Idler       |
| 6           | 109-6658           | 1           | Nut-Flange, NI     | 12          | 116-3467           | 1           | Pin-Spring, Anchor |
| 7           | 106-7159           | 2           | O-Ring             |             |                    |             |                    |

# Electrical Assembly



## Electrical Assembly (continued)

| <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>      | <i>Ref.</i> | <i>Part Number</i> | <i>Qty.</i> | <i>Description</i>         |
|-------------|--------------------|-------------|-------------------------|-------------|--------------------|-------------|----------------------------|
| 2           | 116-6009           | 1           | Harness-Wire, Main ●    | 10          | 114-1218           | 1           | Cable-Battery, Negative    |
| 2:1         | 103-3895           | 1           | Diode-Tvs               | 11          | 3234-5             | 2           | Screw-HH Flg 5/16-18 X 3/4 |
| 2:2         | 218-578            | 1           | Fuse-Blade, 10 Amp      | 12          | 104-8300           | 2           | Nut-Nyloc 5/16-18 Flg      |
| 2:3         | 109355             | 1           | Fuse-Blade, 15 Amp      | 13          | 1-303287           | 3           | Tie-Cable 5 1/2 (Small)    |
| 2:4         | 109102             | 2           | Fuse-Blade, 25 Amp      | 14          | 82-2190            | 1           | Switch                     |
| 2:5         | 116-0053           | 1           | Cap-Plug                | 15          | 117-2221           | 1           | Switch-Ignition            |
| 3           | 117-3882           | 1           | Fuel/Hour Meter ASM     | 16          | 116-0124           | 1           | Switch-PTO, 10A            |
| 4           | 1-603511           | 1           | Key-Ignition            | 17          | 104-2065           | 1           | Screw-HWH #10-24 X 3/8     |
| 4           | 103-2106           | 1           | Key-Exmark Logo         | 18          | 115-3864           | 1           | Cable-Battery, Positive    |
| 5           | 110-6765           | 2           | Switch                  | 19          | 3256-24            | 1           | Washer-3/8 Sae             |
| 6           | 116-0042-03        | 1           | Strap-Tie Down, Battery | 20          | 1-303335           | 2           | Tie-Cable 7 15/16 (Large)  |
| 7           | 1-633651           | 2           | Bolt-Holddown           | 22          | 109-2407           | 1           | Insulator-Battery          |
| 8           | 1-543792           | 2           | Wingnut-Nyloc 1/4-20    | 23          | 1-543393           | 1           | Insulator-Solenoid         |
| 9           | 1-643275           | 1           | Relay-12Vdc 40 Amp      |             |                    |             |                            |

● Use dielectric grease on all unsealed connectors and terminals only. Do not apply in sealed connectors.

**Notes:**

**Notes:**

**Notes:**

## MAXIMIZE THE PERFORMANCE OF YOUR EXMARK.

### **4-CYCLE PREMIUM ENGINE OIL**

Part No. 116-3373

Both SAE 30 and SAE 10W-30 in one bottle.

Contains increased levels of zinc and phosphorus for better lubricity.

No Viscosity Index Improvers that tend to shear down in high heat.

Synthetic formulation.

Gas & Diesel compatible.

Anti-corrosion additives.

API 'SL' and JASO rated with wet clutch compatibility for other machines.


### **PREMIUM HYDRO OIL**

Part No. 109-9828

Commercial quality for tough, high-heat conditions.

Designed specifically for zero-turn mower hydraulic systems.

Superior shear resistance under heavy loads.



Available from your local Exmark dealer. Find your closest dealer at [exmark.com](http://exmark.com)

## EXMARK ACCESSORIES AND OPTIONS\*

### MID-MOUNT RIDING ACCESSORIES AND OPTIONS

|                                    |                                 |
|------------------------------------|---------------------------------|
| CUSTOM RIDE SEAT SUSPENSION SYSTEM | OPERATOR CONTROLLED DISCHARGE   |
| FULL SUSPENSION SEAT               | SUN SHADE                       |
| DECK LIFT ASSIST KIT               | TRASH CONTAINER                 |
| HITCH KIT                          | TURF STRIPER                    |
| LIGHT KIT                          | ULTRA VAC COLLECTION SYSTEM     |
| 12V POWER PORT                     | ULTRA VAC QUICK DISPOSAL SYSTEM |
| MICRO-MULCH SYSTEM                 |                                 |

### OUT-FRONT RIDING ACCESSORIES AND OPTIONS

|                                    |                                 |
|------------------------------------|---------------------------------|
| CUSTOM RIDE SEAT SUSPENSION SYSTEM | SNOW BLADE                      |
| DUAL-TAIL WHEEL                    | SNOWBLOWER                      |
| FLOOR PAN EXTENDER                 | SUN SHADE                       |
| HITCH KIT                          | TRASH CONTAINER                 |
| LIGHT KIT                          | ULTRA VAC COLLECTION SYSTEM     |
| MICRO-MULCH SYSTEM                 | ULTRA VAC QUICK DISPOSAL SYSTEM |
| ROLL OVER PROTECTION SYSTEM (ROPS) | WEATHER CAB                     |

### WALK-BEHIND ACCESSORIES AND OPTIONS

|                    |              |
|--------------------|--------------|
| GRASS CATCHER      | TURF STRIPER |
| MICRO-MULCH SYSTEM | STANDON      |

\*Some accessories and options not available for some models.

Place Model No. and Serial No.  
Label Here (Included in the Literature  
Pack) or Fill in Below

Model No. \_\_\_\_\_

Serial No. \_\_\_\_\_

Date Purchased \_\_\_\_\_

Engine Model No. and Spec. No. \_\_\_\_\_

Engine Serial No. (E/No) \_\_\_\_\_

© 2014 Exmark Mfg. Co., Inc.  
Industrial Park Box 808  
Beatrice, NE 68310  
All Rights Reserved

Part No. 4502-060 Rev. A  
(402) 223-6300  
Fax (402) 223-5489  
Printed in the USA.



[www.exmark.com](http://www.exmark.com)