


9120-9575

TORO®

900 Home Duty Trimmer/ Weeder



**ONLY COPY
DO NOT REMOVE**

TECH. PUBLICATIONS

THE TORO PROMISE
TORO TRIMMER/WEEDER
A FULL ONE YEAR WARRANTY

The Toro Company warrants your TORO Product against defects in material or workmanship. During the warranty period, Toro will, at its option, replace a defective product with a new or rebuilt unit, or will repair or replace any defective parts. The following time periods from the date of purchase apply:

Residential. 1 Year
Residential Products Used Commercially 45 Days

The cost of replacement or repair is included, but the customer pays the transportation costs.

Should you feel your TORO Product is defective and wish to rely on The Toro Promise, you may return it to:

1. The original place of purchase
- OR
2. A TORO Electrical Service Dealer
- OR
3. The Toro Service Center
Galahad Road and Wisconsin Street
North Hudson, WI 54016
(Postage Prepaid)

Upon return of your unit to one of the above, it will be inspected and you will be advised whether the product is defective. If defective, arrangements will be made for repair or replacement without extra charge to you.

If for any reason you are dissatisfied with the analysis of the defect or the service performed, you may contact us.

Write: TORO Consumer Service Department
8111 Lyndale Avenue South
Minneapolis, MN 55420

THERE IS NO OTHER EXPRESS WARRANTY

THE TORO COMPANY IS NOT LIABLE FOR INDIRECT OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE USE OF THE PRODUCT.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This Warranty applies only to parts or components which are defective and does not cover repairs necessary due to normal wear, misuse, accidents, or lack of proper maintenance. Regular, routine maintenance of the unit to keep it in proper operating condition is the responsibility of the owner.

All warranty repairs reimbursable under The Toro Promise must be performed by a TORO Electrical Service Dealer using Toro approved replacement parts.

Repairs or attempted repairs by anyone other than a TORO Electrical Service Dealer are not reimbursable under The Toro Promise. In addition, these unauthorized repair attempts may result in additional malfunctions, the correction of which is not covered by warranty.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

COUNTRIES OTHER THAN THE UNITED STATES OR CANADA

Customers who have purchased TORO products exported from the United States or Canada should contact their TORO Distributor (Dealer) to obtain guarantee policies for your country, province or state. If for any reason you are dissatisfied with your Distributor's service or have difficulty obtaining guarantee infor-

mation, contact the TORO importer. If all other remedies fail, you may contact us at The Toro Company.

International Group
Service Department
One Corporate Center
7401 Metro Boulevard
Minneapolis, Minnesota 55435 U.S.A.

COPYRIGHT © ALL RIGHTS RESERVED
The Toro Company — 1980
MINNEAPOLIS, MN 55420 — U.S.A.

TORO TRIMMER MODEL 51225

OPERATOR'S MANUAL

Safety Instructions



To assure optimum performance, and to gain knowledge of the Trimmer, it is essential that you or any other operator of the Trimmer read and understand the contents of this manual before operating Trimmer. Pay particular attention to the instructions highlighted by the safety alert symbol. Failure to comply with the safety instructions may result in personal injury.

1. Read and understand Operator's Manual before using Trimmer. Be thoroughly familiar with proper use of the Trimmer.
2. Never allow children to operate the Trimmer. It is not a toy. Never allow adults to operate unit without first reading the Operator's Manual.
3. Always wear safety goggles or other suitable eye protection.
4. Never operate the Trimmer in wet or damp conditions.
5. Do not use in rain.
6. Keep area of operation clear of all persons, particularly small children and pets.
7. Dress properly — Do not wear loose clothing or jewelry. They can be caught in moving parts. Always wear substantial footwear and long pants.
8. Use the right appliance — Do not use the appliance for any job except that for which it was intended.
9. To prevent electric shock, use only an approved Toro Extension Cord, Toro Part No. 29-8580 or equivalent suitable for outdoor use. Replace damaged extension cord immediately.
10. Extension cord — To prevent disconnection of the power supply cord from the extension cord during operation, properly connect extension cord with pigtail power cord.
11. Avoid unintentional starting — Do not carry plugged-in Trimmer with finger on switch.
12. Don't abuse cord — Never yank cord to disconnect from receptacle. Keep cord away from heat, oil and sharp edges. Replace damaged cords.
13. Don't force the Trimmer — It will do the job better and safer at the rate for which it was designed.
14. Always be sure of your footing; keep a firm hold on the handle and walk, never run.
15. Stop the motor and unplug the supply cord whenever you leave the Trimmer, before cleaning the housing and when making any repairs or inspections.
16. When not in use, store your Trimmer in a dry place out of the reach of children.
17. Keep all fasteners tight to be sure the Trimmer is in safe working condition.
18. Never operate without proper guards or other protective safety devices in place.
19. Do not put hands or feet near or under rotating parts. Keep clear at all times.
20. If the Trimmer should start to vibrate abnormally, stop the motor and check immediately for the cause. Vibration is generally a warning of trouble.
21. Do not operate your TORO Trimmer after it has been dropped or damaged. Return it to your nearest authorized service dealer for inspection and repair.
22. When servicing use only identical replacement parts. Replace or repair damaged cords.

Before Operating

Your Toro 900 Trimmer comes fully assembled in the box. You need no tools. Free the cutting line and secure the pigtail power cord to a suitable extension cord as directed below. For your safety do not operate until you have read the Safety and Operating Instructions in this manual.

Cutting Line

NOTE: The cutting line for your Trimmer is a special monofilament line. Your Trimmer comes complete with a 50 foot supply of this line already wound onto the spool.

1. To avoid line tangle during shipment the tip of the monofilament line has been taped to the head assembly. The tape must be removed before operation. (Fig. 1).

Figure 1





Figure 2




2. After each use, either retaping or looping the line through the eyelet (figure 2) will prevent unraveling.

Securing Pigtail Power Cord

NOTE: The proper extension cord is a requirement for safe and efficient use of your Toro 900 Trimmer. Use only a U.L. listed extension cord recommended for outdoor use with a maximum length of 100 feet (minimum 16 gauge).

1. Secure the pigtail power cord and a suitable extension cord as shown in figure 3.

Figure 3




Operating Instructions



CAUTION: Always wear safety goggles or other suitable eye protection, long pants and shoes while operating Trimmer.

1. Inspect area to be trimmed for any wire, cord or string like matter which could become entangled in the rotating line.
2. Trim only when grass and weeds are dry.
3. Your Trimmer will cut grass and small weeds in difficult and hard to reach places. However, since this tool provides a totally new method of cutting, you will most likely experience some line breakage during your first few uses. As you learn the trimming techniques, you will be able to cut areas around trees, shrubs, foundation walls, along fences, sidewalks, patios, etc., with minimal line fatigue or line breakage.
4. **DO NOT FORCE THE UNIT.** Allow the very *tip* of the nylon line to do the cutting (especially along walls). Cutting with more than the tip will re-

Figure 4




duce cutting efficiency and overload the motor. (Fig. 4).

The tip of the cutting line will wear during use and cause a reduction in

the 9" cutting swath. If the line is not advanced occasionally, it will wear down to the drum eyelet. When the trimmer is stopped the line will tend to relax and **may retract into the drum**. Should this occur, be sure to replace the cutting line in the proper position before restarting or indexing the Trimmer (page 5, no. 4) or the line may tangle around the drum.


5. Whenever possible cut to your left. When cutting to the left, the unit's cutting efficiency is somewhat better since the line is contacting the grass as soon as it leaves the guard, and the clippings are moving away from the operator.

Figure 5



6. Slowly move unit into and out of area being cut, maintaining unit at desired cutting height. This can be either a forward-backward or side-to-side motion as indicated. (Fig. 5 & 6).

Figure 6



7. Grass in excess of 8 inches tall or

Operating Instructions (cont.)

small weeds should be cut by working from the top to the bottom in small increments to avoid premature line wear.

8. The life of your cutting line is dependent upon following the above trimming techniques, as well as what is being cut, and where the cutting is being done. For example, line will wear faster when trimming against a foundation wall as opposed to trimming around a tree.

Some line breakage will occur from moving unit too fast, from entangle-

ment with foreign matter, from normal line fatigue, and from attempting to cut thick, stalky weeds in excess of unit's capability. As cutting line wears, for best performance, lengthen as indicated in Lengthening Cutting Line procedure.


9. Never drag the Trimmer spool cap on the ground while trimming. This causes motor over load and spool cap wear.

10. Lay out the extension cord so that it won't be in your way and to prevent kinking or tangling.

Lengthening Cutting Line

1. To lengthen line, firmly tap spool on the ground while the motor continues to run. The line will be fed from the spool and cut off to the proper length by the cutting knife attached to the shield. (Fig. 7).

Figure 7



Remember to keep the Trimmer running while lengthening the line. Just tap the Trimmer on the ground; do not hold

it on the ground. After the tap and the line has fed out, wait until you hear the line being cut to the proper length before continuing to trim.

NOTE: To prevent line tangle, never tap more than once at a time.

2. Lengthen line only when line has been shortened by wear. Unnecessary lengthening will waste line.

NOTE: The spool cap may wear during normal use of the line advance feature and may require occasional replacement. Spools prewound with 50 feet of cutting line are available through your Toro retailer.



CAUTION: Use only .040" nylon monofilament cutting line.

Replacing Cutting Line

1. Replacement line or prewound replacement spools can be purchased from your local TORO retailer. The cutting line used by TORO is specially formulated for use on your trimmer. Other line may not provide the same high quality performance.



CAUTION: Always be sure cutting head has completely stopped rotating before inverting it.

Figure 8




Figure 9




Figure 10





Figure 11



2. To remove empty spool, insert widest possible blade screw driver snugly into one of the two window slots. With screw driver pressed firmly into window slot twist screw driver 1/4 turn. Spool will snap off. (Fig. 8).

3. To rewind empty spool, follow the steps below:

A. Hook one end of line into groove on spool allowing no more than 1/8 inch of line to protrude. Wind line in direction of arrows on spool in level rows between spool flanges. (Fig. 9).

B. Do not wind more than 50 feet of line onto spool. Do not use line over .040" diameter.

C. Keep line tight on spool by making a hook in the line and secure in groove. (Fig. 9).


NOTE: Before reassembly, be sure to thoroughly clean out drum area and visually inspect for any damaged or worn parts.

D. The spool and the core are keyed. Be sure they are properly aligned when putting spool back on. Thread end of line through eyelet, place spool on keyed core and push in place until you hear it click. Pull line free from groove in spool. Unwind no more than three inches from spool. (Fig. 10).

4. If line should tangle or break at eyelet, refeed cutting line through eyelet by pushing spool in as far as it will go and threading line back through eyelet. Or you may remove spool completely, refeed the line through the eyelet and reassemble spool to Trimmer. (Fig. 11).

General Maintenance

1. Always be sure your Trimmer is unplugged and stopped before attempting any maintenance.
 2. To keep the exterior clean, just wipe it off with a damp cloth — never hose it down.
 3. Wipe or scrape clean the drum and spool area any time there is an accumulation of dirt or cuttings.
 4. Check and tighten all fasteners. If any part is damaged, repair or replace it.
 5. Air outlet vent is located on underside of shield. Scrape vent clean regularly.
 6. Wipe debris away from air intake holes in motor housing.
- IMPORTANT:** Keeping inlet and exhaust vents free of grass and debris, will help prevent motor overheating and possible failure.



7. Any other servicing should be performed by an authorized Toro Service Dealer.

Identification and Ordering

Model and Serial Numbers

The TORO Trimmer has two identification numbers: a model number and a serial number. The two numbers are stamped on a decal that is located on handle tube.


In any correspondence concerning the Trimmer, supply model and serial numbers to assure that correct information and replacement parts are obtained.

To order replacement parts from an Authorized TORO Service Dealer supply the following information:


1. Model and serial numbers of the Trimmer.
2. Part number, description, and quantity of part(s) desired.

NOTE: Do not order by reference number from parts catalog; use the PART NUMBER.

Trouble Shooting



Trimmer Parts List



Ref. No.	Part No.	Description	No. Used
1	34-3270	Decal	1
2	33-8680	Drum with Eyelet	1
3	29-8230	Compression Spring	1
4	29-8120	Spool Core	1
5	34-4200	Driver	1
6	33-7920	Prewound Spool	1
	29-8110	Empty Spool	1
	33-7900	50' Coil - .040" Cutting Line	1
*	29-8580	100' Extension Cord	1

*Optional

TORO

Toro Service Distributors

The Toro Company's national service network is in place to help you with any difficulty you may have with your Toro Trimmer. Each distributor listed below has a local network of service dealers to service your unit. The yellow pages of your telephone directory is a good source for the name of a TORO Master Service Dealer or Electrical Service Dealer in your area. These dealers have the training and equipment necessary to provide complete service on your Trimmer.

If you are unable to locate a convenient dealer, you may contact your local TORO Distributor or write us:

The Toro Company
Customer Service Department
8111 Lyndale Avenue South
Minneapolis, MN 55420

ALABAMA

Gulf Shore Turf Supply
Pensacola, Florida
Kolb & Co., Inc.
Homewood, Alabama

ALASKA

Turf & Toro Distributors
Seattle, Washington

ARIZONA

The Norton Corporation
Las Vegas, Nevada
Phoenix, Arizona

ARKANSAS

Champion Turf Equipment
Wichita, Kansas
Goldwaites of Texas
Dallas, Texas
Turfaid, Inc.
Memphis, Tennessee
Wait Sales Company, Inc.
Tulsa, Oklahoma

CALIFORNIA

Westoro
Burlingame, California
Toro Pacific Distributing
Los Angeles, California
San Diego Toro
San Diego, California

COLORADO

L.L. Johnson Dist. Co.
Denver, Colorado
Southwest Toro, Inc.
Albuquerque, New Mexico
El Paso, Texas

CONNECTICUT

The Bronson & Townsend Company
Hamden, Connecticut
Elmco Distributing
White Plains, New York

DELAWARE

Philadelphia, Toro
Doylestown, Pennsylvania

FLORIDA

Hector Turf & Garden Supply
Miami, Florida
Gulf Shore Turf Supply
Pensacola, Florida
Zaun Equipment Inc.
Jacksonville, Florida
Orlando, Florida
St. Petersburg, Florida

GEORGIA

Tennessee Turf & Toro
Knoxville, Tennessee
Kolb & Co., Inc.
Atlanta, Georgia
Zaun Equipment Inc.
Jacksonville, Florida
Orlando, Florida
St. Petersburg, Florida

HAWAII

Pacific Machinery
Waipahu, Hawaii

IDAHO

Inland Toro Distributors
Spokane, Washington
Turf Equipment Company
Salt Lake City, Utah

ILLINOIS

Kenney Machinery
Indianapolis, Indiana
Scruggs Drake Equipment
Decatur, Illinois
Chicago Toro Turf-Irrig., Inc.
Chicago, Illinois
Tri State Toro
Davenport, Iowa
Central South Turf Distributors
Nashville, Tennessee
Louisville, Kentucky

INDIANA

Century Toro Distributors
Cincinnati, Ohio
Columbus, Ohio
Toledo, Ohio

Summit Power Equipment
Fort Wayne, Indiana
Kenney Machinery Corp.
Indianapolis, Indiana
Chicago Toro Turf-Irrig., Inc.
Chicago, Illinois
Central South Turf Dist.
Nashville, Tennessee
Louisville, Kentucky

IOWA

Midwest Toro
Omaha, Nebraska
Tri State Toro
Davenport, Iowa

KANSAS

Champion Turf Equipment
Kansas City, Missouri
Wichita, Kansas

KENTUCKY

Century Toro Distributors
Cincinnati, Ohio
Columbus, Ohio
Toledo, Ohio
Kenney Machinery Corp.
Indianapolis, Indiana
Central South Turf Dist.
Louisville, Kentucky
Nashville, Tennessee
Baker Equipment Eng. Co., Inc.
Charleston, West Virginia

LOUISIANA

Gulf Shore Turf Supply
Pensacola, Florida
Goldwaites of Texas
Dallas, Texas

MAINE

Yerxa's Inc.
South Portland, Maine

MARYLAND

Turf Equipment Supply Co.
Elkridge, Maryland

Toro Service Distributors (con't)

MASSACHUSETTS

The Bronson & Townsend Co.
Hamden, Connecticut
Grassland Equipment &
Irrigation Corp.
Latham, New York
Turf Products Co.
Auburn, Massachusetts

MICHIGAN

Century Toro Distributors
Cincinnati, Ohio
Columbus, Ohio
Toledo, Ohio
R. L. Ryerson Company
Milwaukee, Wisconsin
Spartan Distributors, Inc.
Sparta, Michigan
Wilkie Turf Equipment
Pontiac, Michigan

MINNESOTA

Minnesota Toro, Inc.
Minneapolis, Minnesota

MISSISSIPPI

Gulf Shore Turf Supply
Pensacola, Florida
Turfaid, Inc.
Memphis, Tennessee

MISSOURI

Champion Turf Equipment
Kansas City, Missouri
Wichita, Kansas
Turfaid, Inc.
Memphis, Tennessee

MONTANA

Inland Toro Distributors
Spokane, Washington
Midland Implement Co., Inc.
Billings, Montana

NEBRASKA

L. L. Johnson Dist. Co.
Denver, Colorado
Midwest Toro
Omaha, Nebraska

NEVADA

The Norton Corporation
Phoenix, Arizona
Las Vegas, Nevada
Turf Equipment Company
Salt Lake City, Utah

NEW HAMPSHIRE

Turf Products Corporation
Auburn, Massachusetts

NEW JERSEY

Philadelphia Toro
Philadelphia, Penn.
Elmco Distributing
White Plains, New York

NEW MEXICO

Southwest Toro
Albuquerque, New Mexico
El Paso, Texas

NEW YORK

The Bronson & Townsend Co.
Hamden, Connecticut
Eaton Equipment Corp.
Hamburg, New York
Grassland Equip & Irrig.
Latham, New York
Haverstick Golf & Tractor
Syracuse, New York
Elmco Distributing
White Plains, New York

NORTH CAROLINA

E. J. Smith & Sons Co.
Charlotte, North Carolina

NORTH DAKOTA

Minnesota Toro, Inc.
Minneapolis, Minnesota

OHIO

Baker Equipment Eng. Co., Inc.
Charleston, West Virginia
Century Toro Distributors
Cincinnati, Ohio
Columbus, Ohio
Toledo, Ohio
Schaefer Turf & Irrig. Co.
Cleveland, Ohio
Allegheny Toro Distributing, Inc.
Pittsburgh, Pennsylvania

OKLAHOMA

Wait Sales Company
Tulsa, Oklahoma

OREGON

Oregon Toro Distributors
Portland, Oregon
Turf Equipment Company
Salt Lake City, Utah

PENNSYLVANIA

Eaton Equipment Corporation
Hamburg, New York
Haverstick Golf & Tractor
Syracuse, New York
Philadelphia Toro Company
Doylestown, Pennsylvania
Allegheny Toro Distributing, Inc.
Pittsburgh, Pennsylvania

RHODE ISLAND

Turf Products Corp.
Auburn, Massachusetts

SOUTH CAROLINA

E. J. Smith & Sons Co.
Charlotte, North Carolina

SOUTH DAKOTA

Midwest Toro
Omaha, Nebraska
Minnesota Toro
Minneapolis, Minnesota

TENNESSEE

Kolb & Co., Inc.
Homewood, Alabama

Turfaid, Inc.

Memphis, Tennessee
Central South Turf Dist.
Nashville, Tennessee

TEXAS

Goldthwaites of Texas
Fort Worth, Texas
Goldthwaites of Texas
Dallas, Texas
Goldthwaites of Texas
Houston, Texas
Goldthwaites of Texas
San Antonio, Texas
Southwest Toro, Inc.
Albuquerque, New Mexico
El Paso, Texas

UTAH

Turf Equipment Company
Salt Lake City, Utah

VERMONT

The Bronson & Townsend Co.
Hamden, Connecticut

VIRGINIA

Central South Turf Dist., Inc.
Nashville, Tennessee
Baker Equipment Eng. Co., Inc.
Charleston, West Virginia
Richmond Power Equip. Co.
Richmond, Virginia
Turf Equipment & Supply Co.
Elkridge, Maryland

WASHINGTON

Inland Toro Distributors
Spokane, Washington
Oregon Toro Distributors
Portland, Oregon
Turf & Toro Distributors
Seattle, Washington

WEST VIRGINIA

Baker Equipment Eng. Co., Inc.
Charleston, West Virginia
Richmond Power Equipment
Richmond, Virginia
Allegheny Toro Distributing, Inc.
Pittsburgh, Pennsylvania
Turf Equipment & Supply Co.
Elkridge, Maryland


WISCONSIN

Minnesota Toro, Inc.
Minneapolis, Minnesota
R. L. Ryerson Co., Inc.
Milwaukee, Wisconsin
Tri State Toro Company
Davenport, Iowa

WYOMING

L. L. Johnson Dist. Co.
Denver, Colorado
Midland Implement Co., Inc.
Billings, Montana
Turf Equipment Company
Salt Lake City, Utah


THE NEW TORO® COMPACT HOSE & REEL SYSTEM




Compact
enough to store
anywhere.

It's a remarkable hose, 50 feet
weighs less than 4 lbs. The secret is a
special new hose design that's unbelievably
flexible and lightweight, yet still tough and durable.
And the reel actually squeezes out water while taking
the hose in.


**Toro also has a full line of
premium-quality snowthrower products...**



Model 38100 S-140 Recoil




Model 38120 S-200 Recoil




Model 38130 S-200 Electric Start




Model 38010 421 Snowthrower




Model 38040 524 Snowthrower



Model 38050 724 Snowthrower



Model 38150 826 Snowthrower



Model 38090 1132 Snowthrower

Haven't you done without a Toro long enough?®

Product Registration Card

Below is a removable product registration card which we ask that you complete and send to The Toro Company, Outdoor Products Division. **IMPORTANT!** Return of this card helps to ensure the Toro Product receives proper post-sale service. The information aids in better understanding the needs of Toro customers in designing future products and programs.

Date of Purchase: Mo Day Yr

Model No.

Serial No.

Detach here and retain this section for your records.

Seal card here

Toro 900 Home Duty Trimmer/Weeder

1. ☐ Mr. 2. ☐ Mrs. 3. ☐ Ms. 4. ☐ Miss.

67F

Name (First/Initial/Last)

[illegible]

Street

[illegible]

City

State

Zip

[illegible]

Date of Purchase: / /
Mo Day Yr

Model No.

Serial No.

Store where purchased:

1. ☐ Hardware store
2. ☐ Lawn & garden center
3. ☐ Department store
4. ☐ Discount Store
5. ☐ Catalog showroom
6. ☐ Other

Which of the following have you done in the past 6 months? (check all that apply)

1. ☐ Redeemed a product coupon
2. ☐ Ordered an item from mail order catalog
3. ☐ Sent in product inquiry card from magazine
4. ☐ Bought item from offer received in mail
5. ☐ Entered sweepstakes/contest

Month and year of your birth:

19

--	--

Check the 2 most important factors influencing your selection of this

TORO product:

1. ☐ Special features
2. ☐ Durability
3. ☐ Warranty
4. ☐ TORO's reputation
5. ☐ Advertisement
6. ☐ Friend's recommendation
7. ☐ Previous experience with TORO
8. ☐ Store display/literature
9. ☐ Dealer's recommendation
10. ☐ Price

Marital status:

1. ☐ Married 2. ☐ Unmarried

Which group best describes your family income?

1. ☐ Under \$10,000 6. ☐ \$30,000-\$34,999
2. ☐ \$10,000-\$14,999 7. ☐ \$35,000-\$39,999
3. ☐ \$15,000-\$19,999 8. ☐ \$40,000-\$44,999
4. ☐ \$20,000-\$24,999 9. ☐ \$45,000-\$49,999
5. ☐ \$25,000-\$29,999 10. ☐ \$50,000 & Over

Do you have any children in any of the following age groups who are living at home?

1. ☐ Under age 2 5. ☐ Age 11-12
2. ☐ Age 2-4 6. ☐ Age 13-15
3. ☐ Age 5-7 7. ☐ Age 16-18
4. ☐ Age 8-10

Is your lawn:

1. ☐ Larger than 1 acre?
2. ☐ $\frac{1}{2}$ - 1 acre?
3. ☐ Less than $\frac{1}{2}$ acre?
4. ☐ Less than $\frac{1}{4}$ acre?

Do you:

1. ☐ Own a house?
2. ☐ Rent a house?
3. ☐ Own a townhouse/condominium?
4. ☐ Rent an apartment?

What brand Trimmer did you own prior to this one?

1. ☐ This is my first Trimmer
2. ☐ TORO
3. ☐ Weed-Eater 5. ☐ Sears
4. ☐ Black & Decker 6. ☐ Other

Which of the following types of credit cards do you use?

1. ☐ Travel/Entertainment (American Express, Diners Club, Carte Blanche)
2. ☐ Bank (Master Charge, Visa)
3. ☐ Gas, department store, etc.

What is your occupation? (check one)

1. ☐ Professional/Technical 6. ☐ Student
2. ☐ Upper Mgt./Administrator 7. ☐ Housewife
3. ☐ Sales/Service/Middle Mgt. 8. ☐ Retired
4. ☐ Clerical/White Collar
5. ☐ Craftsman/Blue Collar

Was it?

☐ Electric ☐ Cordless ☐ Gas

(over)

See inside front cover
for warranty statement.

PLACE
FIRST-CLASS
STAMP
HERE

TORO.

Outdoor Products Division
Post Office Box 17427
Denver, Colorado 80217

Please fold here

**Which of the following interests and hobbies
do you and your family enjoy?**

- | | |
|---|---|
| 1. <input type="checkbox"/> Tennis | 28. <input type="checkbox"/> Foreign Travel |
| 2. <input type="checkbox"/> Golf | 29. <input type="checkbox"/> Attending Cultural/Arts Events |
| 3. <input type="checkbox"/> Snow Skiing | 30. <input type="checkbox"/> Gourmet Foods/Cooking |
| 4. <input type="checkbox"/> Running/Jogging | 31. <input type="checkbox"/> Health/Natural Foods |
| 5. <input type="checkbox"/> Camping/Hiking | 32. <input type="checkbox"/> Wines |
| 6. <input type="checkbox"/> Hunting/Shooting | 33. <input type="checkbox"/> Fashion Clothing |
| 7. <input type="checkbox"/> Fishing | 34. <input type="checkbox"/> Home Furnishings/Decorating |
| 8. <input type="checkbox"/> Bicycling | 35. <input type="checkbox"/> Records & Tapes |
| 9. <input type="checkbox"/> Racquetball | 36. <input type="checkbox"/> Avid Book Reading |
| 10. <input type="checkbox"/> Sailing/Boating | 37. <input type="checkbox"/> Science Fiction |
| 11. <input type="checkbox"/> Stamp/Coin Collecting | 38. <input type="checkbox"/> Astrology/Occult |
| 12. <input type="checkbox"/> Motorbiking/Motorcycling | 39. <input type="checkbox"/> Stock/Bond Investments |
| 13. <input type="checkbox"/> Home Video Games | 40. <input type="checkbox"/> Real Estate Investments |
| 14. <input type="checkbox"/> Physical Fitness/Exercise | 41. <input type="checkbox"/> Self Improvement Programs |
| 15. <input type="checkbox"/> Home Video Recording | 42. <input type="checkbox"/> Community/Civic Activities |
| 16. <input type="checkbox"/> Recreational Vehicle/4-WD | |
| 17. <input type="checkbox"/> Photography | |
| 18. <input type="checkbox"/> CB Radio | |
| 19. <input type="checkbox"/> Home Workshop/Do-It-Yourself | |
| 20. <input type="checkbox"/> Gardening/Plants | |
| 21. <input type="checkbox"/> Electronics | |
| 22. <input type="checkbox"/> Automotive Work | |
| 23. <input type="checkbox"/> Sewing/Needlework | |
| 24. <input type="checkbox"/> Crafts | |
| 25. <input type="checkbox"/> Collectibles/Collections | |
| 26. <input type="checkbox"/> Art & Antiques | |
| 27. <input type="checkbox"/> Stereo Music Equipment | |

We appreciate your taking the time to complete this card; the information provided will help us serve you better in the future. We participate in a multi-company program whereby you can receive information about new products, developments, trends, etc. related to the interest areas and other information you have indicated above. Please check here if you would prefer not to learn about such products and services. ☐

Please send further comments and suggestions
to The Toro Company, 10901 Red Circle Drive,
Minnetonka, MN 55343.