

MODEL NO. 51580 - 49000001 & UP

OPERATOR'S MANUAL

300 CLEAN SWEEP™

IMPORTANT SAFETY INSTRUCTIONS



WARNING

To assure maximum safety, best performance, and to gain knowledge of the appliance, it is essential that you or any other operator of the appliance read and understand the contents of this manual before operating the appliance. Pay particular attention to the safety alert symbol which means CAUTION, WARN-ING OR DANGER — "personal safety instruction." Read and understand the instruction because it has to do with safety. FAILURE TO COMPLY WITH INSTRUCTION MAY RESULT IN PERSONAL INJURY, RISK OF FIRE OR ELECTRICAL SHOCK.

SAVE THESE INSTRUCTIONS!

BEFORE OPERATING

- 1. Read and understand the contents of this manual before using the appliance. Be thoroughly familiar with the proper use of the appliance.
- 2. Keep everyone, especially children and pets, away from area of operation. Never allow children to operate the appliance. It is not a toy. Never allow adults to operate unit without first reading the Operator's Manual.
- 3. Always wear safety goggles or other suitable eye protection.
- **4.** Never operate the appliance in wet or damp conditions. DO NOT USE IN THE RAIN.
- **5.** Electric shock could occur if appliance is used on wet surfaces. Do not expose to rain. Store indoors.
- **6.** Dress properly. Do not wear loose clothing or jewelry. They can catch in moving parts. Pin up long hair so that it cannot be drawn into unit's air inlet. Always wear substantial footwear and long pants.
- 7. Always wear an approved dust mask when using unit in dusty conditions.
- **8.** Use the right appliance. Do not use the appliance for any job except that for which it was intended.
- **9.** Use appliance only as described in this manual. Use only Toro attachments with the appliance.
- **10.** To reduce the risk of electric shock, use only an approved UL extension cord recommended for out-

- door use with a maximum length of 100 feet (minimum 16 gauge). Replace a damaged extension cord immediately.
- **11.** Properly connect extension cord to power supply cord to prevent disconnection of the cords (Fig. 4).
- **12.** Avoid unintentional starting. Do not carry plugged in appliance with finger on switch.
- 13. Do not handle plug or appliance with wet hands.
- 14. Don't abuse cord. Do not pull or carry appliance by cord. Do not use cord as a handle. Do not unplug by pulling on cord. To unplug, grasp the plug, not the cord.
- **15.** Keep cord away from extreme heat, oil, and sharp edges Replace damaged cords.
- **16.** Never blow debris in the direction of bystanders or animals.
- 17. Do not use appliance with any blocked opening; keep free of dust, lint, hair, and anything that may reduce air flow.
- **18.** Always be sure of your footing. Keep a firm hold on the handle and walk, never run. Use extra care on stairs.
- 19. Stop the motor and unplug the supply cord whenever you leave the appliance, before cleaning the housing, and when making any repairs or inspections.

A SAFETY INSTRUCTIONS

- **20.** When not in use, store your appliance in a dry place out of the reach of children.
- 21. Keep all fasteners tight to be sure the appliance is in safe working condition.
- **22.** Never operate without proper guards or other protective safety devices in place.
- **23.** Do not put hands or feet near rotating parts. Keep clear at all times.
- **24.** If the appliance should start to vibrate abnormally, stop the motor and check immediately for the cause. Vibration is generally a warning of trouble.
- 25. Do not operate your appliance if it is not working as it should, has been dropped, damaged, left outdoors, or dropped in water. Return it to your nearest authorized service dealer for inspection or repair.
- **26.** This appliance is provided with double insulation. Use only identical replacement parts. See page 5 for Servicing of Double Insulation Appliance.
- **27.** When servicing use only identical replacement parts. Replace or repair damaged cords.
- 28. This appliance is intended for residential household use only.

TABLE OF CONTENTS

	Page		Page
Assembly Instructions		Product Identification	Ğ_
before Operating		Toro Service Support	
Operating instructions		Maintenance Record	6
Maintenance		The Toro Promise	Back Page

ASSEMBLY INSTRUCTIONS

ATTACH OUTLET TUBE

1. Slide tube onto blower outlet, aligning channel in tube with locking knob on blower outlet (Fig. 1).




Figure 1

2. Rotate tube clockwise completely until locking knob snaps into locking detent on tube (Fig. 2).




Figure 2

3. Be sure tube is fully assembled onto blower. The nozzle will curve up when blower is held in the normal operating position (Fig. 3).




Figure 3

BEFORE OPERATING

SECURING POWER SUPPLY CORD

Note: The proper extension cord is a requirement for safe and efficient use of your appliance. Your Toro blower has been designed for use with cord sizes recommended in the Extension Cord Chart below.

EXTENSION CORD CHART

If length of extension cord is less than or equal to:	100 ft.	150 ft.
Assure wire size gauge (A.W.G.) in cord is:	16	14

Note: Use of extension cord over 150 feet is not recommended.



1. Secure the power supply cord and a suitable

Note: Do not unplug extension cord by pulling on

cord. To unplug, grasp the plug, not the cord.

extension cord as shown in Figure 4.

Figure 4

A WARNING

- Electric shock can cause injury or death.
- Use only a UL listed extension recommended for outdoor use. Refer to Extension Cord Chart.
- Don't handle plug or appliance with wet hands or while standing in water.

OPERATING INSTRUCTIONS

BLOWER

Your blower will easily blow debris from patios, walkways, garages, lawns, bushes, etc. and many hard to reach places that debris can accumulate.



CAUTION

- Flying debris can injure operator or bystanders.
- Always wear safety goggles or other suitable eye protection, long pants, and shoes while operating appliance.
- Never operate unit near bystanders or pets, etc.
- Use extra care when cleaning debris from stairs.

To turn blower on, push on/off switch (Fig. 5) to "on" position. To turn blower off, push on/off switch to "off" position.




Figure 5

MAINTENANCE

SERVICING DOUBLE-INSULATED APPLIANCE

In a double—insulated appliance, two systems of insulation are provided instead of grounding. No grounding means is provided on a double—insulated appliance, nor should a means for grounding be added to the appliance. Servicing a double—insulated appliance requires extreme care and

PRODUCT IDENTIFICATION

A model and a serial number decal is located on the blower housing. Always refer to specific numbers on this decal in correspondence or when replacement parts are needed.

TORO SERVICE SUPPORT

If your unit requires service or maintenance, your nearest TORO Master Service Dealer is the best dealer to assist you. Refer to the "Yellow Pages" of your local telephone directory in the section titled "Lawn Mowers." TORO Master Service Dealers are listed under the TORO trademark.

MAINTENANCE RECORD

Date	Hours Used			

				 1.10.
	7 .:			



The Toro Promise

A Full Two Year Residential Use Warranty

The Toro Company warrants this TORO Product for two years against defects in material or work-manship. To receive a replacement or repair, at Toro's option, just return the complete unit, postage prepaid, to the seller or any TORO Electric Service Dealer or the TORO Service Center, 5300 Shore-line Blvd., Mound, MN 55364, along with proof of purchase. This warranty covers product defects only. It does not cover incidental or consequential damages. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation may not apply to you. This warranty gives you specific rights, and you may have other rights which vary from state to state.

COUNTRIES OTHER THAN THE UNITED STATES OR CANADA

Customers who have purchased TORO products exported from the United States or Canada should contact their TORO Distributor (Dealer) to obtain guarantee policies for your country, province, or state. If for any reason you are dissatisfied with your Distributor's service or have difficulty obtaining guarantee information, contact the TORO importer. If all other remedies fail, you may contact us at The Toro Company.