


TORO®

MODEL NO. 03434-80001 & UP
MODEL NO. 03436-80001 & UP

PARTS CATALOG

FIXED SUSPENSION CUTTING UNITS GROUNDS PRO 2000 & REELMASTER 216



T-0283-3

CUTTING UNIT ASM. (Model No. 03434 Shown)


Ref. No.	Part No.	Description	No. Used
1	323-7	Screw-HH	1
2	3256-26	Washer-Flat	1
3	61-0900	Bracket-Tensioner	1
4	80-4280	Pulley-Reel, 5 Blade	1
6	323-6	Screw-HH	6
7	302-5	Fitting-Grease	1
11	32121-36	Pin-Roll	4
12	62-5510	Asm-Rubber Bushing	2
13	52-2890	Bushing-Flanged Nylon	2
14	3296-62	Nut-Lock	1
15	57-5270	Spring-Compression	1
16	29-8870	Washer-Flat	1
17	52-2980	Pivot-Single Point Adjust.	1
18	52-3000	Arm-Spring	1
19	52-2990	Screw-Spring Retainer	1
20	3256-25	Washer-Flat	1
21	257-5	Washer-Thrust	4

Ref. No.	Part No.	Description	No. Used
22	253-84	Seal	1
23	61-0550	Shield-Top	2
24	32144-10	Screw-HH	6
25	61-1070	Asm-Handle	1
26	257-6	Bearing-Thrust	2
27	57-5260	Pin-Single Point Adjustment	1
28	93-8849	Asm-Rear Grass Guard (Incl. Ref. 78-80)	1
29	61-0940	Plate-Side	1
30	3253-5	Washer-Lock	2
31	3273-34	Screw-Hex. Socket Hd.	1
32	61-0500	Spacer-Bearing	1
33	67-9760	Washer-Flat	2
34	302-11	Fitting-Grease	2
35	3211-4	Screw-HH	1
36	3256-3	Washer-Flat	5
37	61-0610	Guard-Side	1

*Not Illustrated

©The TORO Company - 1997
All Rights Reserved

TPS




T-0283-3

CUTTING UNIT ASM. (Cont.) (Model No. 03434 Shown)

Ref. No.	Part No.	Description	No. Used	Ref. No.	Part No.	Description	No. Used
38	3230-1	Bolt-Carriage	10	*	12-7059	Asm-Reel 5 Blade Center & R.H. (Model No. 03436)	1
39	76-2490	Flange-Bearing (Lube) (Incl. Ref. #34)	2	58	61-0660	Frame-Reel	1
40	251-331	Bearing	2	59	323-7	Screw-HH	2
41	76-2500	Flange-Bearing	2	60	67-5840	Nut-Jam	1
42	3296-29	Nut-Lock	11	61	27-1850	Washer	1
43	3217-6	Nut	1	62	61-1320	Plate-Side	1
44	61-0970	Housing-Bedbar Adj.	1	63	3296-45	Nut-Lock	1
45	56-9510	Asm-Bushing	2	64	302-18	Fitting-Grease	2
46	56-9520	Bushing-Flanged	2	65	62-7120	Spacer	1
47	57-4910	Screw-Special	10	66	93-8064	Decal-Warning	1
48	62-5180	Bedknife-7 In. Reel	1	67	3296-39	Nut-Lock	9
49	61-1210	Bedbar	1	76	3247-6	Screw-Set, Recessed Hex.	1
50	61-1010	Housing-Bedbar	1	77	3218-3	Nut-Jam	1
51	57-5190	Screw-Adjustment	2	78	61-3290	Cover-Center	2
52	3218-18	Nut-Jam	2	79	61-3280	Cover-End	2
53	61-1950	Washer-Bedbar	1	80	700382	Rivet-Pop	12
54	3256-56	Washer-Flat	1	*	13-3649	Kit-Overhaul (Incl. Ref. #12, 13, 22, 26 40 & 45-47)	1
55	3253-4	Washer-Lock	1				
56	322-3	Screw-Hex. Socket Hd.	1				
57	12-7079	Asm-Reel 5 Blade L.H. (Model No. 03434)	1				

*Not Illustrated




T-2826

FRONT & REAR SUPPORT ASSEMBLY

Ref. No.	Part No.	Description	No. Used	Ref. No.	Part No.	Description	No. Used
1	3-0348	Bushing	2	8	92-3159	Support-Front LH (Incl. Ref. #1 & 4) (Model No. 03434)	1
2	323-6	Screw-HH	2	*8	92-3160	Support-Front RH (Incl. Ref. #1 & 4) (Model No. 03436)	1
3	3296-39	Nut-Lock	3	9	323-12	Screw-HH	1
4	302-5	Fitting-Grease	1				
5	321-2	Screw-HH	2				
6	3253-3	Washer-Lock	2				
7	61-3600	Tab	1				

*Not Illustrated




T-0284-

SKID & REAR ROLLER ASM. (Model No. 03434 Shown)

Ref. No.	Part No.	Description	No. Used
1	323-7	Screw-HH	3
2	323-6	Screw-HH	5
3	3290-467	Cotter-Hairpin	2
4	61-3810	Plate-Height of Cut	2
5	323-57	Screw-HH	2
6	61-0420	Support-Height of Cut	2
7	3296-39	Nut-Lock	9
8	71-3690	Pin-Height of Cut	2
9	3290-55	Rivet-Pop	4
10	61-0910	Bracket-Angle	2
11	61-0380	Cap-Roller	2
12	61-0400	Shaft-Roller	1
13	253-152	Seal-Inner	2
14	254-79	Cup-Bearing	2

Ref. No.	Part No.	Description	No. Used
15	3231-25	Bolt-Carriage	2
16	61-0430	Bracket-Rear	2
17	56-9520	Bushing-Flanged	1
18	56-9510	Asm-Bushing	2
19	302-5	Fitting-Grease	2
20	71-3590	Nut-Adjustment	2
21	253-153	Seal-Outer	2
22	254-78	Cone-Bearing	2
23	61-0650	Skid	2
24	61-0390	Tube-Roller	1
*	61-0410	Asm-Roller (Incl. Ref. #11-14, 19-22 & 24)	1

*Not Illustrated



T-2827

ANTI-SCALP ROLLER OPTION

Ref. No.	Part No.	Description	No. Used
1	3231-2	Screw-Carriage	6
2	3296-39	Nut-Lock	30
3	61-0420	Support-Height of Cut	6
4	323-57	Screw-HH	6
5	71-3690	Spade-Bent	6
6	323-6	Screw-HH	6
7	3290-467	Pin-Cotter, Hair	6
8	61-0910	Bracket-Angle	6
9	61-0440	Bracket-Front, Height of Cut	6
10	56-9510	Asm-Bushing	6
11	56-9520	Bushing-Flanged	6

Ref. No.	Part No.	Description	No. Used
12	302-5	Fitting-Grease	2
13	71-3590	Nut-Adjustment	2
14	3-6498	Washer-Thrust	4
15	256-117	Bushing-Flanged	4
16	63-5060	Roller-Anti-Scalp	2
17	62-4990	Shaft-Anti-Scalp Roller	1
*	63-5090	Asm-Anti-Scalp Roller (Incl. Ref. #12-17)	1
*	03447	Kit-Anti-Scalp Roller (Incl. 3 No. 63-5090)	1

*Not Illustrated

TORO PART NUMBER INDEX

3321-159

Part No.	Description	Pg. Ref. No. No. Qty.	Part No.	Description	Pg. Ref. No. No. Qty.
03447	Kit—Anti—Scalp Roller	5 * 1	76-2490	Flange—Bearing (Lube)	2 39 2
700382	Rivet—Pop	2 80 12	76-2500	Flange—Bearing	2 41 2
3-0348	Bushing	3 1 2	80-4280	Pulley—Reel, 5 Blade	1 4 1
3-6498	Washer—Thrust	5 14 4	92-3159	Support—Front LH	3 8 1
12-7059	Asm—Reel 5 Blade	2 * 1	92-3160	Support—Front RH	3 * 8 1
12-7079	Asm—Reel 5 Blade L.H.	2 57 1	93-8064	Decal—Warning	2 66 1
13-3649	Kit—Overhaul	2 * 1	93-8849	Asm—Rear Grass Guard	1 28 1
27-1850	Washer	2 61 1	251-331	Bearing	2 40 2
29-8870	Washer—Flat	1 16 1	253-84	Seal	1 22 1
52-2890	Bushing—Flanged Nylon	1 13 2	253-152	Seal—Inner	4 13 2
52-2980	Pivot—Single Point Adjust.	1 17 1	253-153	Seal—Outer	4 21 2
52-2990	Screw—Spring Retainer	1 19 1	254-78	Cone—Bearing	4 22 2
52-3000	Arm—Spring	1 18 1	254-79	Cup—Bearing	4 14 2
56-9510	Asm—Bushing	5 10 6	256-117	Bushing—Flanged	5 15 4
56-9510	Asm—Bushing	4 18 2	257-5	Washer—Thrust	1 21 4
56-9510	Asm—Bushing	2 45 2	257-6	Bearing—Thrust	1 26 2
56-9520	Bushing—Flanged	5 11 6	302-5	Fitting—Grease	3 4 1
56-9520	Bushing—Flanged	4 17 1	302-5	Fitting—Grease	1 7 1
56-9520	Bushing—Flanged	2 46 2	302-5	Fitting—Grease	5 12 2
57-4910	Screw—Special	2 47 10	302-5	Fitting—Grease	4 19 2
57-5190	Screw—Adjustment	2 51 2	302-11	Fitting—Grease	1 34 2
57-5260	Pin—Single Point Adjustment	1 27 1	302-18	Fitting—Grease	2 64 2
57-5270	Spring—Compression	1 15 1	321-2	Screw—HH	3 5 2
61-0380	Cap—Roller	4 11 2	322-3	Screw—Hex. Socket Hd.	2 56 1
61-0390	Tube—Roller	4 24 1	323-6	Screw—HH	3 2 2
61-0400	Shaft—Roller	4 12 1	323-6	Screw—HH	4 2 5
61-0410	Asm—Roller	4 * 1	323-6	Screw—HH	1 6 6
61-0420	Support—Height of Cut	5 3 6	323-6	Screw—HH	5 6 6
61-0420	Support—Height of Cut	4 6 2	323-7	Screw—HH	1 1 1
61-0430	Bracket—Rear	4 16 2	323-7	Screw—HH	4 1 3
61-0440	Bracket—Front, Height of Cut	5 9 6	323-7	Screw—HH	2 59 2
61-0500	Spacer—Bearing	1 32 1	323-12	Screw—HH	3 9 1
61-0550	Shield—Top	1 23 2	323-57	Screw—HH	5 4 6
61-0610	Guard—Side	1 37 1	323-57	Screw—HH	4 5 2
61-0650	Skid	4 23 2	3211-4	Screw—HH	1 35 1
61-0660	Frame—Reel	2 58 1	3217-6	Nut	2 43 1
61-0900	Bracket—Tensioner	1 3 1	3218-3	Nut—Jam	2 77 1
61-0910	Bracket—Angle	5 8 6	3218-18	Nut—Jam	2 52 2
61-0910	Bracket—Angle	4 10 2	3230-1	Bolt—Carriage	2 38 10
61-0940	Plate—Side	1 29 1	3231-2	Screw—Carriage	5 1 6
61-0970	Housing—Bedbar Adj.	2 44 1	3231-25	Bolt—Carriage	4 15 2
61-1010	Housing—Bedbar	2 50 1	3247-6	Screw—Set, Recessed Hex.	2 76 1
61-1070	Asm—Handle	1 25 1	3253-3	Washer—Lock	3 6 2
61-1210	Bedbar	2 49 1	3253-4	Washer—Lock	2 55 1
61-1320	Plate—Side	2 62 1	3253-5	Washer—Lock	1 30 2
61-1950	Washer—Bedbar	2 53 1	3256-3	Washer—Flat	1 36 5
61-3280	Cover—End	2 79 2	3256-25	Washer—Flat	1 20 1
61-3290	Cover—Center	2 78 2	3256-26	Washer—Flat	1 2 1
61-3600	Tab	3 7 1	3256-56	Washer—Flat	2 54 1
61-3810	Plate—Height of Cut	4 4 2	3273-34	Screw—Hex. Socket Hd.	1 31 1
62-4990	Shaft—Anti—Scalp Roller	5 17 1	3290-55	Rivet—Pop	4 9 4
62-5180	Bedknife—7 In. Reel	2 48 1	3290-467	Cotter—Hairpin	4 3 2
62-5510	Asm—Rubber Bushing	1 12 2	3290-467	Pin—Cotter, Hair	5 7 6
62-7120	Spacer	2 65 1	3296-29	Nut—Lock	2 42 11
63-5060	Roller—Anti—Scalp	5 16 2	3296-39	Nut—Lock	5 2 30
63-5090	Asm—Anti—Scalp Roller	5 * 1	3296-39	Nut—Lock	3 3 3
67-5840	Nut—Jam	2 60 1	3296-39	Nut—Lock	4 7 9
67-9760	Washer—Flat	1 33 2	3296-39	Nut—Lock	2 67 9
71-3590	Nut—Adjustment	5 13 2	3296-45	Nut—Lock	2 63 1
71-3590	Nut—Adjustment	4 20 2	3296-62	Nut—Lock	1 14 1
71-3690	Pin—Height of Cut	4 8 2	32121-36	Pin—Roll	1 11 4
71-3690	Spade—Bent	5 5 6	32144-10	Screw—HH	1 24 6

*Not Illustrated

MAINTENANCE RECORD

[illegible]

Compliance with Radio Interference Regulations Certified.
Certifie Conforme au Reglement sur le Brouillage Radioelectrique.

Litho in U.S.A.