ULTRA BUGGY® MATERIAL HANDLING

ULTRA BUGGY® 2500-T

The tracked Ultra Buggy represents the ultimate in productivity, jobsite efficiency and ROI.

- Easy access to common service areas.
- The traction controls are easy to learn, effortless to operate, smooth and responsive.
- Large fuel tank capacity allows for all-day productivity.

ULTRA BUGGY 2500-TS

Built on the trusted tracked Ultra Buggy frame, the swivel buggy gives you a 180-degree dump radius, plus:

- Dump and swivel switches mounted and linked to the traction controls to give users easy access.
- The same 2,500 lbs. carrying capacity that customers have come to expect.

ULTRA BUGGY® e2500-THL

Raise productivity on the jobsite with Toro's electric high-lift Ultra Buggy e2500-THL. With a 76" dump height, operators can effortlessly clear a 30-yard dumpster with up to 1,250-lbs of material. Powered by Toro's patented HyperCell® Battery technology, the Ultra Buggy e2500-THL delivers up to 8 hours of quiet performance to easily transition from outdoor jobsites to noise-sensitive indoor spaces. Save time, boost efficiency and save crews from excess fatigue.

ULTRA BUGGY e2500-TS

The electric swivel Ultra Buggy e2500-TS gives crews the flawless precision needed to transform jobsites. Operators can unload sand, gravel, concrete and other heavy materials along a 180-degree radius for ultimate precision from any angle. And it's all powered by Toro's patented HyperCell battery technology that delivers up to 8 hours of quiet runtime without sacrificing power. Crews will still enjoy the same 2,500-lb carrying capacity of gas models to reduce physical strain and accelerate efficiency on indoor or outdoor jobs.

ULTRA BUGGY® e2500

Toro's electric Ultra Buggy is the next evolution in material handling. Electric power eliminates engine exhaust emissions, and the thick, polyethylene tub handles all types of material.

- Toro designed HyperCell Lithium-Ion battery system is optimized to deliver up to 8 hours of continuous runtime.
- The 31.5" width allows easy access through 3-ft doors.
- Designed and tested to achieve a 2,500 lbs. carrying capacity with a single wheel configuration.

STEEL TUB ACCESSORY

Designed for all Ultra Buggy models, the steel tub is sold as an optional accessory to replace the standard poly tub.

- The steel tub offers a 14-cubic foot and 2,500-pound carrying capacity.
- The curved back allows the tub to dump material at any point along mthe 180-degree radius when used on the Ultra Buggy 2500-TS and Ultra Buggy e2500-TS models.

KEY SPECIFICATIONS

	Ultra Buggy® 2500T	Ultra Buggy 2500TS	Ultra Buggy e2500	Ultra Buggy e2500 THL	Ultra Buggy e2500 TS
ENGINE / BATTERY	25 hp Kohler® Confidant	25 hp Kohler® Confidant	7 kWh Lithium Ion	13 kWh Lithium-ion	13 kWh Lithium-ion
DUMP POSITION	Straight	Swivel	Straight	Straight/High Lift	Swivel
ROC	2,500 lbs. (1,136 kg)	2,500 lbs. (1,136 kg)	2,500 lbs (1,133.9 kg)	2,500 lbs (1,133.9 kg) standard dump height 1,250 lbs (566.9 kg) full dump height	2,500 lbs. (1,136 kg)
TUB VOLUME	16 ft^3 (0.45 m^3)	16 ft^3 (0.45 m^3)	14 ft^3 (0.4 m^3)	12.8 ft3 (0.3 m3)	14 ft^3 (0.4 m^3)
DISCHARGE HEIGHT	12.75" (32.4 cm)	21" (53.3 cm)	6.5" (16.5 cm)	76" (193.0 cm) scissor up 41.7" (105.9 cm) scissor down	17.8" (45.2 cm)
LENTGH	95.5" (242.6 cm) platform up 109.5" (278.1 cm) platform down	95.5" (242.6 cm) platform up 109.5" (278.1 cm) platform down	94" (238.8 cm) platform up 111" (281.9 cm) platform down	88.7" (225.2 cm) platform up 101.5" (257.8 cm) platform down	87.9" (223.3 cm) platform up 100.7" (225.2 cm) platform down
WIDTH	35.5" (90.2 cm)	35.5" (90.2 cm)	31.5" (80 cm) with single wheel 42" (106.7 cm) with optional dual wheel	31.5" (80 cm)	31.5" (80 cm)
HEIGHT	47.7" (121.2 cm)	47.7" (121.2 cm)	45" (114.3 cm)	59.3" (150.6 cm)	52.1" (132.3 cm)
CHARGING TIME	N/A	N/A	Up to 8 hours for full charge	80% in 4 hours at 240V 100% in 6 hours at 240V	80% in 4 hours at 240V 100% in 6 hours at 240V
WEIGHT	1,886 lbs (855.5 kg)	1,886 lbs (855.5 kg)	1,904 lbs (863.6 kg)	2,650 lbs (1,202 kg)	2,080 lbs (943.4 kg)

TORO.COM
490-1022
©2025 The Toro Company, Bloomington, MN 55420
All rights reserved. Printed in the USA.

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation.
See your dealer for details on all our warranties.

facebook.com/toro.company
X.com/TheToroCompany
instagram.com/thetorocompany
youtube.com/toro

MATERIAL HANDLING

AT TORO WE UNDERSTAND THE IMPORTANCE OF PROVIDING SOLUTIONS FOR HAULING MATERIALS SUCH AS ROCK, SAND, GRAVEL, DEBRIS, CONCRETE AND MULCH. OUR ROBUST ULTRA BUGGY® LINEUP IS DESIGNED TO TACKLE EVEN THE TOUGHEST MATERIAL HANDLING AND TRANSPORT NEEDS. TORO OFFERS MATERIAL BUGGIES IN WHEELED OR TRACKED OPTIONS, SWIVEL OR STRAIGHT DUMP, AND ELECTRIC OR GAS POWER — ALL DESIGNED TO BE EFFICIENT AND EASY TO USE.