



LAWN & GARDEN RANGE

Hand Held / Walk Mowers / Tractors / Zero-Turn



RESIDENTIAL EQUIPMENT





EXPERTS IN TURF CARE

*Join the ranks of satisfied customers around the globe –
make Toro the preferred name at your home.*

On golf courses, parks, municipalities, sports fields and individual lawns around the world, our commitment to providing innovative, high quality products and systems to maintain turf has become legendary.

From baseball diamonds in Toro's U.S. homeland, and Professional Football pitches around the world, to St. Andrews and Wimbledon, Toro mowers are used to maintain some of the most prestigious grassed areas in the world. This passion and experience also led us to develop high quality equipment for home use, with products that make tending your garden as simple and effortless as possible – so you can spend more of your time enjoying its beauty.



Gleneagles, Scotland



Mercedes-Benz Arena, Stuttgart

Trusted by Professionals and Homeowners around the Globe

Learn more at Toro's History,
at [Youtube.com/TOROEUROPE](https://www.youtube.com/TOROEUROPE)



INNOVATION

With well over 1500 patents related to turf maintenance, innovation is at the heart of Toro's success. Continued investment in R&D and new technologies make Toro the preferred choice for all.



CUSTOMER CARE

Our global network of dealers and distributors is here to provide the best support to keep your equipment in peak condition.

Visit toro.com to locate your nearest Toro dealer.



LEGACY OF EXCELLENCE

Since 1919, The Toro Company has built, tested and led innovative solutions to care for your turf. Today, Toro continues to lead by focusing on creating high performance, environmentally friendly solutions to help our customers around the world preserve the beauty, productivity and sustainability of the land.



Learn more at
Toro.com



Blue MEANS MORE FOR YOU WITH Smart Features FROM TORO

Feature highlighted in blue point to innovative, smart features developed by Toro to enhance your mowing experience.

TRACTION ASSIST HANDLE*

Makes it easier to navigate hilly terrain.

BLADE BRAKE CLUTCH (BBC)*

On BBC models, the clutch stops the cutterblade but enables the engine to continue running. This minimises re-starts, and saves you time while emptying the grassbag, it is also useful when travelling over non-grassed areas.

OPERATOR PRESENCE CONTROL

This safety lever, when released, stops the engine and cutterblade completely (cutterblade only on BBC models).

ELECTRIC START (ES)*

Electric key start offers effortless engine starting on the turn of a key.

3 SPEED (3S)*

Three speed models have three fixed settings for optimum speed and best collection or recycling performance.

RECYCLE-ON-DEMAND (ROD)*

Recycle-on-Demand gives you the ability to switch between Recycle and Collect modes with an easy to use lever.

GRASS/LEAF COLLECTION

To collect leaves, simply raise the mower to the highest setting above your grass to shred and collect.

OHV/OHC ENGINES*

Lighter, quieter engines with reduced emissions. Full engine lubrication systems reduce wear for a longer lasting engine.

WHEEL BEARINGS*

Ball bearing wheels offer durability and ensure smooth running.

AUTOMATIC DRIVE SYSTEM (ADS)*

This intelligent drive-technology allows you to work at your own pace - the mower is self propelled but automatically moves as quickly or as slowly as you do, continually adapting to your chosen walking speed, even on slopes.

HEIGHT ADJUSTABLE HANDLEBAR*

Handlebar can be easily adjusted to different heights to suit the operator.

QUICK STORAGE HANDLEBAR*

Release the lever to stow the handlebar in the upright lock position. The grass bag can be stored on the handlebar, saving space and allowing the grass bag to dry effectively.

EASY FOLDING HANDLEBARS*

Handlebars fold for easy transport and compact storage.

HEIGHT OF CUT

Adjust 2 or 4 individual levers (model dependent) to cut your grass to the desired height.

WASHOUT PORT*

Connect a hose to the washout port to easily clean grass cuttings from under the deck. This prevents grass build up, and maintains better performance.



Shown on the TimeMaster™ 76cm Twin Blade mower, see pages 16-17

*Not all features shown are available on all products. See specific product pages for more details.



WHY RECYCLING:

1. TIME SAVING

Spend less time emptying grassbags with Toro's recycling technology. Because the finely chopped clippings are returned to the soil, there are no bags to empty. Simply adjust to recycler mode to make quick work of mowing any garden.

2. BENEFICIAL TO YOUR TURF

With Toro's recycler technology nutrient-rich clippings are returned to the soil where they quickly decompose and feed the roots for a healthy, lush garden.

3. ENVIRONMENTALLY FRIENDLY

Without the need to remove clippings there is no need for disposal, and you help the environment through eliminating transportation costs and landfill use.

HOW DOES RECYCLING WORK?*



BLADE TECHNOLOGY

Grass is cut and lifted up by Toro's high-lift blades. These blades create a powerful updraft that lifts the grass for a clean, even cut. The blade also keeps the clippings airborne to ensure they are thoroughly processed.



CUTTING CHAMBER

The unique shape of the cutting chamber is optimised for each product to ensure the best recycling performance. Tests are performed for each product, to optimise grass clipping circulation and recycling.



KICKERS

Strategically placed kickers in the cutting chamber divert the clippings back into the blade for additional cutting. The grass clippings are small enough to be useful to your lawn as nutrients and *will not add thatch to the turf.*



ACCELERATOR

After clippings have been thoroughly processed, accelerators create an outward force to push clippings down to the turf. This ensures the clippings filter through the grass plants and leave no after-cut residue. In the end, valuable nutrients and moisture are returned to the turf.



MYTH BUSTED.

Recycling does not create thatch.



Learn more about Recycling at
Toro.co.uk/RECYCLING

*Each model uses specific combinations of some or all of these elements.

2016 LINE UP HIGHLIGHTS

55cm SMARTSTOW® RECYCLER

The breakthrough Mow 'n' Stow™ engine technology by Briggs & Stratton® allows this 55cm Recycler to be stored vertically after every use with no petrol or oil leaks.

**FOR MORE INFORMATION
SEE PAGES 12-13**



Learn more at
ToroNEW.com/SMARTSTOW



— TAKES UP TO —
70%
LESS SPACE
IN YOUR GARAGE

*Space savings are in relation to the space occupied by a Toro 55cm Walk-Power Mower that is stored with the handle in the standard operating position.

ALL WHEEL DRIVE RECYCLER WITH AUTOMATIC DRIVE

Introducing the lightest and most manoeuvrable AWD mower on the market. Featuring AutoMatic Drive with traction assist and dual variable transmissions it's perfect for tackling tough hills and slopes. Maintain superior quality of cut with easy handling, control and Toro's proven durability and reliability.

**FOR MORE INFORMATION
SEE PAGES 14-15**



Learn more at
ToroNEW.com/AWD



TIMEMASTER WITH ELECTRIC START

For homeowners with large gardens or grassed areas to mow, the Toro TimeMaster™ covers more ground in far less time.

**FOR MORE INFORMATION
SEE PAGES 16-17**



Learn more at
Toro.com/TIMEMASTER

**SAVE
UP TO 40%**
OF YOUR MOWING TIME

+ Time savings via wider cutting path and enhanced speed of TimeMaster vs. 21" Toro® mower, and will vary with mowing conditions.




TIMECUTTER ZERO TURN MOWER

All the advantages of a zero turn mower, but with a steering wheel and steerable front castors. Perfect for those looking for the time savings of a zero turn mower, but who prefer a steering wheel to levers.

Features to look for:

- Steering Wheel
- SmartPark™ braking system
- NEW 708cc Toro V-twin Engine with exclusive features
- Tilting steering column
- New thicker frame & deck
- Narrow and wide frame options
- KeyChoice safety feature

**FOR MORE INFORMATION
SEE PAGES 28-29**



2016 LINE UP HIGHLIGHTS

 Learn more at
ToroNEW.com/TIMECUTTER

TITAN® ZX

The more land you have, the greater your mowing needs. That's where the TITAN delivers. This heavy-duty series is packed with commercial-grade features for pure mowing muscle. But it's also designed with home owners in mind, so it's user-friendly, smooth and comfortable.

Additional Features:

- Gentle on turf
- Ultra tough frame and deck
- Easy Cleaning and Maintenance
- Simple Deck Washout

**FOR MORE INFORMATION
SEE PAGES 32-33**



ELECTRIC BLOWER/VACS



NEW LARGER METAL IMPELLER

This serrated metal impeller on the Ultra reduces 88% of mulched debris to less than 1¼ cm and the UltraPlus will reduce 97% of debris to less than 1¼ cm, significantly reducing leaf volume and producing fine compost ready mulch.



VARIABLE SPEED CONTROL

Match the air-speed to the task in both blower and vac mode for optimum performance.



SHREDZ-ALL™ SHRED RING

For increased bagging efficiency on the Ultra Plus model only, the Shredz-All shred ring pulverizes vacuumed material into a fine mulch, reducing the number of bags required.

GET THE JOB DONE FASTER

When fallen leaves spread across the lawn, these lightweight electric blower/vacs make light work of clearing them from your garden. The new Ultra and UltraPlus models are 3 machines in 1; a powerful blower, high speed vacuum and leaf shredder. With a powerful jet of air they effortlessly propel garden leaves into a pile, where they can be collected or shredded ready for the compost heap. Detachable power cord included.



WATCH THE VIDEO

ToroNEW.com/BLOWERS



MODEL	51563	51681
KEY FEATURES	Ultra	UltraPlus
SPEED CONTROL	Variable	Variable
MAXIMUM AIR SPEED	up to 250 mph	up to 250 mph
LOW AIR SPEED	100 mph	100 mph
SHREDZ-ALL™ SHRED RING	–	▶ Standard
OSCILLATING NOZZLE	–	▶ Standard

▶ = Step-up Feature

SUPPLIED WITH MULTIPLE TUBES FOR SPECIALISED USES



MAIN TUBE
Moves debris away from house, shrubs, etc.



POWER INSERT
Moves debris into rows and creates piles



CONCENTRATOR
Moves debris out of cracks, edging and shifts stubborn leaves

OSCILLATING NOZZLE
Reduces time and fatigue when clearing hard surfaces, and clears a wider path.



IMPROVED CORD MANAGEMENT
Built-in cord lock and cord storage hook included.



RECYCLER®

48cm • 50cm • 55cm Mowers



AUTOMATIC DRIVE SYSTEM

Matches your step and pace. When you speed up, the mower speeds up. When you slow down, the mower does too.

ROBUST WHEELS

Large diameter wheels with rubber tyres and ball race bearings.

RECYCLE-ON-DEMAND

Just a simple move of a lever changes the mower from grass collection to recycling mode.





RECYCLER TECHNOLOGY

Front throw chamber and Atomic® blade lift are designed to suspend and re-cut clippings into a fine mulch which promotes a healthy, lush lawn.



3-IN-1 VERSATILITY

You can use the mower:

- 1) As a Recycler®.
- 2) To collect grass.
- 3) In Side or Rear discharge mode.

(Varies by model - see specification tables on page 36)



BLADE BRAKE CLUTCH (BBC)

The BBC stops the cutterblade but enables the engine to continue running, while emptying the bag or travelling over non-grassed areas. *(20958 only)*

AT HOME IN ANY GARDEN

Toro Recycler mowers are a cut above your ordinary mulching mowers. The patented Recycler cutting system processes clippings up to 15 times before they are forced back into the turf where they decompose quickly and provide nutrients and moisture to the soil. Rear collection comes as standard too, for when conditions are not ideal for recycling (for example, at the start or end of the season, when the grass may be longer).



WATCH THE VIDEO

[Toro.com/RECYCLING](https://toro.com/RECYCLING)



MODEL	20950	20952	29639	20955	20956	20958
KEY FEATURES	ADS, ROD	▶ ADS, ROD, ES	SP	▶ ADS, ROD	▶ ADS, ROD, ES	▶ ADS, ROD, BBC
Cutting Width	48cm	48cm	▶ 50cm	▶ 55cm	55cm	55cm
Lawn Area	Medium	Medium	Medium	Large	Large	Large
Engine	Toro OHV 159cc	Toro OHV 159cc with Alternator	Toro OHV 159cc	Briggs & Stratton Series 675 Exi 163CC (from Spring 2016)	Briggs & Stratton Series 675 190cc	Briggs & Stratton Series 675 190cc

KEY: ADS = AutoMatic Drive System | BBC = Blade Brake Clutch | ROD = Recycle on Demand | ES = Electric Start | SP = Self Propelled | ▶ = Step-up Feature

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

SMARTSTOW®
55cm RECYCLER MOWER

RECYCLER CUTTING SYSTEM
Front throw chamber and Atomic® blade are designed to lift, suspend and re-cut clippings into a fine mulch which promotes a healthy, lush lawn.

SMARTSTOW
Mower stores vertically, reducing the storage footprint needed by up to 70%*.




— TAKES UP TO —

70%+
LESS SPACE
IN YOUR GARAGE

*Space savings are in relation to the space occupied by a Toro 55cm walk-power Mower that is stored with the handle in the standard operating position.

EASY TO STORE, EASY TO MAINTAIN

SmartStow™ technology folds, locks and stores your mower vertically in three simple steps.



SMARTSTOW®


THE PERFECT FIT

Our Recycler with SmartStow® is a **first-of-its-kind**, space-saving petrol mower, coupled with the proven durability, reliability and superior quality of cut of Toro's Recycler cutting system. Breakthrough Mow 'n' Stow™ engine technology from Briggs & Stratton® allows the mower to be stored vertically after every use without petrol or oil leaks. This reduces the storage footprint needed for your mower by up to 70%+, and offers easier access to clean under the deck and check the blade.



WATCH THE VIDEO

ToroNEW.com/SMARTSTOW



MODEL	20959
KEY FEATURES	SP
Cutting Width	55cm
Lawn Area	Medium/Large
Engine	Briggs & Stratton Series 675 Mow 'n' Stow™ 190cc

KEY: ADS = AutoMatic Drive System | FS = Fixed Speed | BBC = Blade Brake Clutch | ROD = Recycle on Demand | ES = Electric Start | SP = Self Propelled | = Step-up Feature

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

ALL-WHEEL DRIVE (AWD)
55cm MOWER



RUGGED WHEEL DESIGN
Provides added traction in tough mowing conditions.

DUAL VARIABLE TRANSMISSIONS
Deliver true independent variable engagement, resulting in smooth manoeuvring.



TORO'S AUTOMATIC DRIVE SYSTEM

The traction assist handle helps keep you mowing at a steady speed and senses and smoothly adjusts to your preferred walking pace.



RECYCLE ON DEMAND

Quickly switch from Recycling to collecting with just the flip of a lever.



ALL-WHEEL DRIVE SYSTEM

Makes mowing hilly, tough terrain easy. Front and rear wheels engage independently, distributing the right amount of traction where needed.

TACKLE TOUGH HILLS AND SLOPES

Toro's new **All-Wheel Drive** Recycler® mower takes the muscle out of mowing hills, soft wet conditions and other tough mowing challenges. Extra traction makes it easy to manoeuvre with less effort, while the AutoMatic Drive system and traction assist handle keep you mowing at a comfortable pace on inclines up to 15°.



WATCH THE VIDEO

ToroNEW.com/AWD



MODEL	20960
KEY FEATURES	ADS, ROD
Cutting Width	55cm
Lawn Area	Medium/Large
Engine	Briggs & Stratton® Series 675 Exi 163CC (from Spring 2016)

KEY: ADS = AutoMatic Drive System | VS = Variable Speed | BBC = Blade Brake Clutch | ROD = Recycle on Demand | ES = Electric Start | ▶ = Step-up Feature

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

TIMEMASTER™
76cm MOWER

BLADE BRAKE CLUTCH

This stops both blades but enables the engine to continue running, ideal for emptying the grass bag or travelling over non-grassed areas.

TRACTION ASSIST

Helps maintain constant speed more easily on challenging areas with uneven terrain.

SUPER WIDE 30"/70cm DECK
with dual-force cutting system - cuts
more grass each pass



WATCH THE VIDEO

See the Timemaster in action





DUAL-FORCE™ CUTTING SYSTEM

Unique twin blade system chops clippings repeatedly into tiny bits and forces them back into the turf where they decompose quickly and provide nutrients and moisture to the soil.

AUTOMATIC DRIVE SYSTEM WITH TRACTION ASSIST

This system automatically adjusts the mower's pace to your walking speed. For more challenging areas with uneven terrain, the Traction-Assist Handle helps control your speed.

QUICK STORAGE HANDLEBAR

Handle stores vertically for easy compact storage and adjusts to ensure a comfortable mowing experience for any operator.


TIMEMASTER™ 76cm/30" MOWER

MOW UP TO 40% FASTER⁺

For homeowners with large gardens or grassed areas to mow, the Toro TimeMaster™ covers more ground in far less time. The sleek, lightweight body is surprisingly easy to manoeuvre, making it simple to circle trees or shrubs. The Dual-Force™ twin blade cutting system combined with Toro Atomic blades makes light work of grass cutting on a large scale and whether you collect or recycle the clippings, you're sure of a superior quality of cut.

SAVE UP TO 40% OF YOUR MOWING TIME

⁺ Time savings via wider cutting path and enhanced speed of TimeMaster vs. 21" Toro® mower, and will vary with mowing conditions.



MODEL	20975	20977
KEY FEATURES	ADS, BBC	▶ ADS, BBC, ES
Cutting Width	76cm	76cm
Lawn Area	Extra Large	Extra Large
Engine	Briggs & Stratton® Series 875 OHV 190cc	Briggs & Stratton Series 875 OHV 190cc

KEY: ADS = AutoMatic Drive System | VS = Variable Speed | BBC = Blade Brake Clutch | ROD = Recycle on Demand | ES = Electric Start | ▶ = Step-up Feature

⁺ Compared to a 53cm mower. * For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

SUPER RECYCLER®
48cm • 53cm MOWERS



AUTOMATIC DRIVE SYSTEM
Senses and smoothly adjusts mower speed to your preferred walking pace.

SUPER RECYCLER CUTTING SYSTEM
The blade, deck and bagging system work together to deliver excellent recycling or bagging performance for a healthy, lush-looking lawn.

DURABLE ALUMINIUM DECK
The die-cast deck is lightweight and corrosion resistant. Precision casting also produces outstanding quality of cut for improved performance.



RECYCLE-ON-DEMAND

Just a simple move of a lever changes the mower from grass collection to recycling mode. (20836, 20837 only)



SINGLE-POINT HEIGHT OF CUT

Select the desired height of cut in one easy move. (20836, 20837 only)



QUICK STORAGE HANDLEBAR

When you are finished mowing, flip the blue levers to raise the handles for compact storage. (20836, 20837 only)

FEED YOUR GARDEN

Super Recycler mowers are Toro's best residential recycling mowers. The durable cast aluminium cutting deck, combined with strategically placed kickers, provides the best quality of cut and recycling performance, so you can save time mowing, whilst achieving an excellent quality finish. They are built to last, with a full 5-year warranty for total peace of mind.



MODEL	20836	20837	20792	20797
KEY FEATURES	ADS, ROD	ADS, ROD	ADS	▶ ADS, ES
Cutting Width	48cm	48cm	▶ 53cm	53cm
Lawn Area	Medium	Medium	Medium/Large	Medium/Large
Engine	Toro OHV 159cc	Honda® GCV OHV 160cc	Briggs & Stratton Series 675 190cc	Briggs & Stratton Series 675 190cc

Key: ADS = AutoMatic Drive System | VS = Variable Speed | BBC = Blade Brake Clutch | ROD = Recycle on Demand | ES = Electric Start | ▶ = Step-up Feature

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

SUPER BAGGER
48cm • 53cm MOWERS

AUTOMATIC DRIVE SYSTEM

Senses and smoothly adjusts mower speed to your preferred walking pace.



LARGE REAR DISCHARGE OPENING

Creates optimal airflow to pull clippings into the bag.



CAST ALUMINIUM DECK

The die-cast deck is lightweight and corrosion resistant. Precision casting also produces outstanding quality of cut for improved performance.



BLADE BRAKE CLUTCH (BBC)

Stops the blade but enables the engine to continue running, while emptying the grass bag or travelling over non-grassed areas. (20897 only)



CUTTERBLADE ACCELERATOR

Specifically designed to increase airflow, the result is improved grass collection. (20835/20899 only)

FOR SUPERIOR GRASS COLLECTION

The robust cast aluminium decks on Toro's Super Bagger mowers have a large rear discharge opening that allows more grass to flow into the bag. An innovative inter-lock switch eliminates the need for a rear flap, making it faster and easier to empty the grassbag on models 20897 & 20899.



MODEL	20835	20899	20897
KEY FEATURES	ADS	ADS	▶ ADS, BBC
Cutting Width	48cm	▶ 53cm	53cm
Lawn Area	Medium	Medium/Large	Medium/Large
Engine	Toro OHV 159cc	Honda® GCV OHV 160cc	Honda® GCV OHV 160cc

Key: ADS = AutoMatic Drive System | VS = Variable Speed | BBC = Blade Brake Clutch | ROD = Recycle on Demand | ES = Electric Start | ▶ = Step-up Feature

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

PROLINE - PROFESSIONAL HEAVY DUTY MOWERS
53cm MOWER



DESIGNED FOR COMMERCIAL USE
Models are powered by strong and reliable Kawasaki® commercial engines.

COMMERCIAL-GRADE WHEELS
Zero-maintenance wheels utilise sealed bearings and steel pivot arms for long life.



EXTRA STRENGTH

The 6mm thick die-cast aluminium deck is designed to withstand the abuse of commercial mowing whilst minimising overall weight.

Extend the life of your mowing deck with replaceable steel wear skirts to protect against impact. (22293 only)



BLADE BRAKE CLUTCH (BBC)

This stops the blade but enables the engine to continue running, while emptying the grass bag or travelling over non-grassed areas. (22293 only)



COMMERCIAL ENGINE OPTIONS

The Kawasaki engine on 22293 has a 3.8L long range fuel tank to save time on re-fuelling. It also has a replaceable oil filter. (22293 only)

TOUGH MACHINES FOR TOUGH JOBS

With commercial grade engines and up to 6mm thick cast aluminium decks, Toro® Heavy Duty mowers are designed to withstand the demanding conditions of professional gardeners and landscapers. 22291 and 22293 offer excellent recycling and collecting performance all in one unit. Low hand arm vibration performance means extended productivity (refer to Operator's Manual for full details).

Learn more at ToroPROLINE.com 

2 YEAR FULL COVERAGE WARRANTY Homeowner	1 YEAR COMMERCIAL WARRANTY Commercial
--	--



MODEL	22291	22293
Key Features	SP	▶ 3 Speed, BBC
Cutting Width	53cm	53cm
Lawn Area	Medium/Large	Medium/Large
Engine	Kawasaki® FJ180V 4-cycle 179cc	Kawasaki FJ180V Kai 4-cycle with oil filter 179cc

ADS = AutoMatic Drive System | SP = Self Propelled | BBC = Blade Brake Clutch | ROD = Recycle on Demand | ES = Electric Start ▶ = Step-up Feature

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

PROLINE - TURFMASTER®
76cm MOWER

PARKING BRAKE



HEAVY-DUTY COMPONENTS

Deck skid skirts, tough sealed transmission and a strong one-piece handlebar are designed for the demands of commercial mowing.



IMPACT PROTECTION

Steel bullnose front bumper, brush guards and engine guard protect components from damage.



COMMERCIAL-GRADE WHEELS

Tough co-polymer wheels feature precision ball bearings for long life.



Learn more at
ToroPROLINE.com





DUAL-FORCE™ CUTTING SYSTEM

Chops clippings repeatedly into tiny bits and forces them back into the turf where they decompose quickly and provide nutrients and moisture to the soil.



BLADE BRAKE CLUTCH (BBC)

The TurfMaster™ is designed for ease of use, with a simple to use single bail control and BBC (Blade Brake Clutch) as standard.



COMMERCIAL ENGINE

The 3.8L long range fuel tank saves time on re-fuelling. It also has a replaceable oil filter.

CUTS MORE GRASS IN A SINGLE PASS

The new TurfMaster covers more ground in less time, instantly decreasing mowing time. The 76cm/30" wide deck means savings of up to 40% on mowing time compared to a 53cm mower.

Compact and manoeuvrable, the TurfMaster is surprisingly easy to handle, and takes up minimal transport and storage space. The precisely timed twin blade cutting system offers an excellent quality of cut – whether recycling, collecting or side discharging the clippings.



2
YEAR
FULL
COVERAGE
WARRANTY

1
YEAR
COMMERCIAL
WARRANTY

MODEL	22205TE
Key	SP, BBC
Cutting Width	76cm
Lawn Area	Large / Extra Large
Engine	Kawasaki® FJ180 Commercial 179cc

ADS = AutoMatic Drive System | SP = Self Propelled | BBC = Blade Brake Clutch | ROD = Recycle on Demand | ES = Electric Start | ▶ = Step-up Feature

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com



HOVERPRO®
40cm • 46cm • 51cm • 53cm



PERFECT FOR STEEP SLOPES

Though suitable for all terrains, HoverPros excel in mowing tough, undulating ground and steep slopes, allowing these areas to be maintained safely and effectively, even up to 45° (except 02615 = 25°)

IDEAL FOR UNEVEN OR SLOPED SURFACES

The HoverPro range offers the ideal mowing solution for areas where wheeled mowers leave a poor finish or are simply unable to perform. The HoverPro's excellent hovering capability and absence of wheels minimalises the risk of the mower dropping off the grass edge, (which could result in turf damage and crushed edges) - making these mowers an ideal choice for maintaining areas around flower beds.



MODEL	02615	02612	02604	02606
Key Features	HoverPro™ 400	HoverPro™ 450	HoverPro™ 500	HoverPro™ 550
Cutting Width	40cm	▶ 46cm	▶ 51cm	▶ 53cm
Lawn Area	Small	Medium	Medium/Large	Medium/Large
Engine	Honda® GXV57	Honda GCV-160 OHC	Honda GCV-160 OHC	Honda GCV-160 OHC
Cutter System	Nylon Line	Nylon Line	▶ Steel Cutting Blade	Steel Cutting Blade
Slope Angle	25°	▶ 45°	45°	45°

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com ▶ = Step-up Feature



OPTIONAL ACCESSORIES



HI-RISE KIT

Simply bolt to existing deck to increase height of cut by 35mm.
(Available for 02615 & 02612 only)



TRANSPORT WHEELS

Makes machine easier to manoeuvre to and from cutting areas.
(Not available for 02615)



EXTENSION HANDLES

Makes working on slopes or hard to reach areas even easier.
(Not available for 02615)

TIMECUTTER® SW

81cm • 107cm • 127cm ZERO TURN MOWERS

**SMART PARK™
BRAKING SYSTEM**

**SUPER SMOOTH PEDAL
SPEED CONTROL**

HEAVY-DUTY FRONT AXLES
Cast iron and steel front axles for
years of dependable performance

**PERFECT FOR MOWING
GARDENS WITH OBSTACLES**
Combining controls of a traditional
tractor with the manoeuvrability of a
zero turn.

KEY CHOICE™
Remove the key to prevent others
from mowing in reverse for added
safety and peace of mind.



WATCH THE VIDEO

ToroNEW.com/TIMECUTTER





NEW TORO® V-TWIN ENGINE

This premium Toro engine features a patent pending Max-Flo™ self-cleaning airbox filtration system, quick-drain oil hose, double barrel carburettor and is built to the Toro standard of quality for trusted reliability and dependability.



SMART PARK™ BRAKING SYSTEM

Toro's unique braking system automatically stops the blade and sets the parking brake when you get off the mower, for added safety.



TILTING STEERING COLUMN

An adjustable column and intuitive steering wheel make the TimeCutter® easy to get on and off, and comfortable to drive.

GO ANYWHERE WITH THE NEW TIMECUTTER

Now you can have your tractor and your zero turn too. Toro's new TimeCutter® SW mowers are the perfect blend of both. You get the controls and side hill stability of a tractor, with the manoeuvrability and time savings of a zero turn mower.

A variety of attachments are also available including baggers.



MODEL	74670	74675	74680
	Timecutter SW 3200	Timecutter SW 4200	Timecutter SW 5000
Lawn Area	up to 5,000m ²	▶ up to 7,000m ²	▶ up to 10,000m ²
Cutting Width	81cm	▶ 107cm	▶ 127cm
Engine	Toro 452cc Single Cylinder	Toro 708cc Twin Cylinder	Toro 708cc Twin Cylinder
Deck Type	1-Blade Recycler, Side Discharge	▶ 2-Blade Recycler, Side Discharge	▶ 3-Blade Recycler, Side Discharge

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com ▶ = Step-up Feature

TIMECUTTER® ZS

81cm • 107cm • 127cm ZERO TURN MOWERS

AUTOMATIC PARKING BRAKE

Automatically sets whenever the control levers are moved outward.

SMART SPEED®

Three speed settings to meet your needs – Trim, Tow, Mow – can be changed on the move.

HEAVY-DUTY CONSTRUCTION


10 gauge frame provides superb strength, durability and reliability.



WATCH THE VIDEO

ToroNEW.com/TIMECUTTER





NEW SMART SPEED® - NOW 3 SPEEDS TO CHOOSE FROM

Operate at the right speed for optimal performance by selecting different ground speed ranges without affecting the blade or engine speeds. Mow large open areas at high speed, collect or tow at medium speed, and use low speed for controlled manoeuvring.

FUN, EASY TO USE LEVERS

Two easy-to-use levers replace the hand and foot controls on a tractor, controlling forward, reverse, left and right movements.


ACCESSORIES

A range of accessories are available to help you in the garden including baggers and cargo carriers.

MAKE MOWING FAST & EASY

The new TimeCutter ZS series of Zero Turn mowers are reliable, dependable, easy to use and best of all, fun to drive, so you can now spend more time enjoying your garden and less time mowing it.

The Toro TimeCutter is so manoeuvrable, it can cut your mowing time almost in half. The steering levers are surprisingly easy to use; in no time almost you will be moving around obstacles in your garden with ease.



Mow around obstacles in one easy movement.



MODEL	74650	74655	74657	74661
	ZS 3200S	ZS 4200S	ZS 4200T	ZS 5000
Lawn Area	up to 5,000m ²	▶ up to 7,000m ²	up to 7,000m ²	▶ up to 10,000m ²
Cutting Width	81cm	▶ 107cm	107cm	▶ 127cm
Engine	Toro® 452cc Single cylinder OHV	Toro® 452cc Single cylinder OHV	Toro® 708cc Twin cylinder OHV	Toro® 708cc Twin cylinder OHV
Deck Type	1 Blade Recycler, Side Discharge	▶ 2 Blade Recycler, Side Discharge	2 Blade Recycler, Side Discharge	▶ 3 Blade Recycler, Side Discharge

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com ▶ = Step-up Feature

TITAN® ZX
122cm • 137cm ZERO TURN MOWERS

EXTRA SAFETY

Roll Over Protection Systems (ROPS) folds easily with the help of quick-release pins (optional*). It tucks under the frame for compact storage or when mowing under low obstacles on flat ground.

**LARGE 56cm
DIAMETER TYRES**

Ride across your property in comfort.

COMMERCIAL TRANSMISSIONS

Commercial-grade hydrostatic transmissions combine consistent performance with easy maintenance.

**HEAVY DUTY FLOATING
WELDED STEEL DECKS**
for added durability.

FULLY TUBULAR FRAME

Tough fully tubular frame designed to withstand the rugged demands of maintaining several acres of property.

ADDITIONAL FEATURES:

**EASY CLEANING AND
MAINTENANCE**

with a flip-up floor pan

QUICK DECK REMOVAL

in under two minutes without tools

NO GREASING

with automotive-style sealed bearings on deck blade spindles

SIMPLE DECK WASHOUT

with dual ports that create a pressure washer beneath the deck




HEAVY DUTY CONSTRUCTION

The Titan deck has 10 gauge steel plates welded together, capped by a bull-nose bumper to protect the leading edge of the deck. The heavy duty fully tubular steel frame provides durability and performance.



OPTIONAL TWIN BAGGER KIT

Need to collect the cuttings? Choose the optional twin bagger kit from our range of Titan accessories.



ZERO TURN TECHNOLOGY

With Zero-Turn technology, you can easily trim close up to trees, flower beds and other garden objects.

CUTTING EDGE PERFORMANCE

The new Titan® ZX series has professional features similar to those found on our commercial zero turn mowers, for long lasting, superior performance.

The heavy-duty tubular steel frame and the fabricated decks are designed to withstand the demands of professional mowing, while also providing the manoeuvrability of Zero Turn technology. These new 2015 models feature numerous design and component improvements for exceptional performance and durability.



MODEL	74846	74848
	ZX 4800 Titan Zero Turn	ZX 5400 Titan Zero Turn
Lawn Area	up to 10,000 m ²	10,000+ m ²
Cutting Width	122cm	▶ 137cm
Engine	Kawasaki V-Twin 726cc FR651-V	▶ Kawasaki V-Twin 726cc FR691-V
Deck Type	3-Blade, Recycler Side Discharge	3-Blade, Recycler Side Discharge

* Optional ROPS quick release folding pin kit available - order 130-6850
 ** For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

▶ = Step-up Feature

DH SERIES TRACTOR

92cm • 102cm



EMPTY FROM SEAT

Easily empty grass cuttings from the operator's seat, by simply pulling a lever.



SPECIALLY DESIGNED DECK

Two blades counter-rotate to create a powerful airflow that directs grass clippings to the collector, improving collection performance.



RECYCLE-ON-DEMAND

Simply use the foot operated pedal to swap from rear collect to time-saving recycling mode. (DH210 / DH220 only)



WASHOUT PORT

Easily clean grass and debris from under the deck. Simply attach a garden hose and turn on the water supply. (DH210 / DH220 only)

VERSATILITY FOR LARGER GARDENS

With a DH Series tractor you can choose between recycling and rear collection, depending on conditions. The counter rotating blades create a powerful airflow that easily collects grass clippings and autumn leaves. Also there's no need to get off the tractor to empty the large collector, it's easy to do from the seat.

With a choice of decks and engine sizes there's sure to be an option to suit your requirements.



MODEL	74560	74585	74596
	DH140	DH210	DH220
Lawn Area	up to 4500m ²	up to 5000m ²	up to 5000m ²
Cutting Width	92cm	▶ 102cm	102cm
Engine	Briggs & Stratton® 344cc	▶ Briggs & Stratton 500cc	▶ Briggs & Stratton 650cc
Deck Type	2-Blade Recycler	2-Blade Recycler	2-Blade Recycler

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com ▶ = Step-up Feature

SPECIFICATIONS

MODELS

Recycler®

Smart Stow

20950

20952

29639

20955

20956

20958

20959

PERFORMANCE

Lawn Area	Medium	Medium	Medium	Large	Large	Large	Large
Cutting Width (cm)	48cm	48cm	50cm	55cm	55cm	55cm	55cm
Engine/Motor	Toro OHV 159cc	Toro OHV 159cc with alternator	Toro OHV 159cc	Briggs & Stratton Series 675 Exi 163cc	Briggs & Stratton Series 675 190cc	Briggs & Stratton Series 675 190cc	Briggs & Stratton® Series 675 190cc
Drive System	AutoMatic Drive	AutoMatic Drive	Self Propelled	AutoMatic Drive	AutoMatic Drive	AutoMatic Drive	Self Propelled
Height of Cut (mm)	2-point, 21-98mm	2-point, 21-98mm	4-point, 25-102mm	4-point, 25-102mm	4-point, 25-102mm	4-point, 25-102mm	4-point, 25-102mm
Grassbag Capacity (Litres)	60L	60L	60L	74L	74L	74L	74L
Fuel Tank Capacity (Litres)	1.0L	1.0L	1.0L	0.9L	0.9L	0.9L	0.9L
Deck Material	Steel	Steel	Steel	Steel	Steel	Steel	Steel
Weight (kg)	34kg	38.5kg	34kg	37kg	40kg	41kg	38kg
Dimensions 1 (collapsed, mm)	428 x 1050 x 512	428 x 1050 x 512	425 x 870 x 540	406 x 1029 x 597	406 x 1029 x 597	406 x 1029 x 597	445 x 990 x 602
Dimensions 2 (assembled, mm)	1014 x 1490 x 512	1014 x 1490 x 512	953 x 1461 x 540	1003 x 1499 x 597	1003 x 1499 x 597	1003 x 1499 x 597	1003 x 1524 x 602
Warranty - Home Owner*	2 Year Full Coverage* 2 Year Full - GTS**	2 Year Full Coverage* 2 Year Full - GTS**	2 Year Full Coverage* 2 Year Full - GTS**	2 Year Full Coverage* 2 Year Full - GTS**	2 Year Full Coverage* 2 Year Full - GTS**	2 Year Full Coverage* 2 Year Full - GTS**	2 Year Full Coverage* 2 Year - GTS**
Warranty - Commercial*	30 days	30 days					

USER-FRIENDLY FEATURES


Recycling	•	•	•	•	•	•	•
Super Recycling	-	-	-	-	-	-	-
Recycling-On-Demand	•	•	-	•	•	•	-
Side Discharge	-	-	-	•	•	•	•
Rear Discharge	•	•	▼	-	-	-	-
Grass/leaf Collection	•	•	•	•	•	•	•
Recoil Start	•	•	•	•	•	•	•
Electric Start	-	•	-	-	•	-	-
Blade Brake Clutch (BBC)	-	-	-	-	-	•	-
AutoMatic Drive System	•	•	-	•	•	•	-
3-speed Variable Speed	-	-	-	-	-	-	-
Fixed Speed	-	-	•	-	-	-	-
Blade Accelerator	-	-	-	-	-	-	•
Deck Kickers	•	•	-	1	1	1	1
Folding Handlebar	•	•	•	•	•	•	•
Quick Storage Handlebar	-	-	-	-	-	-	•
Height Adjustable Handlebar	•	•	-	•	•	-	•
Handle Cable Guards	-	-	-	-	-	-	-
Anti Scalp cup	-	-	-	-	-	-	-
Wheel Bearings	-	-	-	-	-	-	-
Wash-out Port	-	-	-	•	•	•	•
Dual Blades	-	-	-	-	-	-	-
Traction Assist	-	-	-	▼	▼	▼	-
Vertical Stow	-	-	-	-	-	-	•
Operator Presence Control	•	•	•	•	•	•	•

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

** GTS = Guaranteed to start

MOWER DIMENSIONS

Dimensions 1 = Height 1 x Length 1 x Width
 Dimensions 2 = Height 2 x Length 2 x Width



MODELS

AWD

TimeMaster™

Super Recycler

20960

20975

20977

20836

20837

20792

20797

PERFORMANCE

Lawn Area	Large	Extra Large	Extra Large	Medium	Medium	Medium / Large	Medium / Large
Cutting Width (cm)	55cm	76cm	76cm	48cm	48cm	53cm	53cm
Engine/Motor	Briggs & Stratton Series 675 Exi 163cc	Briggs & Stratton Series 875 190cc	Briggs & Stratton Series 875 190cc	Toro® OHV 159cc	Honda GCV OHV 160cc	Briggs & Stratton Series 675 190cc	Briggs & Stratton Series 675 190cc
Drive System	AutoMatic Drive						
Height of Cut (mm)	4-point, 25-102mm	2-point, 32-108mm	2-point, 32-108mm	1-point, 25-102mm	1-point, 25-102mm	4 point, 32-108mm	4 point, 32-108
Grassbag Capacity (Litres)	74L	88L	88L	60L	60L	65L	65L
Fuel Tank Capacity (Litres)	0.9L	1.1L	1.1L	1.1L	1.1L	0.9L	0.9L
Deck Material	Steel	Steel	Steel	Aluminium	Aluminium	Aluminium	Aluminium
Weight (kg)	35kg	62kg	64kg	38kg	37kg	38kg	42kg
Dimensions 1 (collapsed, mm)	406 x 1029 x 597	533 x 1041 x 813	533 x 1041 x 813	432 x 965 x 597	432 x 965 x 597	406 x 1321 x 581	406 x 1321 x 581
Dimensions 2 (assembled, mm)	1003 x 1499 x 597	1067 x 1651 x 813	1067 x 1651 x 813	1029 x 1638 x 597	1029 x 1638 x 597	1016 x 1638 x 581	1016 x 1638 x 581
Warranty - Home Owner*	2 Year Full Coverage* 2 Year - GTS**	3 Year Full Coverage* 3 Year - GTS**	3 Year Full Coverage* 3 Year - GTS**	5 Year Full Coverage* 5 Year - GTS**			
Warranty - Commercial*	30 days	90 days					

USER-FRIENDLY FEATURES


Recycling	●	●	●	●	●	●	●
Super Recycling	—	—	—	●	●	●	●
Recycling-On-Demand	●	—	—	●	●	—	—
Side Discharge	●	●	●	—	—	●	●
Rear Discharge	—	—	—	●	●	●	●
Grass/leaf Collection	●	●	●	●	●	●	●
Recoil Start	●	●	●	●	●	●	●
Electric Start	—	—	●	—	—	—	●
Blade Brake Clutch (BBC)	—	●	●	—	—	—	—
AutoMatic Drive System	●	●	●	●	●	●	●
3-speed Variable Speed	—	—	—	—	—	—	—
Fixed Speed	—	—	—	—	—	—	—
Blade Accelerator	●	—	—	●	●	●	●
Deck Kickers	1	—	—	●	●	●	●
Folding Handlebar	●	●	●	●	●	●	●
Quick Storage Handlebar	—	●	●	●	●	—	—
Height Adjustable Handlebar	●	●	●	●	●	●	●
Handle Cable Guards	—	—	—	—	—	—	—
Anti Scalp cup	—	—	—	—	—	—	—
Wheel Bearings	—	●	●	●	●	—	—
Wash-out Port	●	●	●	●	●	●	●
Dual Blades	—	●	●	—	—	—	—
Traction Assist	●	●	●	●	●	—	—
Vertical Stow	—	—	—	—	—	—	—
Operator Presence Control	●	●	●	●	●	●	●

● = Included | ▼ = Optional | ▶ = Step-up Feature

SPECIFICATIONS

MOWER DIMENSIONS

Dimensions 1 = Height 1 x Length 1 x Width
 Dimensions 2 = Height 2 x Length 2 x Width



MODELS	Super Bagger			Proline		TurfMaster™
	20835	20899	20897	22291	22293	22205TE
PERFORMANCE						
Lawn Area	Medium	Medium / Large	Medium / Large	Medium / Large	Medium / Large	Large
Cutting Width (cm)	48cm	53cm	53cm	53cm	53cm	76cm
Engine/Motor	Toro OHV 159cc	Honda GCV OHV 160cc	Honda GCV OHV 160cc	Kawasaki® FJ180V 4-cycle 179cc	Kawasaki® Kai FJ180V 4-cycle 179cc with guard	Kawasaki® Kai FJ180V Commercial 179cc with guard
Drive System	AutoMatic Drive	AutoMatic Drive	AutoMatic Drive	Self Propelled	Variable, 3-speed	Fixed Speed
Height of Cut (mm)	1-point, 25–102mm	4-point, 30–108mm	4-point, 30–108mm	4-point, 25–114mm	4-point, 25–114mm	2-point, 38–127mm
Grassbag Capacity (Litres)	60L	65L	65L	77L	77L	88L
Fuel Tank Capacity (Litres)	1.1L	1.1L	1.1L	1.8L	3.8L	3.8L
Deck Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Steel
Weight (kg)	38kg	36kg	36kg	60kg	62kg	80kg
Dimensions 1 (collapsed, mm)	432 x 965 x 514	432 x 965 x 581	432 x 965 x 581	419 x 1245 x 565	470 x 1245 x 565	597 x 1207 x 813
Dimensions 2 (assembled, mm)	1029 x 1638 x 514	1111 x 1549 x 581	1111 x 1549 x 581	914 x 1537 x 565	914 x 1537 x 565	895 x 1727 x 813
Warranty - Home Owner*	5 Year Full Coverage* 5 Year - GTS**	5 Year Full Coverage* 5 Year - GTS**	5 Year Full Coverage* 5 Year - GTS**	2 Year	2 Year	2 Year
Warranty - Commercial*	90 days	90 days	90 days	1 Year	1 Year	1 Year

USER-FRIENDLY FEATURES

Recycling	—	•	•	•	•	•
Super Recycling	—	—	—	•	•	—
Recycling-On-Demand	—	—	—	—	—	—
Side Discharge	—	•	•	—	—	•
Rear Discharge	•	—	—	—	—	—
Grass/leaf Collection	•	•	•	•	•	•
Recoil Start	•	•	•	•	•	•
Electric Start	—	—	—	—	—	—
Blade Brake Clutch (BBC)	—	—	•	—	•	•
AutoMatic Drive System	•	•	•	—	—	—
3-speed Variable Speed	—	—	—	—	•	—
Fixed Speed	—	—	—	•	—	•
Blade Accelerator	•	•	—	—	—	—
Deck Kickers	—	—	—	—	—	—
Folding Handlebar	•	•	•	—	—	—
Quick Storage Handlebar	—	•	•	—	—	—
Height Adjustable Handlebar	•	•	•	•	•	•
Handle Cable Guards	—	—	—	•	•	—
Anti Scalp cup	—	—	—	•	•	—
Wheel Bearings	•	—	—	•	•	•
Wash-out Port	—	—	—	—	—	—
Dual Blades	—	—	—	—	—	•
Traction Assist	•	—	—	—	—	—
Vertical Stow	—	—	—	—	—	—
Operator Presence Control	•	•	•	•	•	•

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

** GTS = Guaranteed to start

MODELS	HoverPro™ 400	HoverPro™ 450	HoverPro™ 500	HoverPro™ 550
	02615	02612	02604	02606

PERFORMANCE

Lawn Area	Small	Medium	Medium/Large	Medium/Large
Cutting Width (cm)	40cm	46cm	51cm	53cm
Engine	Honda GXV57	Honda GCV-160 OHC	Honda GCV-160 OHC	Honda GCV-160 OHC
Engine Capacity	57cc	160cc	160cc	160cc
Drive System	Push	Push	Push	Push
Deck Type	Polymer	Polymer	Polymer	Polymer
Cutter System	Nylon Line	Nylon Line	Steel Cutting Blade	Steel Cutting Blade
Height of Cut (mm)	18-30mm	18-30mm	16-34mm	16-34mm
Slope Angles	25°	45°	45°	45°
Fuel Tank Capacity (Litres)	0.27L	0.77L	0.77L	0.77L
Weight (kg)	12.5kg	17.6kg	19kg	19kg
*Warranty	2 year	2 year	2 year	2 year

USER-FRIENDLY FEATURES

Recoil Start	●	●	●	●
Folding Handlebar	●	●	●	●
Quick Storage Handlebar	●	●	●	●
Height Adjustable Handlebar	●	●	●	●
Softgrip Handlebar	●	●	●	●
Washout Port	—	—	—	—
Grass/Leaf Collection	—	—	—	—
Operator Presence Control	●	●	●	●
Extension Handlebar - Kit	—	▼	▼	▼
Transport Wheels - Kit	—	▼	▼	▼
Hi-Rise - Kit	▼	▼	—	—

MODELS

Handheld Electric Blower/Vacs

	51563	51681
	Ultra	UltraPlus
MAXIMUM AIR SPEED	up to 250 mph	up to 250 mph
LOW AIR SPEED	100 mph	100 mph
MOTOR	12,0 Amps	12,0 Amps
AIR VOLUME (VACUUM MODE)	11.6 m³/min	11.6 m³/min
METAL SERRATED IMPELLER	●	●
12M POWER CORD	●	●
WEIGHT	3.8 kg	4.0 kg

USER-FRIENDLY FEATURES

SPEED CONTROL	Variable	Variable
LEAF REDUCTION	88% to <1¼ cm	97% to <1¼ cm
CORD STORAGE HOOK	●	●
SHREDZ-ALL™ SHRED RING	—	●
OSCILLATING NOZZLE	—	●

SPECIFICATIONS

MODELS

TimeCutters Zero Turn Mowers

NEW!

NEW!

TimeCutter Zero Turn Tractors

	74650	74655	74657	74661	74670	74675	74680
PERFORMANCE	ZS 3200S	ZS 4200S	ZS 4200T	ZS 5000	SW 3200	SW 4200	SW 5000
Lawn Area	up to 5000m ²	up to 7000m ²	up to 7000m ²	up to 10,000m ²	up to 5000m ²	up to 7000m ²	up to 10,000m ²
Cutting Width (cm)	81cm	107cm	107cm	127cm	81cm	107cm	127cm
Engine/Motor	Toro 452cc Single Cylinder	Toro 452cc Single Cylinder	Toro 708c Twin Cylinder	Toro 708c Twin Cylinder	Toro 452cc Single Cylinder	Toro 708cc Twin Cylinder	Toro 708cc Twin Cylinder
Transmission System	Dual Hydrostatic						
Height of Cut (mm)	1-point, 38-114mm						
Grassbag Capacity (Litres)	▼	▼	▼	▼	▼	▼	▼
Fuel Tank Capacity (Litres)	11.3L						
Deck Type	1-Blade Recycler, Side Discharge	2-Blade Recycler, Side Discharge	2-Blade Recycler, Side Discharge	3-Blade Recycler, Side Discharge	1-Blade Recycler, Side Discharge	2-Blade Recycler, Side Discharge	3-Blade Recycler, Side Discharge
Weight (kg)	238kg	254kg	254kg	290kg	207kg	226kg	267kg
Dimensions assembled, H x W x L (mm)	947 - 994 - 1824	1054 - 1367 - 1824	1054 - 1367 - 1824	1054 - 1600 - 1852	1153 - 919 - 2004	1153 - 1143 - 2004	1153 - 1356 - 2004
Tyres	28cm x 10cm Ribbed (Front) 46cm x 15cm - 20cm (Rear)	28cm x 10cm Ribbed (Front) 46cm x 19cm - 20cm (Rear)	28cm x 10cm Ribbed (Front) 46cm x 19cm - 20cm (Rear)	33cm x 13cm Ribbed (Front) 46cm x 24cm - 20cm (Rear)	28cm x 10cm Ribbed (Front) 46cm x 15cm - 20cm (Rear)	33cm x 13cm Ribbed (Front) 46cm x 19cm - 20cm (Rear)	33cm x 13cm Ribbed (Front) 46cm x 24cm - 20cm (Rear)
Warranty - Home Owner*	3 Year Limited						
Warranty - Commercial*	30 Days						

USER-FRIENDLY FEATURES

Recycling Cutting System	●	●	●	●	●	●	●
Side Discharge	●	●	●	●	●	●	●
Offset Cutterdeck	●	●	●	●	●	●	●
Anti-Scalp Rollers	—	●	●	●	—	●	●
Grass/Leaf Collection	▼	▼	▼	▼	▼	▼	▼
Smart Speed	●	●	●	●	—	—	—
Smart Park	—	—	—	—	●	●	●
Deck Lift Pedal	▼	▼	▼	▼	▼	▼	▼
Wash-out Port	●	●	●	●	●	●	●
Dual Headlights	—	—	—	—	—	—	—
Seat - Back Height (mm)	380mm	380mm	460mm	460mm	380mm	380mm	460mm
Adjustable Seat	—	—	—	—	●	●	●
Arm Rest	—	—	●	●	—	—	●
Hour Meter	▼	▼	▼	▼	▼	▼	▼
Engine Guard	●	●	●	●	●	●	●
Cup Holder/Storage Compartment	●	●	●	●	●	●	●
Tow-Hitch	●	●	●	●	●	●	●
Bagger - Kit	▼	▼	▼	▼	▼	▼	▼
Anti-Vibration Mat	▼	▼	▼	▼	▼	▼	▼

* For full warranty terms and conditions, please refer to the operator's manual on www.toro.com

** GTS = Guaranteed to start

MODELS

Titans

74846

74848

PERFORMANCE

ZX 4800

ZX 5400

Lawn Area	up to 10,000m ²	up to 10,000+m ²
Cutting Width (cm)	122cm	▶ 137cm
Engine/Motor	Kawaksaki V-Twin 726cc FR651 - V	▶ Kawasaki V-Twin 726cc FR691 - V
Transmission System	Dual Hydrostatic with charge pumps	Dual Hydrostatic with charge pumps
Height of Cut (mm)	1-point, 38-114mm	1-point, 38-114mm
Grassbag Capacity (Litres)	▼	▼
Fuel Tank Capacity (Litres)	19.5L	19.5L
Deck Type	3-Blade Recycler Side discharge	3-Blade Recycler Side discharge
Weight (kg)	329kg	334kg
Dimensions assembled, H x W x L (mm)	1877 - 1567 - 2062	1877 - 1730 - 2062
Tyres	33cm x 13cm Smooth (Front) 56cm x 25cm - 25cm (Rear)	▶ 33cm x 25cm Smooth (Front) 56cm x 25cm - 25cm (Rear)
Warranty - Home Owner*	3 Year Limited or 240 hrs	3 Year Limited or 240 hrs
Warranty - Commercial*	3 Year, Limited or 240 hrs	3 Year, Limited or 240 hrs

USER-FRIENDLY FEATURES

Recycling Cutting System	●	●
Side Discharge	●	●
Offset Cutterdeck	●	●
Anti-Scalp Rollers	●	●
Grass/Leaf Collection	▼	▼
Smart Speed	—	—
Smart Park	—	—
Deck Lift Pedal	▶ ●	●
Wash-out Port	●	●
Dual Headlights	▼	▼
Seat - Back Height (mm)	460mm	460mm
Adjustable Seat	●	●
Arm Rest	●	●
Hour Meter	●	●
Engine Guard	●	●
Cup Holder/Storage Compartment	●	●
Tow-Hitch	●	●
Bagger Kit	▼	▼
Anti-Vibration Mat	—	—

MODELS

DH Series Tractors

74560

74585

74596

PERFORMANCE

DH140

DH210

DH220

Lawn Area	Up to 4500m ²	Up to 5000m ²	Up to 5000m ²
Cutting Width (cm)	92cm	▶ 102cm	102cm
Engine/Motor	Briggs & Stratton® 344cc	▶ Briggs & Stratton® 500cc	▶ Briggs & Stratton® 650cc
Transmission System	Hydrostatic	Hydrostatic	Hydrostatic
Height of Cut (mm)	30-80mm 1-point hand adjustment	▶ 30-98mm 1-point hand adjustment	30-98mm 1-point hand adjustment
Grassbag Capacity (Litres)	250L	▶ 300L	300L
Fuel Tank Capacity (Litres)	8L	8L	8L
Deck Type	2-blade, Recycler	2-blade, Recycler	2-blade, Recycler
Weight (kg)	232kg	246kg	256kg
Dimensions assembled, H x W x L (mm)	104 x 95 x 232	119 x 110 x 260	119 x 110 x 260
Tyres	15" x 6" - 6, 4-ply (Front) 18" x 8.50" - 8, 4-ply (Rear)	▶ 16" x 6.5" - 8, 4-ply with Precision Ball Bearings (Front) 20" x 10.00" - 8, 4-ply with Flange Hub Mounting (Rear)	16" x 6.5" - 8, 4-ply with Precision Ball Bearings (Front) 20" x 10.00" - 8, 4-ply with Flange Hub Mounting (Rear)
Warranty - Home Owner*	2 Year Limited	2 Year Limited	2 Year Limited
Warranty - Commercial*	30 Days	30 Days	30 Days

USER-FRIENDLY FEATURES

Recycling Cutting System	●	●	●
Recycle-on-Demand	—	▶ ●	●
Side Discharge	—	—	—
Offset Cutterdeck	—	▶ ●	●
Anti-Scalp Rollers	—	▶ ●	●
Grass/Leaf Collection	●	●	●
Empty Grassbag from Seat	●	●	●
KeyChoice	●	●	●
Bag Full Indicator	●	● - visual	● - visual
Wash-out Port	—	●	●
Dual Headlights	—	▶ ●	●
Seat-Back Height	290mm	290mm	▶ 350mm
Hour Meter	—	▼	▶ ●
Hitch Point	▼	●	●
Kit - Rear Discharge Deflector	▼	●	●



**EXPERIENCE THE TORO
DIFFERENCE... ONLY AT YOUR
LOCAL TORO DEALER**

When you buy a Toro, you get the total Toro treatment. Your Toro dealer knows how to treat you right. They roll out the red carpet every day to provide you with exceptional customer service, competitive pricing, special financing options and more. Visit your independent dealer for products that cover your needs year-round, or go to **toro.com**

ESSENTIAL TORO PARTS

Protect the reliability and productivity of your equipment with parts designed specifically for your Toro products.

Made from premium materials and engineered to enhance the safety and performance of your Toro equipment, every part we ship comes with a one-year full warranty.



Our responsive Toro dealers have the skills, training and commitment to keep your equipment performing at its best. Leveraging their extensive inventory and Toro's industry-leading 98% fill rate on parts, your Toro dealer leads the industry in parts support.



GENUINE TORO® BLADES

Keeping your mower blade sharp will give you the best quality of cut, and Toro has the right blade for every application and for virtually every turf condition. Using sharp, genuine Toro mower blades will help produce a crisp, quality cut and contribute to the ongoing vitality of your garden – everytime you mow.

PART #	DESCRIPTION	CATEGORY
108-3762-03	Recycling Blade	53cm Super Recycler®
108-9764-03	Atomic Blade	55cm Recycler (AWD & RWD)
112-8841-03	Standard Blade	50cm Recycler
120-9500-03	Standard Blade	TimeMaster
20120P	Blade Kit (includes 2 blades)	TimeMaster



TORO OIL & PREMIUM FUEL TREATMENT

To maximize the performance of your Toro product, we highly recommend using Toro oil, which has been specifically formulated for best results.

PART#	DESCRIPTION
38916	Toro Summer Oil SAE30 18 oz. (24 bottles/ case)
117-0066	Toro Full Synthetic Oil (32 oz bottle)
117-0089	Toro Premium Fuel Treatment 4oz bottle
131-6572	Toro Full Synthetic Oil (32 oz bottle)
117-0089	Toro Premium Fuel Treatment (12oz Bottle) (12 Bottles per case)
117-0090	Toro Premium Fuel Treatment (16 oz bottle)



BAG KITS AND REPLACEMENT BAGS

Delivering a clean sweep and beautiful after-cut appearance, Toro walk behind mower bags and replacement bags provide a fresh, clean looking garden.

PART#	DESCRIPTION	CATEGORY
115-4664	Replacement Bag	55cm Recycler AWD
115-4673	Replacement Bag	55cm Recycler RWD
121-5770	Replacement Bag	76cm TimeMaster
114-2664	Replacement Bag	53cm Super Recycler
114-2679-03	Bag Frame only	55cm Recycler RWD
114-2639-03	Bag Frame only	55cm Recycler AWD
121-2333-03	Bag Frame only	53cm Super Recycler
121-5766-03	Bag Frame only	76cm TimeMaster
59307	Replacement Bag and Frame Assembly	55cm Recycler AWD
59312	Replacement Bag and Frame Assembly	55cm Recycler RWD



REPLACEMENT WHEELS

Replace your worn or damaged wheels with new, genuine Toro wheels.

PART#	DESCRIPTION	CATEGORY
107-3708	20cm Wheel ASM (Front)	53cm Super Recycler
107-3709	20cm Wheel Gear ASM (Rear)	53cm Super Recycler
115-2894	20cm Wheel ASM (Front)	55cm Recycler RWD
115-2894	20cm Wheel ASM (Rear)	55cm Recycler AWD Low Wheel
115-4695	20cm Wheel Gear ASM (Rear)	55cm Recycler RWD
117-5995	20cm Wheel and Tire ASM (Rear)	50cm Recycler
119-0311	20cm Wheel ASM (Front)	55cm Recycler AWD
119-0313	28cm Wheel ASM (Rear)	55cm Recycler AWD High Wheel
119-3777	18cm Wheel and Tire ASM (Front)	50cm Recycler
125-2509	25cm Wheel Gear ASM (Rear)	76cm TimeMaster
125-2510	20cm Wheel ASM (Front)	76cm TimeMaster



Toro is always there to help you care for your landscapes the way you want,
when you want, better than anyone else.



Count on it.



UK

Hayter Limited (Part of the Toro Company)
Spellbrook, Bishop's Stortford, Hertfordshire,
England CM23 4BU
Tel: +44 (0) 1279 723444
Fax: +44 (0) 1279 600338
Customer Service Helpline: 0800 616 298
email: sales@hayter.co.uk

Worldwide Headquarters

The Toro Company
8111 Lyndale Ave. So.
Bloomington, MN 55420 U.S.A.
Phone: (1) 952 888 8801
Fax: (1) 952 887 8258
www.toro.com



[facebook.com](https://www.facebook.com)
twitter.com/TheToroCompany
youtube.com/ToroCompanyEurope

GB Printed in UK.
©2016 The Toro Company.
All Rights Reserved.

111-9585 (A)

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your dealer for details on all our warranties.