

EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
09960C	400000000 and Up	ProCore 648s Aerator	PROCORE 648S EFI MODEL

Conform(s) to the following legislation:

2006/42/EC (Machinery Directive), 2000/14/EC (Noise), 2014/30/EU (EMC), 2014/53/EU (RE D)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN 55012: 2007 + A1: 2009; EN 61000-6-2: 2005 + AC: 2005

Further, the following accessories/attachments conform to the directives indicated below when installed according to instructions on the models listed above:

Model	Description	Directive
09962	Light Kit	2014/30/EU
110-4693	CE Kit	2006/42/EC
161-9001	Telematics Gateway	2014/53/EU

Data for Noise Directive (2000/14/EC, 2005/88/EC):

Model	Classification	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
09960C	Scarifier	100.5	102	3400

Determined in accordance with ISO 11094:1991 and ISO 3744: 2010.

Conformity Assessment: Annex V

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.

Certified:



Tom Langworthy
Engineering Director
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
November 7, 2024

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro Europe NV
Nijverheidsstraat 5
2260 Oevel
Belgium



EU Specifications

Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass [‡] (kg)	Hand/Arm Vibration (m/s ²)* Level		
			Left Hand	Right Hand	Uncertainty
09960C	19.7	745	2.8	2.6	0.3


[‡] With empty tanks in the normal operating configuration


* Determined in accordance with EN 13684: 2018, Annex E


Machine Sound Data

Model	Sound Pressure (dBA) ¹	
	Level	Uncertainty
09960C	83	1

¹ A-weighted levels, as measured at the operator position, determined in accordance with EN 13684: 2018, Annex C.







BG: За да получите копие от този документ на вашия език, отидете на www.toro.com/en/parts.

CS: Kopii tohoto dokumentu ve svém jazyce získáte na adrese www.toro.com/en/parts.

DA: For at indhente en kopi af dette dokument på dit sprog skal du besøge www.toro.com/en/parts.

DE: Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter www.toro.com/en/parts.

EL: Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση www.toro.com/en/parts.

EN: To obtain a copy of this document in your language, go to www.toro.com/en/parts.

ES: Puede obtener una copia de este documento en su idioma en www.toro.com/en/parts.

ET: Dokumendist enda keeles koopia saamiseks külastage veebilehte www.toro.com/en/parts.

FI: Tästä asiakirjasta saa omakielisen version osoitteesta www.toro.com/en/parts.

FR: Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur www.toro.com/en/parts.

HR: Za primjerak Izjave o sukladnosti na Vašem jeziku idite na www.toro.com/en/parts.

HU: Ha szükséges van a dokumentum egy példányára a saját nyelven, letöltheti azt a www.toro.com/en/parts oldalról.

IT: La copia del presente documento nella vostra lingua è disponibile su www.toro.com/en/parts.

LT: Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite www.toro.com/en/parts.

LV: Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz www.toro.com/en/parts.

NL: Voor een exemplaar van dit document in uw eigen taal, gaat u naar: www.toro.com/en/parts.

NO: For å få en kopi av dette dokumentet på ditt språk, gå til www.toro.com/en/parts.

PL: Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę www.toro.com/en/parts.

PT: Para obter uma cópia deste documento no seu idioma, vá a www.toro.com/en/parts.

RO: Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați www.toro.com/en/parts.

SK: Ak chcete získať kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu www.toro.com/en/parts.

SL: Za izvod tega dokumenta v vašem jeziku obiščite spletno stran www.toro.com/en/parts.

SR: Da biste dobili primerak ovog dokumenta na svom jeziku, posetite www.toro.com/en/parts.

SV: Gå in på www.toro.com/en/parts om du vill ha ett exemplar av det här dokumentet på ditt språk.

UK Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
09960C	400000000 and Up	ProCore 648s Aerator	PROCORE 648S EFI MODEL

Conform(s) to the following legislation:

S.I. 2008 No. 1597 (Machinery Safety), S.I. 2001 No. 1701 (Noise), S.I. 2016 No. 1091 (EMC), S.I. 2017 No. 1206 (Radio Equipment)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN 55012: 2007 + A1: 2009; EN 61000-6-2: 2005 + AC: 2005

Further, the following accessories/attachments conform to the UK national laws indicated below when installed according to instructions on the models listed above:

Model	Description	Regulation
09962	Light Kit	2016 No. 1091
110-4693	CE Kit	2008 No. 1597
161-9001	Telematics Gateway	2017 No. 1206

Data for Noise Regulations (S.I. 2001 No. 1701):

Model	Classification	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
09960C	Scarifier	100.5	102	3400

Determined in accordance with ISO 11094:1991 and ISO 3744: 2010.

Conformity Assessment: Schedule 8

This declaration has been issued under the sole responsibility of the manufacturer.
The object of the declaration is in conformity with relevant UK legislation.



Tom Langworthy
Engineering Director
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
November 7, 2024

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro U.K. Limited
Spellbrook Lane West
Bishop's Stortford
CM23 4BU
United Kingdom

UK Specifications

Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass [‡] (kg)	Hand/Arm Vibration (m/s ²)* Level		
			Left Hand	Right Hand	Uncertainty
09960C	19.7	745	2.8	2.6	0.3

[‡] With empty tanks in the normal operating configuration

* Determined in accordance with EN 13684: 2018, Annex E

Machine Sound Data

Model	Sound Pressure (dBA) ¹	
	Level	Uncertainty
09960C	83	1

¹ A-weighted levels, as measured at the operator position, determined in accordance with EN 13684: 2018, Annex C.